

Quotation Advert

Opening Date:	28/01/2019		
Closing Date:	05/02/2018		
Closing Time:	11:00		
INSTITUTION DETAILS			
Institution Name:	Edendale hospital		
Province:	KwaZulu-Natal		
Department or Entity:	Department of Health		
Division or section:	Central Supply Chain Management		
Place where goods / services is required	Edendale Hospital		
Date Submitted	28/01/2019		
ITEM CATEGORY AND DETAILS			
Quotation Number:	ZNQ:		
	857/18		
Item Category:	Goods		
Item Description:			
	Staff lockers		
Quantity (if supplies)	66 units		
COMPULSORY BRIEFING SESSION /	The state of the s		
Select Type:	Select		
Date :			
Time:			
Venue:			
QUOTES CAN BE COLLECTED FROM:	Edendale Hospital Supply Chain Management		
QUOTES SHOULD BE DELIVERED TO:	Edendale Hospital Blue Tender box by main gate		
ENQUIRIES REGARDING THE ADVER	T MAY BE DIRECTED TO:		
Name:	Philani		
Email:	philani.moyo@kznhealth.gov.za		
Contact Number:	033 395 4569 \		
Finance Manager Name:	Mr D. Thangalan		
	M I		
Finance Manager Signature:			

Health
PROVINCE OF KWAZULU-NATAL

ysical address: Lot 89, Selby Msimang Road, Plessis Postal address: P/Bag X509, Plessislaer, 32

Enq: Mr. M. Mazibuko

STAFF LOCKER X4

SECTION A - General

Clause	Clause Description	Bidders Remarks
G1	Bidders must quote on the supply and delivery of the item.	
G2	SABS/SANS proof of certification or any other relevant certification documentation must be provided with the quotation.	
G3	Bidders must provide a diagram of the item quoted for.	
G3,1	Please state brand name of item quoted for:	
G4	Bidder must state the guarantee period of the item quoted for.	Months

SECTION B - Technical Specification

Clause	Clause Description	Bidders Remarks
T 1	Must be made of steel	
T2	Must have 4 Independent compartments	
Т3	Each Individual compartments are to lockable – spare keys to be provided.	
T4	Colour Grey	

SECTION C = Confirmation

Compulsory to be completed by the	bidder and returned with quota	tion:
l,	from	, do hereby
(Print Name) acknowledge that I have read and ur ensure that the quotation price subm	nderstand the specifications as	laid out above and will
Oleman Annua		