



## Quotation Advert

**Opening Date:** 2019-07-17 

**Closing Date:** 2019-07-24 

**Closing Time:** 11:00

### INSTITUTION DETAILS


**Institution Name:** Othobothini CHC 

**Province:** KwaZulu-Natal

**Department or Entity:** Department of Health


**Division or section:** Central Supply Chain Management

**Place where goods / services is required** NONDABUYA CLINIC IN JOZINI MANGUZI MAIN ROAD D2210

**Date Submitted** 2019-07-17 

### ITEM CATEGORY AND DETAILS

**Quotation Number:** ZNQ:  
64/19/20

**Item Category:** Services 


**Item Description:** CONNECTING OF WATER SUPPLY FROM JOJO TANKS TO A CLINIC  
AND NURSES RESIDENTS

*Scope of work and  
Specification Attached*

**Quantity (if supplies)** 04 TANKS


### COMPULSORY BRIEFING SESSION / SITE VISIT

**Select Type:** Both 

**Date :** 2019-07-24 

**Time:** 11:00

**Venue:** D2210 MAIN NGWAVUMA ROAD NEXT TO IMFINGOSE HALL, JOZINI, 3969

**QUOTES CAN BE COLLECTED FROM:** D2210 MAIN NGWAVUMA ROAD NEXT TO IMFINGOSE  
HALL, JOZINI, 3969 

**QUOTES SHOULD BE DELIVERED TO:** D850 ROAD NEXT TO MSYANE HIGH SCHOOL, JOZINI. 3969

### ENQUIRIES REGARDING THE ADVERT MAY BE DIRECTED TO:

**Name:** P MYENI

**Email:** jozini.chc@gmail.com

**Contact Number:**


**Finance Manager Name:**

0793899654

PP

MR B L BUTHELEZI

**Finance Manager Signature:**



No late quotes will be considered



**health**

Department:  
Health  
PROVINCE OF KWAZULU-NATAL

DIRECTORATE: OTHOBOTHINI COMMUNITY  
HEALTH CENTRE

PHYSICAL ADDRESS: D850 ROAD, NEXT TO MSIYANE HIGH SCHOOL JOZINI 3969  
POSTAL ADDRESS: PRIVATE BAG X 12, JOZINI, 3969  
TEL: (035)572 1327 FAX: (035)572 1077 JOZINI.CHC@GMAIL.COM

Enquiries : Mr. S.C MBATHA  
Subject : CONNECTING WATER SUPPLY  
Date : 17 July 2019

**INVITATION TO ATTEND SITE BRIEFING**

You are kindly requested to attend site briefing for Connecting of water supply for Nondabuya Clinic

For the following: 1. ZNQ 64/19/20 JZN-CHC Connecting Water Supply

Venue: D2210 Main Ngwavuma Road Next to Imfingose Hall, Jozini, 3969

Date: 24 July 2019

Time: @11:00

**Requirements**

Companies must be registered on CSD

Companies must have valid CIDB minimum 1 ME

Electrical COC must be issued after installation

Companies must have valid letter of good standing from Department of Labour

Please note that Quotation documents will be issued on site

Thank you  


MR B L BUTHELEZI

AD: Finance

Othobothini Community Health Centre



## CONNECTION OF WATER SUPPLY FROM JOJO TANKS TO CLINIC AND NURSES RESIDENTS

### REQUIREMENTS

1. Companies must be registered with CIDB minimum 1 ME
2. Companies must comply with CSD
3. Companies must have valid letter of good standing with department of labour ( compensation commissioner)
4. Electrical COC must be issued after installation

### Specification

1. Four Water pumps will be used to supply water 220- 240 , 50/60Hz, Max. 1.1Kw, Max 10bar, Max 10A, Max 60 degrees Celsius , AUTOMATIC SWITCH , PS – O4B
2. One pump will be connected to JOJO Tank next to clinic main door at the back it will feed main copper pipe 28mm
3. Between tank and pump one gate valve to isolate water
4. From the pump to clinic one gate valve , non return valve and there must be a slave to put copper pipe , class 2 copper pipe must be used
5. Run a copper pipe and connect to main supply pipe but before put gate valve to be able to isolate water supply
6. Electrical supply 20A circuit breaker and 2.5 mm surface cable must be used, connect from main DB inside clinic run it to the 20A isolator vapour proof next to pump outside , small shelter to protect pumps from rain.
7. For outside patient toilets take JOJO Tank next to toilet make stand connect to 15mm copper pipe that feed toilets , gate valve between tank and pump , from pump to toilet put non return valve. Electrical supply 20A circuit breaker and 2.5 mm surface cable must be connect from security guard room DB at the gate , the cable must be run underground to the 20A isolator vapour proof next to pump.
8. For nurses residents one JOJO Tank will feed two houses connect pump to JOJO Tank in between put gate valve , from pump T junctions and gate valve must be used to feed both houses 22mm copper pipe at the back of the houses and non return valve must be fitted in both supplying pipes. For electrical supply 20A circuit breaker and 2.5 mm surface cable must be connected from the DB at the nurses home to 20A isolator vapour proof.
9. For another two nurses houses do the same as above for water and electrical supply.

THANK YOU

S.C. MBTHA 0769642893

# NONDABUYA CLINIC

