

Opening Date: 2019-07-15

Closing Date: 2019-07-29

Closing Time: 11:00

INSTITUTION DETAILS

Institution Name: King Edward VIII hospital

Province: KwaZulu-Natal

Department or Entity: Department of Health

Division or section: Central Supply Chain Management

Place where goods / services is required KING EDWARD VIII HOSPITAL LAUNDRY

Date Submitted 2019-07-12

ITEM CATEGORY AND DETAILS

Quotation Number: 7NQ:
KM 1411 19

Item Category: Services

Item Description: SUPPLY AND DELIVER TOW TRUCK FOR GOOD (HYSTER) AS PER ATTACHED SPEC

Quantity (if supplies) 01

COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type: Compulsory Site Visit

Date : 2019-07-22

Time: 11H00

Venue: KING EDWARD VIII HOSPITAL OUTSIDE MAINTNANCE

QUOTES CAN BE COLLECTED FROM: COLLECTED AT SITE MEETING

QUOTES SHOULD BE DELIVERED TO: KING EDWARD VIII HOSPITAL TENDOR BOX

ENQUIRIES REGARDING THE ADVERT MAY BE DIRECTED TO:

Name: KHULANI MTHEMBU

Email: KHULANI.MTHEMBU@KZNHEALTH.GOV.ZA

Contact Number: 031 300 3440

Finance Manager Name: MISS NOMDWE NCURU

Finance Manager Signature:


No late quotes will be considered



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

Physical Address
Corner of Francios and Sydney Road , Congella, Durban
www.kznhealth.gov.za

KING EDWARD VIII HOSPITAL

SPECIFICATION FOR:

TOW TRUCK TO TOW GOODS TROLLEYS

GENERAL NOTES:

1. SCOPE OF CONTRACT: -

This Contract is for 1x Tow Truck for goods trolleys

2. PROGRAMME: -

The Contractor shall supply the equipment to suit the convenience of the Department of Health.

6. REQUIREMENTS: -

Tenderers are to make special note of the following: -

- a) Prior to tendering, tenderers are advised to visit the Site and acquaint themselves fully with site conditions, to ascertain if the equipment will be suitable for the purpose intended for.
- b) Only new equipment of the best quality should be supplied and must be SABS marked.

7. OCCUPATIONAL HEALTH & SAFETY

- The equipment must have features conforming to the Occupational Health & Safety Act, Act no.85 of 1993.

8. SPECIFICATION

Item	Description	Unit	Quantity	Rate	Total
<u>Supply and deliver of 2 Tow Trucks with the following:</u>					
1.	Super elastic wheels				
2.	To be battery operated and supplied with chargeable battery including battery charger.				
3.	Variable speed control				
4.	Flashing lights for safety reason				
5.	Audible warning in reverse				
6.	Canopy on top of the driver				
7.	Color to be confirmed prior delivery				
8.	Draw bar pull and a power to pull about 1200 kg				
9.	Load capacity: not exceeding 6 ton, not less than 3 ton				
10.	To be supplied with operators manal				
11.	One seater (must be on space for passengers)				
12.	No rear over hang				
13.	Travel speed not exceeding 2KM/H.				
14.	Picture samples to be supplied with quotations				

SharePoint

I sailwayo Nkosphendulo - ?



health
Department
Health
PROVINCE OF KWAZULU-NATAL

KZN HEALTH

KZN Health Intranet

Search this site

HOME CORPORATE INFORMATION COMPONENTS DIRECTORY DISTRICT OFFICES HEALTH FACILITIES

KZN Health > Components > Supply Chain Management

AdvertQuote

Submit Save Save As... Close Print Preview



health
Department
Health
PROVINCE OF KWAZULU-NATAL

Quotation Advert

Opening Date: 2019-07-25

Closing Date: 2019-07-29

Closing Time: 11:00

INSTITUTION DETAILS

Institution Name: King Edward VIII hospital

Province: KwaZulu-Natal

Department or Entity: Department of Health

Division or section: Central Supply Chain Management

Place where goods / services is required: KING EDWARD VIII HOSPITAL LAUNDRY

Date Submitted: 2019-07-12

ITEM CATEGORY AND DETAILS

Quotation Number: ZND:
KM 1401 19

Item Category: Services

Item Description: SUPPLY AND INSTALL NEW SLUICE MACHINE (25 KG) IN LAUNDRY

Quantity (if supplies) 2

COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type: Compulsory Site Visit

Date: 2019-07-19

Time: 11:00

Venue: KING EDWARD VIII HOSPITAL OUTSIDE MAINTENANCE

QUOTES CAN BE COLLECTED FROM: COLLECTED AT SITE MEETING

QUOTES SHOULD BE DELIVERED TO: KING EDWARD VIII HOSPITAL TENDER BOX

ENQUIRIES REGARDING THE ADVERT MAY BE DIRECTED TO:

Name: KHULANI MTHEMBU

Email: KHULANI.MTHEMBU@KZNHEALTH.GOV.ZA

Contact Number: 031 260 3416

Finance Manager Name: MISS NOMONDE NGUME

Finance Manager Signature:

No late quotes will be considered

PROVINCE OF KWAZULU-NATAL
DEPARTMENT OF HEALTH
LAUNDRY SERVICES

SPECIFICATION FOR:
25kg CAPACITY SLUISE WASHING MACHINE (ELECTRIC)
(NO HEATING)
(COMPLETE PACKAGE)

The Bid is structured to include:

- The removal and carting of 6 machines (indicated on site meeting) from Laundry to boiler house storage space.
- The supply, delivery, installation and commissioning of 2 X Complete 25kg Capacity Sluice Washing Machines for King Edward Hospital
- The installation of new water supply valve from water supply and connect to machine.
- A comprehensive service agreement with a life of 5 years following the 1-year guarantee period. (Compulsory)
- Bidder to complete Section 2 comprehensive service agreement schedule on page 5 of specification bid document.(compulsory)

Bidders will be required to quote on a comprehensive 5 year service contract that will be used as a guide in considering life cycle cost of the unit offered. The service contract may or may not be entered into. The proposed cost of the service contract must however be detailed in the schedules provided for the period of 60 months for the unit offered. At the end of guarantee period the successful bidder may be required to complete the Type A service contract and to review the quoted travel costs of the service contact price in order to combine travel with other units under the service contract. Copies of the Type A contract will be available on request.

TECHNICAL SPECIFICATIONS.

The bid calls for a Complete 25kg Capacity Sluise Washing Machine, which must include the following items as a complete package. The machine must be fitted with a simple microprocessor incorporating the following wash programs which will automatically commence when the start button is pressed.

- a) Fitted with a programmable control panel (minimum of 1 cycles)
- b) Reversing washing action +/- (36 RPM) which will not tangle or knot clothes.
- c) Pre-extraction load equalizing speed +/- (75 RPM) which evenly distributes clothes in cylinder before each extraction cycle to minimize unbalance.
- d) Automatic low speed first stage extraction +/- (235 RPM) during each drain:
To remove excess water by centrifugal force and insure better rinsing and;
To reduce vibration during final extraction by removing most of the water before high speed extraction is attained.
- e) Automatic high speed final extraction shall provide a minimum of 200 g's during final extraction.

The bidder must quote for all these items as one package.

BIDDERS COMMENTS:

SLUISE WASHING MACHINE

Clause 1

The machine must be able to accept detergents either manually via a soap hopper or electronically by means of an automatic dosing system.

BIDDERS COMMENTS:

Clause 2

The inner and outer drum must be constructed of high grade stainless steel with measurements of between 900 - 940 mm in diameter and 500 - 516mm in depth.

BIDDERS COMMENTS:

Clause 3

The cylinder shall be not less than 1.2mm in thickness, with embossed perforations.

BIDDERS COMMENTS:

Clause 4

The perforations of the inner drum should be at least 8mm in diameter.

BIDDERS COMMENTS:

Clause 5

The outer casing of the machine should be fitted with High grade stainless steel panels

BIDDERS COMMENTS:

Clause 6

The drum is to driven by means of a belt system attached to a 380/50/3 inverter driven 21KW motor. All electrical gear will have CE rating and have local SABS approval.

BIDDERS COMMENTS:

Clause 7

The drive shaft shall be supported on two heavy duty ball bearings sealed against penetration of moisture.

BIDDERS COMMENTS:

Clause 8

The machine shall be equipped with 2 x water inlet of 50mm in diameter or greater is to be provided together with a large outlet drain of 75mm in diameter.

BIDDERS COMMENTS:

Clause 9

Dimensions of the machine 1093mm x 1163mm x 1440mm

BIDDERS COMMENTS:

Clause 10

The machine should be suitable for operation on 380 volt 3 phase 50 Hz electrical supply.

BIDDERS COMMENTS:

Clause 11

The machine shall be provided with a vibration safety shut-off which, on excessive vibration during high speed extraction shall automatically reduce the extraction speed to the first stage extraction speed +/-235 RPM.

BIDDERS COMMENTS:

Clause 12

The machine shall have a capacity of not less than 25 kg dry weight based on a loading factor of 1 kg per 10l of drum volume with a drum volume of 250 liters or more.

BIDDERS COMMENTS:

Clause 13

The machine should be of the front loading type.

BIDDERS COMMENTS:

Clause 14

The machine should be fitted with a large circular door glass situated in the front panel of the machine with a diameter of 470 mm or greater to facilitate easy loading and unloading.

BIDDERS COMMENTS:

Clause 15

The door shall be interlocked with the starting mechanism so that the machine cannot run with the door in the open position. The door frame shall be of stainless steel

BIDDERS COMMENTS:

Clause 16

The outer basket will be of high grade 304 stainless steel all outer shell welding will be continuous.

BIDDERS COMMENTS:

Clause 17

The machine shall be of the Hard Mount type and shall be securely fixed to the floor or frame by means of chemical bolts or other approved means.

BIDDERS COMMENTS:

SECTION 2

FULLY COMPREHENSIVE TYPE A SERVICE AGREEMENT

DETAILS OF EQUIPMENT COVERED IN THIS AGREEMENT

BID / QUOTATION NO: _____

EQUIPMENT: _____

MAKE: _____ MODEL: _____ SERIAL NO: _____

NORMAL 1 YEAR GUARANTEE FROM: _____ TO: _____

5 YEAR SERVICE AGREEMENT FROM: _____ TO: _____

The bidder undertakes to Maintain, Service and Repair the equipment in terms of all the conditions and requirements detailed in the Type A Service Agreement of the Department of Health for the five (5) year period stated above, at a **FIXED** cost as detailed in the **MONTHLY SERVICE AGREEMENT PAYMENT SCHEDULE**.

The bidder states that he / she is familiar with all the terms, conditions and requirements as detailed in the Type A Service Agreement.

Details of the number of services per annum must be stated.

Minor service per annum – Total _____

Major service per annum – Total _____

Complete overhauls every _____ years.

Details of material and labour used during the minor, major service and overhauls must be stated.

MINOR SERVICE:

Description of work to be done.

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____

Details of parts to be replaced.

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____

10. _____

MAJOR SERVICE.

Description of work to be done.

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____

Details of parts to be replaced.

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____

OVERHAUL.

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____

Details of parts to be replaced.

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____

List all consumables not covered in the Service Agreement and detail the costs.

1. _____
2. _____

- 3. _____
- 4. _____
- 5. _____
- 6. _____
- 7. _____
- 8. _____
- 9. _____
- 10. _____

MONTHLY SERVICE AGREEMENT PAYMENT SCHEDULE

Month	Value	Month	Value
1		31	
2		32	
3		33	
4		34	
5		35	
6		36	
7		37	
8		38	
9		39	
10		40	
11		41	
12		42	
13		43	
14		44	
15		45	
16		46	
17		47	
18		48	
19		49	
20		50	
21		51	
22		52	
23		53	

24		54	
25		55	
26		56	
27		57	
28		58	
29		59	
30		60	
TOTAL SERVICE AGREEMENT COST FOR FIVE YEAR PERIOD AFTER LAPSE OF ONE YEAR GAURANTEE PERIOD		Total	

Institution for which the equipment is intended _____

These prices will only apply to the abovementioned Institution.

Bidder: _____

Signature: _____

Date: _____

DETAILED TECHNICAL SPECIFICATION

GENERAL INFORMATION REQUIRED

FAILURE TO COMPLETE THIS PART WILL DISQUALIFY THE BIDDER

Make: _____

Model Number /Part Number for: _____

Country of Origin _____

Final Bid / Quotation Price inclusive of V.A.T. _____

Local Agent (KZN) _____

Delivery Period _____

R S A Import Permit Holder _____

Bidder _____

SIGNATURE _____ DATE _____

ADDRESS _____

TELEPHONE NO. _____ FAX NO. _____

CONTACT PERSON
(PLEASE PRINT) _____