




**Opening Date:** 2019-11-15 

**Closing Date:** 2019-11-21 

**Closing Time:** 11:00

## INSTITUTION DETAILS


**Institution Name:** Ekombe hospital 

**Province:** KwaZulu-Natal

**Department or Entity:** Department of Health

**Division or section:** Central Supply Chain Management

**Place where goods / services is required** EKOMBE HOSPITAL

**Date Submitted** 2019-11-14 

## ITEM CATEGORY AND DETAILS

**Quotation Number:** ZNQ:  
227/19-20


**Item Category:** Goods 

**Item Description:**

SUPPLY AND DELIVER EZ GO CAR/BATTERY DRIVEN MINI VEHICLE WITH TWO PEDALS & HAND BRAKE & 24V BATTERY CHARGER: SPEC ATTACHED

**Quantity (if supplies)** 1

## COMPULSORY BRIEFING SESSION / SITE VISIT

**Select Type:** Select... 

**Date :** 

**Time:**

**Venue:**

**QUOTES CAN BE COLLECTED FROM:** SCM

**QUOTES SHOULD BE DELIVERED TO:** EKOMBE HOSPITAL ADMIN BLOCK(TENDER BOX)

## ENQUIRIES REGARDING THE ADVERT MAY BE DIRECTED TO:

**Name:** K.P NGCOBO

**Email:** Phumlani.Chonco@kznhealth.gov.za


**Contact Number:**

035 834 8082

Finance Manager Name:

S.M. NTOMBELA

Finance Manager Signature:



---

**No late quotes will be considered**



**EKOMBE DISTRICT HOSPITAL**

Physical Address: Qhudeneni Main Road, Nkandla Municipality  
Posta Address: Private Bag X 203, Kranskop, 3268, KZN  
Tel: 035 834 8051  
Email: Phumlani.Chonco@kznhealth.gov.za  
www.kznhealth.gov.za

Supply Chain Management

Enquiries: Ngcobo K.P  
Tell No: 035 834 8025  
Date: 2019. 11. 06

**SPECIFICATION OF TOW TRACTOR ELECTRIC**

Dimensions			SPECIFICATION	
Vehicle			POWERTRAIN	
Height	40	1,016 MM	<b>MOTOR</b>	6hp Shunt motor
Length	78	1,981 MM	<b>CONTROLLER</b>	Sepex Electronic speed controller
Width	30	762 MM	<b>DRIVE AXLE</b>	Differential with automotive ring gear
Wheel Base	50	1,270 MM	<b>BRAKES</b>	Dual self-adjusting mechanical drum brakes on rear, hand lever parking brake, regenerative braking.
Ground clearance	N/A	N/A		
Deck			<b>WHEELS</b>	4.8X8 LRC pneumatic tires
			<b>TRANSMISSION</b>	Dual V belt drive
Height	25	635 MM	<b>SUSPENSION</b>	Coil spring & shocks absorbers (front & rear)
Width	30	762 MM	<b>STATER</b>	N/A
Length	20	508 MM	<b>CLUTCH</b>	N/A
			<b>ENGINE</b>	N/A
<b>Unit Weight</b>				
			<b>ENERGY</b>	24 Volts
<b>WITH BATTERIES</b>	N/A	N/A	<b>VOLTAGE</b>	Four 6V-232AH Batteries
<b>WITHOUT BATTERIES</b>	N/A	N/A	<b>BATTERY CHARGER</b>	High frequency charger, improves battery performance, prevents surge, 50/60HZ. 110/220VAC
<b>BATTERIES</b>				
Height	N/A	N/A		
Length	N/A	N/A	<b>ALTERNATOR</b>	N/A
Width	N/A	N/A	<b>FUEL</b>	N/A

<b>WEIGHT-MIN</b>	N/A	N/A			
<b>WEIGHT-MAX</b>	N/A	N/A			
<b>PERFORMANCE</b>					
<b>VEHICLE</b>				<b>Operator Compartment</b>	
<b>Passengers</b>	1			<b>Steering</b>	<b>Handlebar</b>
<b>Load Capacity</b>	500lbs	227kg		<b>Seats</b>	Bucket seat on slide adjusters
<b>Tow Capacity</b>	6000lbs	2722kg		<b>Indicators</b>	Battery status indicator
<b>Drawbar Pull</b>	Normal	N/A		<b>Safety</b>	Reverse alarm, deadman seat switch, emergency stop button, horn.
<b>Drawbar Pull</b>	Ultimate	N/A		<b>Accessories</b>	Bolt-on bumper and rear wheel guard, 24v accessories to equalize cell and extend battery life.
<b>Speed MPH</b>	6mph	10km/h			
<b>Turning Radius</b>	71"	1803mm			
<b>Quality</b>	SABS/SANAS Approved				
<b>Other</b>					

Warranty  
Trailer

- 5 year parts and labour warranty (SABS Approved)