

Quotation Advert

Opening Date: 2019-11-11

Closing Date: 2019-11-21

Closing Time: 11:00

INSTITUTION DETAILS

Institution Name: Benedictine hospital

Province: KwaZulu-Natal

Department or Entity: Department of Health

Division or section: Central Supply Chain Management

Place where goods / services is required Food services

Date Submitted 2019-11-08

ITEM CATEGORY AND DETAILS

Quotation Number: ZNQ:
284 / 2019-20

Item Category: Goods

Item Description: 1. Supply and install Conveyor belt(dishing up system).

Quantity (if supplies) 01

COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type: Both

Date : 2019-11-14

Time: 12H00

Venue: Sisters lounge

QUOTES CAN BE COLLECTED FROM: Documents will be only available on site meeting

QUOTES SHOULD BE DELIVERED TO: email to pabazule.asumalo@kznhealth.gov.za / deposit in the tender box

ENQUIRIES REGARDING THE ADVERT MAY BE DIRECTED TO:

Name: Phakathi AA

Email: hlengiwe.mthembu@kznhealth.gov.za

Contact Number:

035 8317062






Finance Manager Name:

Mdladla GNM

Finance Manager Signature:



No late quotes will be considered

 Submit  Save  Save As...  Close  Print Preview

Print this page

Note:



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

BENEDICTINE HOSPITAL STANDARD SPECIFICATION FORM


SECTION	Food Services
ITEM	Conveyor belt
DESCRIPTION	
<ul style="list-style-type: none">• 1.6 mm type 304 stainless steel• 295mm wide belt• Belt made of moisture resistance nylon, antistatic (1.2mm thick)• Fitted with large dimension rollers. Individually adjustable to prevent the belt from rolling and slipping of the rollers.• All rollers are supported by generously-dimensioned, sealed and permanently lubricated ball bearings.• The belt should continuously be easy to clean with wipers scraping dirt into a dirt drawer.• The unit should be provided with a hinged table at the operating end of the conveyor belt.• Should have a main switch with an emergency On/Off switch with belt forward and reverse operation and an electromechanical speed controller with a continuously variable range between 0 – 10.5minutes.• At the other end of the table a swivel table for patient card files and a limit switch rail for continuous operation to be provided.• Running along the length of both sides of the conveyor table is a protective rubber strip• 10 15 amp plug sockets fitted along the length of the conveyor tabled• Electric load:40kw,380w,3N,AC	



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

BENEDICTINE HOSPITAL STANDARD SPECIFICATION FORM



SAMPLE REQUIRED	Yes X	No	Picture
--------------------	----------	----	---------

END USER SIGNATURE	
INITIALS & SURNAME	P Ngcongco
DATE	05/09/2019