



Quotation Advert

Opening Date: 2019-10-11 
Closing Date: 2019-10-25 
Closing Time: 11:00

INSTITUTION DETAILS



Institution Name: Don McKenzie hospital 
Province: KwaZulu-Natal
Department or Entity: Department of Health
Division or section: Central Supply Chain Management
Place where goods / services is required: DON MCKENZIE HOSPITAL
Date Submitted: 2019-10-11 

ITEM CATEGORY AND DETAILS


Quotation Number: ZNQ:
06-10-19/20
Item Category: Services 
Item Description: Supply and install safety and directional signage

Quantity (if supplies) as per list

COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type: Compulsory Briefing Session 
Date: 2019-10-17 
Time: 11:00 a.m.
Venue: Don Mckenzie Hospital recreation hall
QUOTES CAN BE COLLECTED FROM: Supply Chain Management office
QUOTES SHOULD BE DELIVERED TO: Don Mckenzie Hospital tender box near guard room

ENQUIRIES REGARDING THE ADVERT MAY BE DIRECTED TO:

Name: Makhosi Ngubane
Email: Makhosazana.ngubane@kznhealth.gov.za
Contact Number: 0317771155
Finance Manager Name: Mr N.Mdingi
Finance Manager Signature: 

No late quotes will be considered



DON MCKENZIE SPECIALISED HOSPITAL

SPECIFICATIONS OF ABOVE SIGN:

Sign must be written as above, include department of health color coded logo, colors to be used:

Pantone numbers are:

Green: CMYK - C=87, M=9, Y=100, K=11

Gold: CMYK - C=1, M=24, Y=100, K=0

The sign must be supplied and installed on wall above entrance to ward 1a and 1b

Size: +- 600mm x 5000mm – to be discussed at site meeting

Material: CHROMADECK

SITE MEETING MUST TAKE PLACE.



health

Department:

Health

PROVINCE OF KWAZULU-NATAL

CHIEF EXECUTIVE OFFICER

SPECIFICATION OF ABOVE SIGN:

Sign must be written as above, include department of health color coded logo, colors to be used:

Pantone numbers are:

Green: CMYK-C=87, M=9, Y=100, K=11

Gold: CMYK -C=1, M=24, Y=100, K=0

The sign must be supplied and installed on the wall by CEO office

Size: 600 mm x 900 mm

Material: CHROMADECK

SITE MEETING MUST TAKE PLACE



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

Pharmacy
Quality assurance
Infection prevention & control
Monitoring and evaluation
Occupational health and safety
Waste management
Health & safety Officer
Finance Department
Social services
Ethembeni Clinic

SPECIFICATIONS OF ABOVE SIGN:

Sign must be written as above, include department of health color coded logo, colors to be used:

Pantone numbers are:

Green: CMYK - C=87, M=9, Y=100, K=11


Gold: CMYK - C=1, M=24, Y=100, K=0

The sign must be supplied and installed (without galvanized poles)

Size: 1500mm x 2400mm

Material: CHROMADECK

SITE MEETING MUST TAKE PLACE





health
Department:
Health
PROVINCE OF KWAZULU-NATAL



CHIEF EXECUTIVE OFFICER/HOSPITAL MANAGER
HUMAN RESOURCE



ADMINISTRATION
FOOD SERVICES
RECREATIONAL HALL
LAUNDRY
SUPPLY CHAIN MANAGEMENT



AUDIOLOGIST
MAINTENANCE DEPARTMENT
REHABILITATION

SPECIFICATIONS OF ABOVE SIGN:

Sign must be written as above, include department of health color coded logo, colors to be used:
Pantone numbers are:


Green: CMYK - C=87, M=9, Y=100, K=11

Gold: CMYK - C=1, M=24, Y=100, K=0

The sign must be supplied and installed on galvanized poles

Size: 1300mm x 2000mm

Material: CHROMADECK



PATIENT ADMINISTRATION OFFICE / REGISTRY
CHIEF SECURITY OFFICER

SPECIFICATIONS OF ABOVE SIGN:

Sign must be written as above, include department of health color coded logo, colors to be used:

Pantone numbers are:

Green: CMYK - C=87, M=9, Y=100, K=11

Gold: CMYK - C=1, M=24, Y=100, K=0

The sign must be supplied and installed on galvanized poles

Size: 12000mm x 1500mm

Material: CHROMADECK

SITE MEETING MUST TAKE PLACE



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

SERVICE BOARD

DON MCKENZIE SPECIALISED HOSPITAL

WELCOME - SIYAKWASMUKELA

TELEPHONE NO/ INOMBOLO YOCINGO 031-7771155, FAX/ISIKHAHLAMEZI: 031-777 1717

24 HOURS SERVICES

Clinical management of Multiple Drug Resistant Tuberculosis

USIZO LUTHOLAKALA AMAHORA ANGU 24

Ukuhlololwa nokulashelwa kwesifo sesifuba esingazweli kalula amakhambij(MDR-TB)

MONDAY - FRIDAY 07H00 -16H00 -ON REFERRAL ONLY

Out patients Multiple drug resistant Tuberculosis management
Social services
Rehabilitative services
Laboratory services
Pharmaceutical services
X-ray services – once a week
Audiology service

UMSOMBULUKO -JULWESIHLANU 7 EKUSENI -4 NTAMBAMA

Usizo lokwelashwa IMDR-TB ngaphandle kokulaliswa
Usizo lwabezenhlalakahle
Usizo lokuhlumelelisa komzimba
Usizo locwaningo lwegazi nezikhwehlela
Usizo lwasekhemisi
Usizo lokushaya isithombe sesifuba kanye ngesonto
Usizo lokuhlolwa ukuzwa kwezindlebe

SPECIFICATIONS OF SERVICE BOARD SIGN:

Sign must be written as above, include department of health color coded logo, colors to be used:
Pantone numbers are:
Green: CMYK-C=87, M=9, Y=100, K=11
Gold: CMYK -C=1, M=24, Y=100, K=0
Capital letters

The sign must be supplied and installed on galvanized poles
Size: 1800mm x 2000 mm
Material: CHROMADECK

SITE MEETING MUST TAKE PLACE



DON MCKENZIE SPECIALISED HOSPITAL

SPECIFICATIONS OF ABOVE SIGN:

Sign must be written as above, include department of health color coded logo, colors to be used:
Pantone numbers are:

Green: CMYK - C=87, M=9, Y=100, K=11

Gold: CMYK - C=1, M=24, Y=100, K=0

The sign must be supplied and installed Size: 700mm x 2000mm to be discussed at site meeting
Material: CHROMADECK

SITE MEETING MUST TAKE PLACE.

SAFETY SYMBOLIC SIGNAGES SPECIFICATION

Compliance to the Occupational Health and Safety Act (Act 85 of 1993) and the Regulations by the contractor shall not be limited to the contents of this Specification












A **suitable, sufficiently** documented and **coherent** Health and Safety Plan is to be compiled by the Contractor based on the requirements ,These specification are intended to cover all safety signs ,supply ,install and replacements of old signs shall be in accordance with these specification, All product must manufactured at the most international standards

NB: THE SAFETY SYMBOLIC SIGNAGE SERVICING COMPANY MUST MEET THE FOLLOWING REQUIREMENTS

- SABS Approved certificate
- SANS 1186
- Signs guarantee

SAFETY SIGNAGE	QUANTITY	SIZE	MATERIAL	SAMPLE
Direction to escape routes signs	20	150mm x 450mm	Plastic	
Electrical hazard	10	150mm x 150mm	Plastic	
No entry sign	10	290mm x 290mm	Plastic	
Male Toilet signage	10	150mm x 150mm	Plastic	
Female Toilet signage	10	150mm x 150mm	Plastic	
Stairway sign	5	150mm x 200mm	Plastic	
Drinking water	4	290mm x 290mm	Plastic	
Keep Area Clean of litter sign	7	290mm x 290mm	Plastic	
Fire Hydrant	2	290mm x 290mm	Plastic	
Fire Extinguisher	4	290mm x 290mm	Plastic	
Fire pump connection	1	290mm x 290mm	Plastic	
TOTAL	83			

MANDATORY SIGNS FOR MAINTANANCE

SAFETY SIGNAGE	QUANTITY	SIZE	MATERIAL	SAMPLE
Eye protection sign	1	290mm x2900mm	Plastic	
Respirator sign	1	290mm x2900mm	Plastic	
Ear protection sign	1	290mm x2900mm	Plastic	
Head protection sign	1	290mm x2900mm	Plastic	
Hand glove sign	1	290mm x2900mm	Plastic	
Foot protection against liquid sign	1	290mm x2900mm	Plastic	
Foot protection against crushing	1	290mm x2900mm	Plastic	
Protective apron must be worn sign	1	290mm x2900mm	Plastic	
Face protection must be worn sign	1	290mm x2900mm	Plastic	
Head protection sign	1	290mm x2900mm	Plastic	
Dust mask sign	1	290mm x2900mm	Plastic	
TOTAL	11			