

Quotation Advert

Opening Date: 08/04/2020

Closing Date: 17/04/2020

Closing Time: 11:00

INSTITUTION DETAILS

Institution Name: St Aidans Mission hospital

Province: KwaZulu-Natal

Department or Entity: Department of Health

Division or section: Central Supply Chain Management

Place where goods / services is required: ST AIDANS HOSPITAL

Date Submitted: 07/04/2020

ITEM CATEGORY AND DETAILS

Quotation Number: ZNQ: 006/20

Item Category: Goods

Item Description: Supply 1300 units of Disposable Surgical Scrub Suits

Quantity (if supplies): 1300 units

COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type: Select... N/A

Date:

Time:

Venue:

QUOTES CAN BE COLLECTED FROM: St Aidans Hospital

QUOTES SHOULD BE DELIVERED TO: St Aidans Hospital

ENQUIRIES REGARDING THE ADVERT MAY BE DIRECTED TO:

Name: MRS N.P ZUMA / MISS P ADONIS

Email: philicla.adonis@yahoo.com

ENQUIRIES REGARDING THE ADVERT MAY BE DIRECTED TO:

Name:

MRS N.P ZUMA / MISS P ADONIS

Email:

phillcia.adonis@yahoo.com


Contact Number:

0733998274/ 0781860937

Finance Manager Name:

MISS P ADONIS

Finance Manager Signature:



No late quotes will be considered



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

DIRECTORATE:

Department of Health, KwaZulu-Natal
Postal Address: Private Bag 1 - Dorekop - Durban - 4020
E-MAIL: procurement@kwazulu-natal.gov.za
PHONE: 031 2624000

ST AIDANS HOSPITAL
HEALTH CARE MANAGEMENT

ST AIDANS HOSPITAL

SPECIFICATION FOR SUPPLY OF: To supply 1300 disposable surgical scrub suits

NO	SPECIFICATION	YES OR NO COMPULSORY
1	<p>Bidders must note that answers must be provided to every technical (technical specification) requirement in this Bid Specification example YES or NO and where there are deviations, these deviations must be clearly specified. The space provided under "Bidder's Comments" for each clause must be used for this purpose. Bidders who neglect to provide answers to every technical (technical specification) requirement in this Bid Specification will be disqualified.</p> <p>Bidders must note that abbreviated answers e.g. N/A etc. will not be accepted.</p> <p>Bidders must also note that no part of any technical (technical specification) in this Bid Specification may be altered. Where there are traces of alterations AND use of correcting fluid / tippex used the technical specification document during the evaluation, the Evaluation Committee will reserve the right to disqualify the bidder.</p>	

2

TERMS & CONDITIONS OF THE QUOTATION

2.1 All compulsory quotation document requirement:

- Official Price Quotation Page – Form 8 or 9
- SBD4 for quotes under R30 000.
- SBD1, SDB4, SBD6.1 FOR Quotation above R30 000 – R200 000.
- Any other compulsory certification requested for this quotation stated in the specification.

2.2 Quotations over R30 000 - Should your company require points for B-BBEE kindly ensure a valid SANAS approved certificate is submitted with your quotation documents. Should you submit a copy B-BBEE Certificate it must be certified by a **Commissioner of Oaths** – **NO OTHER CERTIFICATION WILL BE ACCEPTED.**

2.3 All deliveries as per commitment on the Quotation Price Page – Form 8 or 9.

2.4 Breach of contract or non-delivery will be liable for penalties levied against the supplier as per the conditions in the price quotation page – Form 8 or 9

2.5 Delivery is strictly between 7H30 – 15H00 directly to ST Aidans Hospital – 33 ML Sultan Road Durban – Supply Chain Management (SCM Stores)

2.6 All goods will be checked and verified against quality, quantity and specification before the item is accepted.

3

TECHNICAL SPECIFICATION

Description:

- Anti-static
- fluid resistant,
- tear resistant,
- secure seams with no holes
- short sleeve shirt
- long draw string pants
- Large size x 300, XL size x 500 and XXL size x500

COMPULSORY SAMPLE REQUIRED FOR THIS QUOTATION.

Expired poor quality, incorrect size samples will disqualify your quotation.

End user: V.V. Ndlovu
Print Name

V.V. Ndlovu
Signature

31/03/2020
Date

DATE APPROVED _____ AND STAMPED AT BID SPECIFICATION COMMITTEE: