health Department: Health PROVINCE OF KWAZULU-NATAL	Quotation Advert	
Opening Date:	2020-08-27	
Closing Date:	2020-09-07	4:0
Closing Time:	11:00	ti rt
INSTITUTION DETAILS		
Institution Name:	St Apollinaris hospital	[V]
Province:	KwaZulu-Natai	·
Department or Entity:	Department of Health	
Division or section:	Central Supply Chain Management	
Place where goods / services is required	ST APOLLINARIS HOSPITAL	
Date Submitted	· · · · · · · · · · · · · · · · · · ·	1
ITEM CATEGORY AND DETAILS		13 3
Quotation Number:	ZNQ: 123/2020/2021	
Item Category:	Services	[V]
Item Description:	SERVICE OF BOILER NO:1 AND BURNER	
Quantity (if supplies)		
COMPULSORY BRIEFING SESSION /	SITE VISIT	
Select Type:	Not Applicable	~
Date:		#####
Time:		(7112)
Venue:		
QUOTES CAN BE COLLECTED FROM:	WEBSITE	Į
QUOTES SHOULD BE DELIVERED TO:	TENDER BOX OR EMAIL	*
ENQUIRIES REGARDING THE ADVER	RT MAY BE DIRECTED TO:	
Name:	MS F S ZÜMA	
Email:		4
Contact Number:		

Contact N	umber:
-----------	--------

Finance Manager Name:

Finance Manager Signature:

98338054/8091

INS IN B KHESVVA

No late quotes will be considered

Submit Save Save As... Close Print Preview

STANDARD QUOTE DOCUMENTATION SUPPLY CHAIN MANAGEMENT OVER R30 000.00 YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT: ST APOLLINARIS HOSPITAL DATE ADVERTISED: 27/08/2020 ...... CLOSING DATE: 07/09/2020 ...... CLOSING TIME: 11:00 FACSIMILE NUMBER: N/A E-MAIL ADDRESS: StApollinaris.scm@kznhealth.gov.za PHYSICAL ADDRESS: CENTOCOW MISSION CREIGHTON 3263 ZNQ NUMBER: 123/2020/2021 DESCRIPTION. SERVICE OF BOILER NO:1 AND BURNER CONTRACT PERIOD ONCE OFF ........ VALIDITY PERIOD 60 Days (if applicable) CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO. UNIQUE REGISTRATION REFERENCE DEPOSITED IN THE QUOTE BOX SITUATED AT (STREET ADDRESS) SECURITY TENDER BOX Bidders should ensure that quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted for consideration. The quote box is open from 08:00 to 15:30. ALL QUOTES MUST BE SUBMITTED ON THE OFFICIAL FORMS - (NOT TO BE RE-TYPED) THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2011, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT. THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO WILL RESULT IN YOUR QUOTE BEING DISQUALIFIED) NAME OF BIDDER **POSTAL ADDRESS** STREET ADDRESS TELEPHONE NUMBER CODE......NUMBER...... FACSIMILE NUMBER CODE ......NUMBER..... **CELLPHONE NUMBER** E-MAIL ADDRESS VAT REGISTRATION NUMBER (If VAT vendor) ..... HAS A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE BEEN SUBMITTED? (SBD 6.1) YES NO [A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT (FOR EMES& QSEs) MUST BE SUBMITTED IN ORDER

TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEET

OFFICIAL PRICE PAGE FOR QUOTATIONS	ZNQ NUMBER: 123/2020/2021
DESCRIPTION: SERVICE OF BOILER NO:1 AND BURN	IER
SIGNATURE OF BIDDER [By signing this document I hereby agree to all terms and conditions]	DATE
CAPACITY UNDER WHICH THIS QUOTE IS SIGNED	

ltem No	Quantity	Description	Brand &	Country of	Price	
			model	manufacture	R	
	01	SERVICE PROVIDER TO DO SERVICE ON BOILER				
		NO:1 AND BURNER AS PER ATTACHED				
		SPECIFICATION.				
		THE SERVICE PROVIDER MUST BE CIDB GRADE 1ME				-
		OR ABOVE				
		CLEAR PRINTED CSD NUMBER AND UNIQUE				
		REFERENCE NUMBER MUST BE ATTACHED				
						-
						-
/ALUE ADI	DED TAX @ '	15% (Only if VAT Vendor)				
		15% (Only if VAT Vendor) ICE (VALIDITY PERIOD 60 Days)	•			

Does This Offer Comply With The Specification?	Does The Article Conform To The S.A.N.S. / S.A.B.S. Specification?	
Is The Price Firm?	State Delivery Period E.G. E.G. 1day, 1week	

|--|

# **DECLARATION OF INTEREST**

1	blood relationship, may make an offer or offers in terms of this invitation to quote (includes a price quotation, advertised competitive quote, limited quote or proposal). In view of possible allegations of favouritism, should the resulting quote, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority where-
2.	In order to give effect to the above, the following questionnaire must be completed and submitted with the quote.
2.2	. Full Name of bidder/representative
2.8	The names of all directors / trustees / shareholders / members, their individual identity numbers, tax reference numbers and, if applicable, employee / persal numbers must be indicated in paragraph 3 below.  TICK APPLICABLE  YES NO
۷,0	1.1. If so, furnish the following particulars:  Name of person / director / trustee / shareholder/ member:  Name of state institution at which you or the person connected to the bidder is employed:
	Position occupied in the state institution:
2.8	.2. If you are presently employed by the state, did you obtain the appropriate authority to undertake remunerative work outside employment in the public sector?
2.8	2.1. If yes, did you attach proof of such authority to the quote document?
Moto	2.2.1. If yes, due you added proof of such authority to the quote document?
2.8	Failure to submit proof of such authority, where applicable, may result in the disqualification of the quote.)  2.2. If no, furnish reasons for non-submission of such proof
	.2.2. If no, furnish reasons for non-submission of such proof:  Did you or your spouse, or any of the company's directors / trustees / shareholders / members or their spouses conduct business with the
2.0	of of a in the previous free has been sentled
29	state in the previous twelve months?  1. If so, furnish particulars:
2.10	0. Do you, or any person connected with the bidder, have any relationship (family, friend, other) with a person employed by the state and who
	may be involved with the evaluation and or adjudication of this quote?
2.11	0.1. If so, furnish particulars:
	employed by the state who may be involved with the evaluation and or adjudication of this quote?  YES   NO
2.13	2. Do you or any of the directors / trustees / shareholders / members of the company have any interest in any other related companies whether
2.12	and the second block of the second se
2.12	2.1. If so, furnish particulars:
<b>3.</b> NB:	Full details of directors / trustees / members / shareholders.  The Department Of Health will validate details of directors / trustees / members / shareholders on CSD. It is the suppliers' responsibility to ensure that their details are up-to-date and verified on CSD. If the Department cannot validate the information on CSD, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.
4	DECLARATION
ΙТ	HE LINDER SIGNED (NAME)
FU	THE UNDERSIGNED (NAME)
I A	CCEPT THAT THE STATE MAY REJECT THE QUOTE OR ACT AGAINST ME SHOULD THIS DECLARATION

Name of bidder

PROVE TO BE FALSE.

any municipality or municipal entity;

"State" means a) any national or provincial department, national or provincial public entity or c) provincial legislature; constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No. 1 of 1999);

Act, 1999 (Act No. 1 of 1999);

provincial egislature,
national Assembly or the national Council of provinces; or
e) Parliament.

Signature

Position

..........

Date

<sup>&</sup>lt;sup>2</sup>"Shareholder" means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.

# SPECIAL CONTRACT CONDITIONS OF QUOTATIONS

#### 1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

#### 2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

# 3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The institution is under no obligation to accept the lowest or any quote.
- 3.2. The price quoted must include VAT (if VAT vendor). However, it must be noted that the department reserves the right to evaluate all quotations excluding VAT as some bidders may not be VAT vendors.
- 3.3. The bidder must ensure the correctness & validity of quote:
  - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk
- 3.4. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.5. This quotation will be evaluated based on the 80/20 points system, specification & correctness of information. All required documentation must be completed in full and submitted.
- 3.6. Offers must comply strictly with the specification.
- 3.7. Only offers that meet or are greater than the specification will be considered.
- 3.8. Late quotes will not be considered.
- 3.9. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.10. A bidder not registered on the Central Suppliers Database or verification has failed will not be considered.
- 3.11. All delivery costs must be included in the quote price, for delivery at the prescribed destination.
- 3.12. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.13. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.14. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered. Furthermore a verification will be done to identify if bidders have multiple companies and are quoting (cover-quoting) for this bid. In such instances only the cheapest bid according to specification will be considered.

# 4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies,
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotation submitted must be complete in all respects.
- 4.5. Any alteration made by the bidder must be initialled.
- 4.6. Use of correcting fluid is prohibited
- 4.7. Quotation will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.

#### 5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.

- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

#### 6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract,
- (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
- (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.
- (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

## 7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process.			
NO take place			
Institution Site Inspection / briefing session Official			
Full Name:			
Signature:			
Date:			

#### 8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

# 9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

# 10. TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

# 11. TAX INVOICE

- 11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

# 12. PATENT RIGHTS

The supplier shall indemnify the KZN Department of Health (hear after known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

#### 13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

#### 14. TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
- (ii) if the supplier fails to perform any other obligation(s) under the contract; or
- (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

#### 15. FAILURE TO COMPLY WITH ABOVE WILL RESULT IN YOUR QUOTE BEING PASSED OVER

#### PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017,

# 1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all quotes:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.
- 1.3 Points for this quote shall be awarded for:
  - (a) Price; and
  - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this quote is allocated as follows:

The second second second second second second	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

# 2. DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts:
- (h) "proof of B-BBEE status level of contributor" means:
  - 1) B-BBEE Status level certificate issued by an authorized body or person;
  - A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
  - Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes:

# 3. POINTS AWARDED FOR PRICE

# 3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

$$Ps = 80 \left( 1 - \frac{Pt - P\min}{P\min} \right) \text{ Where}$$

Ps

Points scored for price of bid under consideration

Pt

Price of bid under consideration

Pmin

Price of lowest acceptable bid

# 4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
111	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

_	DID	DEAL	ADA	TION
5.	BILL	DECL		1 II II IIN

- 5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:
- 6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1
- 6.1 B-BBEE Status Level of Contributor: = .......(maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7.	SUB-CONTRACTING	(Tick applicable box)		
7.1	Will any portion of the contract be sub-contracted?	YES	NO	
7.1.1	If yes, indicate:			
	i) What percentage of the contract will be subcontracted			
8.	Whether the sub-contractor is an EME or QSE	(Tick applicable box)		

iv) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations, 2017:

Designated Group: An EME or QSE which is at last 51% owned by:	EME √	QSE √
Black people	•	<u> </u>
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

9.	DECLA	ARATION WITH REGARD TO COMPANY/FIRM	
9.1	Nam	e of company/firm:	
9.2	VAT	registration number:	
9.3	Com	pany registration number:	
9.4	TYPI	E OF COMPANY/ FIRM [TICK APPLICABLE BOX	
		Partnership/Joint Venture / Consortium One person business/sole propriety Close corporation Company (Pty) Limited	
9.5		CRIBE PRINCIPAL BUSINESS ACTIVITIES	
9.6	COM	PANY CLASSIFICATION [TICK APPLICABLE BO	DX]
		Manufacturer Supplier Professional service provider Other service providers, e.g. transporter, etc.	
9.7	Total	number of years the company/firm has been in bu	usiness:
9.8	the B		do so on behalf of the company/firm, certify that the points claimed, based on graphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for
	i)	The information furnished is true and correct;	
	ii)	The preference points claimed are in accordance	with the General Conditions as indicated in paragraph 1 of this form;
			ult of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may atisfaction of the purchaser that the claims are correct;
		If the B-BBEE status level of contributor has been have not been fulfilled, the purchaser may, in add	claimed or obtained on a fraudulent basis or any of the conditions of contract ition to any other remedy it may have –
	(а	) disqualify the person from the bidding process	S.,
	(b	) recover costs, losses or damages it has incurr	red or suffered as a result of that person's conduct;
	(c)	cancel the contract and claim any damages varrangements due to such cancellation;	which it has suffered as a result of having to make less favourable
	(d	who acted on a fraudulent basis, be restricted	shareholders and directors, or only the shareholders and directors by the National Treasury from obtaining business from any organ after the audi alteram partem (hear the other side) rule has been
	(e	forward the matter for criminal prosecution.	
		NESSES	SIGNATURE(S) OF BIDDERS(S)  DATE:
	2		ADDRESS
	2.	***************************************	FIDURESS



Apolimaris hospital Off Centocow main road, Centocow, CREIGHTON, 3263 Private Bag 206, Creighton, 3263
Tel.: 039 833 8085, Fax.: 039 833 8054
Email.: mpe.malinga@kznhealth.gov.za

SUPPLY CHAIN MANAGEMENT

Date: 12 August 2020 ZNQ Number: 123/2020/2021

# **TERMS OF REFERENCE**

ITEM SPECIFICATION: Service provider to do service on boiler no.1 and burner as per specification GRADE IME

Name & Surname	Designation	Signature
C.S.MBANJWA	SMO	(TED)
N.N.SOMHLAHLO	AMN	Bhlahlo
N.NTOYAKHE	INFECTION CONTROL	
M.V.MATHANDA	SCC	2450

#### SPECIFICATION TERMS AND CONDITIONS

- Only bidders that fully meet the specification shall be considered
- The institution is under no obligation to accept the lowest or any quote
- The quality of products must be SABS / SANS/ CKS approved and a certificate of compliance must be submitted when
- The bidder must ensure the correctness and validity quote: the prices, rates & preference quoted cover all of the work and accept that any mistake regarding with the price calculations will be at the bidder's risk
- If the information supplied is found to be incorrect or false then the KZN department of Health, in addition to the remedies it may have, may recover from the contractor all cost, losses and damages incurred by the department as a result of the award of the contract, and / or cancel the contract and claim any damages
- Defaulting suppliers in terms of delivering, will be dealt with and will be reported at Treasury
- The evaluation criteria for the quotation above R30 000 will be 80/20 for the price and points certified BBBEE certificates and original tax clearance
- Incomplete declaration of interest and quotation form will not be considered
- Orders will be cancelled if the supplier fail to meet the set standards and lead time
- 10. All quotations requiring registration with certain Bodies must be returned together with the following:
  - Valid tax clearance
  - Proof of registration with CSD
  - CK certificate / Cipro certificate
  - CIDB registration and grading with relevant job category
  - Reference letter (from where the supplier did the same job successfully)
  - Letter of good standing
  - Current proof of registration with relevant bodies
  - Sworn statement
- 11. All conditions indicated in the quotation form will be applicable upon evaluation, and should be attached to evaluation criteria
- 12. Quotation form must be completed and signed in full, any omissions or incomplete information and signatures will automatically disqualify the quotation
- Bill of quantity should be fully completed and all segments must be filled per item
- 14. A guarantee / warrantee must be provided on appliances, services and repairs
- All these conditions are binding and service providers must complied with
- Samples must be provided with documents unless indicated otherwise
- For services requiring site inspection, no late bidders will be allowed to join briefing It is advisable to get all necessary information before quotation closing date

Chairperson

12 08 2020

# PROVINCE OF KWAZULU-NATAL

4

CODE HF1-001

REF : HF

TYPE OF SERVICE
SCHEDULE FOR
SCHEDULE FREQUENCY

DEPARTMENT HEALTH
PREVENTIVE MAINTENANCE SCHEDULE
12 MONTHS SERVICE

3.3 Check		3.2 Record	3.1 Recor	3. OUTF	2.4 Electri	2.3 Check	2.2 Recor	2.1 Reco	2. IN LI	1.3 Damage replaced	1.2 Drain	1.1 Dupl filter, stand	1. N.L.		ITEM INS
Electrical connections - tighten all	Check operation of thermostat	Record outlet temperature	Record inlet temperature	OUTFLOW HEATER	Electrical connections - tighten all loose connections	Check operation of thermostat	Record outlet temperature	Record inlet temperature	IN LINE HEATER	Damaged filter elements must be replaced	Drain in line filter before pump, recommission & bleed	Duplex filter, change over duty filter, clean duty filter & leave in standby mode	IN LINE FUEL FILTERS	ADJUST, CLEAN AS REQUIRED	INSTRUCTION: CHECK
									1					ORDER	
														OTHER NON-SPECIFIED RUNNING REPAIRS DONE	
			3.											DESCRIPTION OF SPARES USED	COURT HF 7-001

Check coupling alignment & wear  Check motor & pump holding down boits  Check pump bedarings for undue noise & vibration  Check pump bedarings for undue noise & vibration  Check motor bearings for leaks  Chang over pump, duty/standby mode  Check coupling alignment & wear  Check motor bearings for undue noise & vibration  Check motor bearings for undue noise & vibration  Check pump bearings for undue noise & vibration  Check pump bearings for undue noise & vibration  Check ing main pressure  Check & record ring main pressure  Check ing main pressure  Check & record oil level in storage tanks by manually sounding tanks & comparing with gauges/  Check under the pump alignment instrumentation  Check & record oil level in storage tanks by manually sounding tanks & comparing with gauges/	Check coupling alignment & wear  Check motor & pump holding down bolis  Check motor bearings for undue noise & vibration  Check pump be4arings for undue noise & vibration  Check mechanical seals for leaks  Chang over pump, duty/standby  mode  Check coupling alignment & wear  Check motor bearings for undue  Check motor bearings for undue  Check motor & pump hold down bolts  Check motor bearings for undue  Check funds pressure  Check & record ring main pressure  Check & record oil level in storage  tanks by manually sounding tanks & comparing whith gauges/  Instrumentation  Check & record aligness  Instrumentation	Check coupling alignment & wear Check motor bearings for undue Check motor bearings for undue Check motor bearings for undue Check wibration Check wibration Check wibration Check motor bearings for undue Chang over pump, duty/standby HFO TRANSFER PUMP Check coupling alignment & wear Check motor bearings for undue Dolls Check pump bearings for undue Check wibration Check fing main pressure Check & record ring main pressure Check & record oil level in storage Check & record graph aneks Check & record oil level in storage	Check motor & pump holding Check motor bearings for undue Check motor & pump bearings for undue Check motor & pump bearings for undue Check motor & withration Check motor & withration Check motor & pump bearings for undue Check motor & withration Check motor & pump, duty/standby mode Check coupling alignment & wear Check motor & pump hold down Check motor & pump hold down Check motor bearings for undue Check motor bearings for undue Check motor bearings for undue Check & record ring main pressure Check & record ring main Check & record of lefuel in storage tanks by manually sounding tanks Check & record of lefuel in storage a comparing with gauges' Instrumenation	Check motor & pump holding Check motor & pump holding Check motor & pump botalings for undue noise & vibration Check mechanical seals for leaks Check mechanical seals for leaks Check motor & pump, duly/standby  HFO TRANSFER PUMP Check coupling alignment & wear Check motor & pump hold down Check motor bearings for undue Check motor bearings for undue Check vibration Check subration Check subration Check a record ring main pressure Check & record ring main Check & record oil level in storage Check & repair all fuel oil leaks	Q. Q.	6.4	6.3	6.2	6.1	6.	5.5	5.3	5.2	5.1	ίλι	4.6	4.5	4.4	<b>4</b> . ω	4.2	4.1	4.
					Check & record oil level in storage tanks by manually sounding tanks & comparing with gauges/instrumentation	Check & repair all fuel oil leaks	Check ring main pressure regulating valve	Check & record ring main temperature	Check & record ring main pressure	OIL RETICULATION	Check pump bearings for undue noise & vibration	Check motor bearings for undue noise & vibration	Check motor & pump hold down bolts	Check coupling alignment & wear	HFO TRANSFER PUMP	Chang over pump, duty/standby mode	Check mechanical seals for leaks	Check pump be4arings for undue noise & vibration	Check motor bearings for undue noise & vibration	Check motor & pump holding down bolts	Check coupling alignment & wear	RING MAIN CIRCULATING PUMP
									to								0	U			=	

~1	T =1	T	1		_		_	1					,							
7.19	7.18	7.17	7.16	7.15	7.14	7.13	7.12	7.11	7.10	7.9	7.8	7.7	7.6	7.5	7.4	7.3	7.2		1 :	7
Check ignition electrodes & set gaps between:	Check safety valve solenoid & operation	Check high fibre solenoid valve	Check low fibre solenoid valve	Check & clean flame sensor photocell	Check burner main contractor	Check ignition transformer	Check & repair all fuel leaks on delivery & return connection pipes	Check burner heater thermostat control	Check burner heater & record temperature	Check burner oil pump & record pressure	Check air damper & linkage	Clean burner sight glass	Check nozzle head assembly	Check burner control box	Check fan operation	Check servo operation and replace the existing one	Check burner motor	Check burner hinge pins	O C CONNEX	חוו פוזפאובפ

Check air/fuel ratio & record COs reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)  Check & record flue gas temperature on low & high fire  Record ambient temperature in boiler house  Check & record "BURNER OFF" steam pressure  Check & record colour of smoke at stack  Check & record colour of smoke at stack  Rewire the burner as per original drawing	Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record COs reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)  Check & record flue gas temperature on low & high fire  Record ambient temperature in boiler house  Check & record "BURNER ON" steam pressure  Check & record colour of smoke at stack  Check & record colour of smoke at stack  Rewire the burner as per original drawing	Check & clean diffuser  Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record COs reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)  Check & record flue gas temperature on low & high fire  Record ambient temperature in boiler house  Check & record "BURNER OFF" steam pressure  Check & record colour of smoke at stack  Rewire the burner as per original drawing
	Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record COs reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)  Check & record flue gas temperature on low & high fire  Record ambient temperature in boiler house  Check & record "BURNER ON" steam pressure  Check & record "BURNER OFF" steam pressure  Check & record colour of smoke at stack	Check & clean diffuser  Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record COs reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)  Check & record flue gas temperature on low & high fire  Record ambient temperature in boiler house  Check & record "BURNER OFF" steam pressure  Check & record colour of smoke at stack
7.22 Check air/fuel ratio & record COS reading 7.23 Check & record fuel consumption over 1 hour 7.24 Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM) 7.25 Check & record flue gas temperature on low & high fire 7.26 Record ambient temperature in boiler house 7.27 Check & record "BURNER ON" steam pressure 7.28 Check & record "BURNER OFF" steam pressure	Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record CO5 reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)  Check & record flue gas temperature on low & high fire  Record ambient temperature in boiler house  Check & record "BURNER OFF" steam pressure  Check & record "BURNER OFF" steam pressure	Check & clean diffuser  Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record COS reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)  Check & record flue gas temperature on low & high fire  Record ambient temperature in boiler house  Check & record "BURNER OFF" steam pressure  Check burner control pressure stat
- 3 10	Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record COs reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)  Check & record flue gas temperature on low & high fire  Record ambient temperature in boiler house  Check & record "BURNER ON" steam pressure  Check & record "BURNER OFF" steam pressure	Check & clean diffuser  Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record COs reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)  Check & record flue gas temperature on low & high fire  Record ambient temperature in boiler house  Check & record "BURNER ON" steam pressure  Check & record "BURNER OFF"
	Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record CO5 reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)  Check & record flue gas temperature on low & high fire Record ambient temperature in boiler house  Check & record "BURNER ON" steam pressure	Check & clean diffuser  Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record CO5 reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)  Check & record flue gas temperature on low & high fire  Record ambient temperature in boiler house  Check & record "BURNER ON" steam pressure
	Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record COs reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)  Check & record flue gas temperature on low & high fire  Record ambient temperature in boiler house	Check & clean diffuser  Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record COs reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)  Check & record flue gas temperature on low & high fire  Record ambient temperature in boiler house
	Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record CO5 reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)  Check & record flue gas temperature on low & high fire	Check & clean diffuser  Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record CO5 reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)  Check & record flue gas temperature on low & high fire
Check air/fuel ratio & record CO5 reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)	Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record CO5 reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)	Check & clean diffuser  Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record CO5 reading  Check & record fuel consumption over 1 hour  Probe chambers to be opened & probe tips cleaned with mery tape on off ranger boilers (EVERY 3 MONTHS MAXIMUM)
	Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record COs reading  Check & record fuel consumption over 1 hour	Check & clean diffuser  Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record CO5 reading  Check & record fuel consumption over 1 hour
	Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record CO5 reading	Check & clean diffuser  Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing  Check air/fuel ratio & record CO5 reading
	Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing	Check & clean diffuser  Check & clean nozzle – replace if worn, including screen filter in nozzle and burner casing
7.19.3 Check HT lead to electrodes 7.20 Check & clean diffuser		

133	12.		9.5	9.4	9.3	9.2	9.1	9	8.10	8.9	Ö.	0 0	8 7	8.6	8.5	8.4	8.3	8.2		œ
Inspect all refractories	Inspect & clean all control panels (NOT WITH COMPRESSED AIR)	Ensure safety valves are locked	Check CO5 level in flue gas	Excessive consumption must be rectified	Is fuel consumption within specification	Calculate fuel/steam ratio	Check & record steam flow over 1 hour	EFFICIENCY	Is burner modulating correctly	If misfire or blow back occur - fault must be rectified	Check for burner blow back	Clieck for ignition mistire	Obok for the state of the state	Check all burner safety devices in	Is flame sensing photocell working	Is low water level cut-out working	Is LP cut-in working	Is HP cut-out working	Check furnace purge cycle & record time	TEST TO BE CARRIED OUT ON COMPLETION OF BURNER SERVICE

<u></u>	14.9	14.8	14.7	14.6	14.5	14.4	14.3	14.2	14.1	14.	13./	3 -		7	_	<del></del>	
	-	-			-	-	-				-		3 3 5	13.4	13 3	13.2	13.1
FITTINGS & PIPEWORK	Test all pumps	Check glands & seals for leaks, adjust if required	Check for abnormal noise & temperature	Check pressure gauge (Red line at M.W.P.)	Clean in line strainer	Check pump & motor holding down balts	Check & record deliver pressure	Check alignment & examine for wear & other defects on coupling. Adjust as required.	Check coupling & guard. Adjust if required	ELECTRICAL FEED WATER PUMP	Check chimney stack condition & adjust staywires as required	Clean fire tubes & tube plates	Inspect condition of lagging & cladding on boiler shell	Check & examine studs & nuts for wear & corrosion on manhole & mudhole covers, & check for leaks. Tighten as required	Check for boiler external corrosion. Descale & repaint as specified	Combustion chamber walls to be brushed & inspected	Inspect furnace
																	•

çı .

19.	18.	17.	16.3.3	16.3.2	16.3.1	16.3	16.2	16.1	16.	15.8	15.7	15.6	15.5	15.4	15.3	15.2	5.
Instruct operator the above checks to be carried out every shift & the	Operate blowdown valve – ensure key cannot be removed when valve is open	Test safety valves – light dead weight lever	Burner trips	Low water alarm operates	Check feed pump cut-in	Blowdown mobreys for probe chambers	Check tailpipes & tundishes for leaks. Tighten as required	Blowdown gauge glasses in correct sequence. Check level returns within a acceptable time	OPERATIONAL & SAFEY CHECKS	Lubricate valve spindles	Blowdown all scale traps	Check sight glasses	Check operation of steam traps	Check auto blowdown valves (As applicable)	Check blowdown pipes for corrosion	Check blowdown valve for operation & leaks – repair gland if required	check all valves & fittings in boiler house for leaks & tighten as required
							-										
*											-						

26.	25. C	24. E	23.3	23.2	23.1	23.	21.3	21.2 t	21.1 t	21.	20.5	20.4	20.3	20.2	20.1	20.	
Fill in boiler house logbook correctly and sign it	Clean up entire boiler house on completion of works	Ensure all off range boilers are correctly wet stored	Check chemical & salt stock levels & record in logbook	Check pump settings are correct	Check chemical levels in tanks	Check operation of dosing pumps	Check boiler flue is gas tight	Check for loose components & tighten	Check for water & steam leaks & tighten as required	BOILER SHELL & FLUE	Check all panel lamps & meters – replace globes as required	Check feed water meter & record reading in logbook	Check water gauge glasses & fittings for leaks. (Replace rubber cones & graphite sleeves as required) Ensure protector is in place	Check pressure gauge (Red line is set at correct M.W.P.)	Check pressure gauge is properly illuminated and replace them	INSTRUMENTATION & CONTROLS	Landa of the state
. •	• 5																

0.00

Clean the channel and dispose sludge at your own site  27.3 Paint the floor and wall with apple green stoop paint  27.4 Issue steaming certificates and displayed  27.5 Check and mount safety notices  27.6 Check and mount safety notices  27.7 THAT THE SPECIFIED SERVICE WAS CARRIED OUT  FY THAT THE SPECIFIED	
Clean the channel and dispose sludge at your own site  27.3 Paint the floor and wall with apple green stoop paint  27.4 Issue steaming certificates and displayed  27.5 Check and mount safety notices  I CERTIFY THAT THE SPECIFIED SERVICE WAS CARRIED OUT  NAME OF SERVICEMAN (BLOCK LETTERS):  NAME/S OF ASSISTANT/S: UNSKILLED:  COMPANY NAME (BLOCK LETTERS):  TIME IN: TIME OUT: TIME ON SITE:  FROM: TO:	
SIGNA DATE	
TOTAL KM:	
OFFICIAL STAMP:  NAME OF RESPONSIBLE OFFICIAL ON SITE:  SIGNATURE:	

DATE:

CONTRACTOR NAME:

CONTRACTOR SIGNATURE:

PLEASE SIGN AND RETURN THIS DOCUMENT FAILURE TO DO SO WILL RESULT TO YOUR QUOTATION NOT BEING CONSIDERED.