SharePoint

Nxumalo Lindelwa - ?



KZN Health Intranet KZN HEALTH

Search this site

HOME CORPORATE INFORMATION COMPONENTS DIRECTORY DISTRICT OFFICES HEALTH FACILITIES


KZN Health > Components > Supply Chain Management

AdvertQuote

HEALTH REPUBLIC OF BOUTH AFRICA	Quotation Advert
Opening Date:	2020-12-03
Closing Date:	2020-12-11
Closing Time:	11:00
INSTITUTION DETAILS	
Institution Name:	East Boom CHC
Province:	KwaZuiu-Natal
Department or Entity:	Department of Health
Division or section:	Central Supply Chain Management
Place where goods / services is required	East Boom CHC
Date Submitted	2020-12-30
ITEM CATEGORY AND DETAILS	
Quotation Number:	ZNO:
autation rambon.	201/20
Item Category:	Services
Item Description:	SUPPLY, INSTALL AND DESIGN SHELTER OVER PATIENTS WAITING AREA IN
Item Description:	SUPPLY, INSTALL AND DESIGN SHELTER OVER PATIENTS WAITING AREA IN PHC AND HAST DEPARTMENT AT EAST BOOM CHC.
Item Description: Quantity (if supplies)	·
	PHC AND HAST DEPARTMENT AT EAST BOOM CHC.
Quantity (if supplies)	PHC AND HAST DEPARTMENT AT EAST BOOM CHC.
Quantity (if supplies) COMPULSORY BRIEFING SESSION	PHC AND HAST DEPARTMENT AT EAST BOOM CHC.
Quantity (if supplies) COMPULSORY BRIEFING SESSION Select Type:	PHC AND HAST DEPARTMENT AT EAST BOOM CHC. I / SITE VISIT Compulsory Briefing Session
Quantity (if supplies) COMPULSORY BRIEFING SESSION Select Type: Date:	PHC AND HAST DEPARTMENT AT EAST BOOM CHC. I / SITE VISIT Compulsory Briefing Session 2020-12-08
Quantity (if supplies) COMPULSORY BRIEFING SESSION Select Type: Date:	PHC AND HAST DEPARTMENT AT EAST BOOM CHC. I / SITE VISIT Compulsory Briefing Session 2020-12-08
Quantity (if supplies) COMPULSORY BRIEFING SESSION Select Type: Date : Time: Venue:	PHC AND HAST DEPARTMENT AT EAST BOOM CHC. If SITE VISIT Compulsory Briefing Session 2020-12-08 11H00 East Boom CHC (Boom street side) patients waiting area shelter
Quantity (if supplies) COMPULSORY BRIEFING SESSION Select Type: Date : Time: Venue: QUOTES CAN BE COLLECTED FROM:	PHC AND HAST DEPARTMENT AT EAST BOOM CHC. I / SITE VISIT Compulsory Briefing Session 2020-12-08 11H00 East Boom CHC (Boom street side) patients waiting area shelter QUOTES AND SPECIFICATION ATTACHED WITH ADVERT 541 BOOM STREET, PMB OR EMAIL: Quotations, EastBoom@kznhealth.gov.za
Quantity (if supplies) COMPULSORY BRIEFING SESSION Select Type: Date: Time: Venue: QUOTES CAN BE COLLECTED FROM: QUOTES SHOULD BE DELIVERED TO:	PHC AND HAST DEPARTMENT AT EAST BOOM CHC. I / SITE VISIT Compulsory Briefing Session 2020-12-08 11H00 East Boom CHC (Boom street side) patients waiting area shelter QUOTES AND SPECIFICATION ATTACHED WITH ADVERT 541 BOOM STREET, PMB OR EMAIL: Quotations.EastBoom@kznhealth.gov.za
Quantity (if supplies) COMPULSORY BRIEFING SESSION Select Type: Date: Time: Venue: QUOTES CAN BE COLLECTED FROM: QUOTES SHOULD BE DELIVERED TO: ENQUIRIES REGARDING THE ADVI	PHC AND HAST DEPARTMENT AT EAST BOOM CHC. If SITE VISIT Compulsory Briefing Session 2020-12-08 11H00 East Boom CHC (Boom street side) patients waiting area shelter OUOTES AND SPECIFICATION ATTACHED WITH ADVERT 541 BOOM STREET, PMB OR EMAIL: Quotations, EastBoom@kznhealth.gov.za ERT MAY BE DIRECTED TO:
Quantity (if supplies) COMPULSORY BRIEFING SESSION Select Type: Date: Time: Venue: QUOTES CAN BE COLLECTED FROM: QUOTES SHOULD BE DELIVERED TO: ENQUIRIES REGARDING THE ADVI	PHC AND HAST DEPARTMENT AT EAST BOOM CHC. If SITE VISIT Compulsory Briefing Session 2020-12-08 11H00 East Boom CHC (Boom street side) patients waiting area shelter QUOTES AND SPECIFICATION ATTACHED WITH ADVERT 541 BOOM STREET, PMB OR EMAIL: Quotations, EastBoom@kznhealth.gov.za ERT MAY BE DIRECTED TO: MS L.NXUMALO
Quantity (if supplies) COMPULSORY BRIEFING SESSION Select Type: Date: Time: Venue: QUOTES CAN BE COLLECTED FROM: QUOTES SHOULD BE DELIVERED TO: ENQUIRIES REGARDING THE ADVI Name: Email:	PHC AND HAST DEPARTMENT AT EAST BOOM CHC. If SITE VISIT Compulsory Briefing Session 2020-12-08 11H00 East Boom CHC (Boom street side) patients waiting area shelter QUOTES AND SPECIFICATION ATTACHED WITH ADVERT 541 BOOM STREET, PMB OR EMAIL: Quotations_EastBoom@kznhealth.gov.za ERT MAY BE DIRECTED TO: MS L.NXUMALO

STANDARD QUOTE DOCUMENTATION SUPPLY CHAIN MANAGEMENT OVER R30 000.00
YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT: East Boom Community Health Centre
DATE ADVERTISED: 03/12/2020 CLOSING DATE 11/12/2020 CLOSING TIME 11:00
FACSIMILE NUMBER 033 342 6024 E-MAIL ADDRESS Quotations. EastBoom@kznhealth.gov.za
PHYSICAL ADDRESS: 541 Boom street, Pietermanitzburg, 3200
ZNQ NUMBER: ZNQ 201/20
DESCRIPTION: Supply, Install and Design shelter over patients waiting area in PHC and Hast departments
CONTRACT PERIOD Once off (if applicable) VALIDITY PERIOD 60 Days SARS PIN
CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO.
UNIQUE REGISTRATION REFERENCE
DEPOSITED IN THE QUOTE BOX SITUATED AT (STREET ADDRESS)
541 Boom street, Pietermantzburg, 3200 (next to security office)
Email:Quotations.EastBoom@kznhealth.gov.za
Bidders should ensure that quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted consideration.
The quote box is open from 08:00 to 15:30.
ALL QUOTES MUST BE SUBMITTED ON THE OFFICIAL FORMS - (NOT TO BE RE-TYPED)
THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENT PROCUREMENT REGULATIONS, 2011, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPEC CONDITIONS OF CONTRACT.
THE FOLLOWING PARTICULARS MUST BE FURNISHED
(FAILURE TO DO SO WILL RESULT IN YOUR QUOTE BEING DISQUALIFIED)
NAME OF BIDDER
POSTAL ADDRESS
STREET ADDRESS
TELEPHONE NUMBER CODENUMBER FACSIMILE NUMBER CODENUMBER
CELLPHONE NUMBER
E-MAIL ADDRESS
VAT REGISTRATION NUMBER (If VAT vendor)
HAS A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE BEEN SUBMITTED? (SBD 6.1)

[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT (FOR EMES& QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]



OFFICIAL	PAGE FOR	CHOTA	TIONS

ZNQ NUMBER: ZNQ 201/20

IGNATURE by signing t	OF BIDDER	I hereby agree to all terms and conditions]	DATE			•
		CH THIS QUOTE IS SIGNED				
Item No	Quantity	Description	Brand & model	Country of manufacture	Price R	
		Supply, Install and Design shelter over	likutei	mandiacture	- N	C
		patients waiting area in PHC and Hast departments.				Ţ
		Specification and requirements attached				+
						4
					_	+
			-			+
	1			+		
	-					+
			-	+	+	+
						-
	_			+	_	+
	1				_	
	_			-		-
						+
		15% (Only if VAT Vendor)				_

Does This Offer Comply With The Specification?	Does The Article Conform To The S.A.N.S. / S.A.B.S. Specification?
Is The Price Firm?	State Delivery Period E.G. E.G. 1day, 1week

Enquiries regarding the <u>quote</u> may be directed to: Contact Person Ms L.Nxumalo Tel 0332644936 E-Mail Address	Enquiries regarding technical information may be directed to: Contact Person: Mr A. Simboo Tel 0332644934

DECLARATION OF INTEREST

1.	 Any legal person, including persons employed by the state¹, or persons having blood relationship, may make an offer or offers in terms of this invitation to que limited quote or proposal). In view of possible allegations of favouritism, should employed by the state, or to persons connected with or related to them, it is declare his/her position in relation to the evaluating/adjudicating authority when the bidder is employed by the state; and/or the legal person on whose behalf the bidding document is signed, has a revaluation and or adjudication of the quote(s), or where it is known that su on whose behalf the declarant acts and persons who are involved with the declarant acts. 	tote (includes a price quotation, advertised competitive quote, and the resulting quote, or part thereof, be awarded to persons required that the bidder or his/her authorised representative re- relationship with persons/a person who are/is involved in the ch a relationship exists between the person or persons for or
2.	. In order to give effect to the above, the following questionnaire must be complete.	eted and submitted with the quote.
2.2.	.1. Full Name of bidder/representative	Reference Number:
2.3.	.3. Position occupied in the Company (director, trustee, shareholder²):2.6. VAT	Registration Number:
	.7. The names of all directors / trustees / shareholders / members, their individuently employee / persal numbers must be indicated in paragraph 3 below.	[TICK APPLICABLE]
	.8. Are you or any person connected with the bidder presently employed by the s.8.1. If so, furnish the following particulars:	
	Name of person / director / trustee / shareholder/ member:	employed:
	Position occupied in the state institution:	nv other particulars:
2.8.	.8.2. If you are presently employed by the state, did you obtain the appropriate a	
	in the public sector?	YES NO
2.8.	8.2.1. If yes, did you attach proof of such authority to the quote document?	and the state of the state t
	te: Failure to submit proof of such authority, where applicable, may result in the dis 8.2.2. If no, furnish reasons for non-submission of such proof:	squalmoation of the quote.)
	.9. Did you or your spouse, or any of the company's directors / trustees / shareh	nolders / members or their snouses conduct husiness with the
2.5.	state in the previous twelve months?	YES NO
2.9	.9.1. If so, furnish particulars:	
2.10	.10. Do you, or any person connected with the bidder, have any relationship (famil	ly, friend, other) with a person employed by the state and who
	may be involved with the evaluation and or adjudication of this quote?	YES NO
	.10.1, If so, furnish particulars:	
2.1	.11. Are you, or any person connected with the bidder, aware of any relationship (1	
24	employed by the state who may be involved with the evaluation and or adjudi 11.1. If so, furnish particulars:	1 - 2
	.12. Do you or any of the directors / trustees / shareholders / members of the comp	
2	or not they are bidding for this contract?	YES NO
2.1	.12.1. If so, furnish particulars:	
3. NB	 Full details of directors / trustees / members / shareholders. The Department Of Health will validate details of directors / trustees / mem to ensure that their details are up-to-date and verified on CSD. If the Depart not be considered and passed over as non-compliant according to National T 	ment cannot validate the information on CSD, the quote will
4	DECLARATION	
	, THE UNDERSIGNED (NAME) URNISHED IN PARAGRAPHS 2.	CERTIFY THAT THE INFORMATION
	ACCEPT THAT THE STATE MAY REJECT THE QUOTE OR ACT APROVE TO BE FALSE.	GAINST ME SHOULD THIS DECLARATION

Name of bidder

any national or provincial department, national or provincial public entity or constitution within the meaning of the Public Finance Management. Act, 1999 (Act No. 1 of 1999);

Signature

Position

provincial legislature;
 a) national Assembly or the national Council of provinces; or
 e) Parliament.

Date

any municipality or municipal entity;

[&]quot;Shareholder" means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.

SPECIAL CONTRACT CONDITIONS OF QUOTATIONS

1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The institution is under no obligation to accept the lowest or any quote.
- 3.2. The price quoted must include VAT (if VAT vendor). However, it must be noted that the department reserves the right to evaluate all quotations excluding VAT as some bidders may not be VAT vendors.
- 3.3. The bidder must ensure the correctness & validity of quote:
 - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk
- 3.4. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.5. This quotation will be evaluated based on the 80/20 points system, specification & correctness of information. All required documentation must be completed in full and submitted.
- 3.6. Offers must comply strictly with the specification.
- 3.7. Only offers that meet or are greater than the specification will be considered.
- 3.8. Late quotes will not be considered.
- 3.9. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.10. A bidder not registered on the Central Suppliers Database or verification has failed will not be considered.
- 3.11. All delivery costs must be included in the quote price, for delivery at the prescribed destination.
- 3.12. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.13. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.14. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered. Furthermore a verification will be done to identify if bidders have multiple companies and are quoting (cover-quoting) for this bid. In such instances only the cheapest bid according to specification will be considered.

4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotation submitted must be complete in all respects.
- 4.5. Any alteration made by the bidder must be initialled.
- 4.6. Use of correcting fluid is prohibited
- 4.7. Quotation will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.

5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.

- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
- If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
- (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.
- (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

7.1.	Bidders who fail to attend the compulsory meeting will be disqua	alified from the evaluation process.
(i) (ii)	The institution has determined that a compulsory site meeting	take place
Inst	tution Stamp:	Institution Site Inspection / briefing session Official
		Full Name:
		Signature:
	`	Date:

8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars,

9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

10. TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

11. TAX INVOICE

- 11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier,
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

12. PATENT RIGHTS

The supplier shall indemnify the KZN Department of Health (hear after known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

14. TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
- (ii) if the supplier fails to perform any other obligation(s) under the contract; or
- (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undefivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

15. FAILURE TO COMPLY WITH ABOVE WILL RESULT IN YOUR QUOTE BEING PASSED OVER.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all quotes:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.
- 1.3 Points for this quote shall be awarded for:
 - (a) Price; and
 - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this quote is allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
 - 1) B-BBEE Status level certificate issued by an authorized body or person;
 - A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (i) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

$$Ps = 80 \left(1 - \frac{Pt - P\min}{P\min} \right)$$
 Where

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration Pmin = Price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

E	BID	DECL	ARATI	AL.

8.

- 5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:
- 6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1
- 6.1 B-BBEE Status Level of Contributor: =(maximum of 20 points)

(Points daimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant paragraph 6.1 and must be substantiated by relevant

proor or	DEDEL Status RVCI OI CONTUIDUIDI.	
7.	SUB-CONTRACTING	(Tick applicable box)
7.1	Will any portion of the contract be sub-contracted?	YES NO
7.1.1	If yes, indicate:	
	i) What nomentage of the contract will be subcontracted	0 <u>/</u>

Whether the sub-contractor is an EME or QSE (Tick applicable box)

 Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations, 2017;

Designated Group: An EME or QSE which is at last 51% owned by:	EME	QSE
	√	1
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

NO

9.	DECLARATION WITH REGARD TO COMPANY/FIRM							
9.1	Name of company/firm:							
9.2	VAT registration number:							
9.3	Company registration number:							
9.4	TYPE OF COMPANY/ FIRM [TICK APPLICABLE BOX]							
	Partnership/Joint Venture / Consortium One person business/sole propriety Close corporation Company (Pty) Limited							
9.5	DESCRIBE PRINCIPAL BUSINESS ACTIVITIES							
9.6	COMPANY CLASSIFICATION [TICK APPLICABLE BOX]							
	 □ Manufacturer □ Supplier □ Professional service provider □ Other service providers, e.g. transporter, etc. 							
9.7	Total number of years the company/firm has been in business:							
9.8	I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:							
	i) The information furnished is true and correct;							
	ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;							
	iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;							
	iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have –							
	(a) disqualify the person from the bidding process;							
	(b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;							
	 (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation; 							
	(d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and							
	(e) forward the matter for criminal prosecution.							
	WITNESSES 1. SIGNATURE(S) OF BIDDERS(S) DATE:							
	2							

PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

ZNQ 201/20

Design and Installation of the covered patient's waiting area shelter for PHC and Hast departments at East boom CHC

1. PROJECT SPECIFICATIONS

1.1 SCOPE OF CONTRACT

This Contract is for the execution of the project indicated above.

1.2 CONTRACT DRAWINGS

This tender document is to the read in conjunction with the drawings listed below which is issued together with this document.

Drawing Nr: Nil

The drawings and the designs are to be provided by the successful bidder for the department of health's consideration and approval before production. No claim will be considered for work, which requires to be changed due to the use of outdated drawings.

1.3 CONDITIONS OF CONTRACT AND PRELIMINARIES

1.3.1 PERIOD OF CONTRACT

Six (6) Weeks is the Contract Period for the completion of the Work from date of Site handover.

1.3.2 CONTRACT GUARANTEE:

The Successful Bidder will **NOT** be required to submit a contract guarantee.

1.3.3 GUARANTEE PERIOD

The guarantee period for the completion of the Building, Painting all structural - work and all materials must be a minimum of <u>Twelve</u> (12) <u>Calendar Months</u> from the date of first delivery.

1.3.3.1 PENALTIES FOR NON COMPLETION/ DEFAUTY BY CONTRACT

Penalties at rate 7% of the contract value per day shall apply

1.3.4 SITE AND MODE OF PROCEDURE

The work contained in this contract will be carried out on the site of the existing East Boom CHC

The Bidder is advised that the existing premises will be occupied throughout the period of the contract, and that the minimum amount of disruption to services is of the utmost importance. Damage to the existing buildings - Bidders to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor/ Bidder.

The installation must be to the satisfaction of the Kwazulu- Natal Department of Health. Bidders are advised to visit the site prior to tendering and to acquaint themselves with the nature of the work to be done and access to the siting of the existing buildings etc., as no claim whatsoever will be allowed on the grounds of ignorance of the conditions under which the work will be executed.

1.3.5 SATISFACTORY INSTALLATION

The whole of the installation shall be carried out in accordance with the South African Bureau of Standards Code of Practice for the application of National Building Regulations, the KZNPA Standard Preambles to all Trades, the KZNPA General Electrical Specification, ICASA, Telecommunications regulations, the South African Bureau of Standards Code of Practice for the Wiring of Premises SABS 0142 and the Occupational Health and Safety Act and Regulations 85/1993 as amended.

Copies of the KZNPA Standard Preambles to all Trades and the KZNPA General Electrical Specification are available at the office of the Secretary for Health – KwaZulu-Natal and can be obtained on request.

1.3.6 GENERAL

The Bidder's / Contractors will be responsible for all masonry work associated with the structural installation and making good of all work related to the shelter installation. Any patching must be to the satisfaction of the KwaZulu-Natal Department of Health.

2. TECHNICAL SPECIFICATION

2.1 GENERAL

This TECHNICAL SPECIFICATION shall be read in conjunction with all other sections of the SPECIFICATION and cognisance shall be taken of the clauses relevant to this particular installation, whether any specific clauses are referred to or not.

3. SCOPE OF WORK

The work to be carried out under this contract includes the supply of all materials, including all labour and leaving in service condition to the satisfaction of the Secretary for Health: KwaZulu-Natal.

3.1. The work comprises of-

- a) Design and produce quality structural engineer and local supply authority approved architectural 3D and CAD layout of the shelters to be located outside PHC and Hast departments.
- b) Preparation of the holes for the upright pillars.

3. 2 Supply and install the following:

- a) New hot dipped galvanised steel posts
- b) New hot dipped galvanised purlins
- c) New IBR profile 0.75mm industrial grade colour plus Chromadek sheeting and barge.
- d) New 5mm fibre glass clear sheeting
- e) 12mm Bolts and nuts
- f) Material concrete for upright posts
- g) Chromadek cladding
- h) New aluminium gutters and downpipes including brackets and screws with neoprene washers

This project is for the design, supply and installation of the shelters over patients waiting areas for the PHC and Hast Departments. **NOTE THAT DRAWINGS PRODUCED MUST BE ELIGEBLE AND TO SCALE INCLUSIVE OF THE MEASUREMENTS.** All dimensions and heights shall be checked on site prior to any work being undertaken. Items marked as 'Provisional' are subject to remeasure on completion of project and before any final payments are processed.

Frame work:

Frame work of the shelter shall consist of Hot Dipped Galvanised steel square posts fixed to reinforced concrete bases with steel purlins over.

NOTE:

The whole structure and reinforcing for bases shall be designed and certified by a Structural Engineer. Design shall be produced by successful bidder before any work is begun on site.

Roof Cover

Insulation in form of Sisalation 450 supported on 3.6mm diameter galvanised straining wire shall be provided under the roof sheeting. Roof sheets shall be 0.75mm colour plus 'Chromadek' in continuous lengths supplied with cappings – traffic green/azure on exposed side and fixed to steel purlins with galvanised Hook Bolts – complete with neoprene sealing washers, steel washers and nuts.

3.3 STANDARD PREAMBLES TO ALL TRADES

The Bidder shall carry out all work according to the Standard Preambles to all Trades. The standard preambles can be obtained from Department of Health Facilities Management.

EARTHWORKS

SITE CLEARANCE: —The item given in the Bills of Quantities for site clearance shall be deemed to include the removal from the site, or burning if permitted by the Local Authority, of shrubs and trees with trunks under 200mm girth measured at 1m above ground level, hedges, bushes, other vegetation, rubbish and debris.

Holes left by roots are to be backfilled with earth and rammed.

EXCAVATIONS: — Rates for excavations are to include for forming and trimming to the correct levels, falls, slopes, curves, etc. for trimming sides, stepping, levelling and ramming bottoms, staging and disposing of the excavated material as described in the items. Rates for excavations to reduce levels over site are also to include for forming and trimming banks to the required batter. The Contractor is to allow in his rates for the bulking of excavated material.

The term "excavate", unless otherwise stated, shall mean excavate in "soft excavation" as defined below and for the purpose of classifying excavations the following will apply: —

a) **Soft excavation**: — shall be excavation in material that can be efficiently removed by a back-acting excavator of flywheel power approximately 0, 10 kW per millimetre of tined-bucket width without the assistance of pneumatic tools such as paving breakers, or that can be efficiently loaded without prior ripping or stockpiling by a rubber tired front-end loader of approximately 15t mass and a flywheel power of approximately 100 kW.

Treating the ground

The ground under surface beds, and below suspended wood floors, must be treated by the application of Soil Insecticides of Chlordane or Aldrin types complying with SANS Specifications 1165 and 1164 respectively, mixed with water and applied at the rate of not less than 5 litres of solution per square metre uniformly over the whole surface. The concentration of the solution must be strictly in accordance with the manufacturer's instructions and to the approval of the Department. The Department reserves the right to take samples of the diluted solution, at any time, in order to test the concentration of the chemicals used.

ROOF COVERINGS

***CHROMODEK" ROOFING SHEETS:** - Shall be the secret fixed type, supplied with all fittings in full-length sheets in the profile and colour as specified. Sheets shall be a minimum of 0.75mm and maximum of 0.8mm thickness. When 0.75mm thick sheets are used, purlin spacings shall be a maximum of 1.2mtr¢ and maximum 1.5mtr¢ for 0.8mm thickness. Sheets shall leave the factory in the specified colour and any scratches etc., due to handling are to be 'touched up' on site after installation. All fixings, valleys, cappings and

securing clips shall be to manufacturers' recommendations and no variations shall be accepted without prior approval from the department.

0.75mm thick roof sheeting for purlins up to 1.2m spacing and 0.8mm thick roof sheeting for purlins exceeding 1.2m - 1.5m spacing.

Generally: — where sheet lengths are in excess of 12m these have been measured separately.

Roofing, etc. shall be lapped one flute at sides and 230mm at ends unless otherwise specified. Fixing roofing sheets are to be spaced one every crest along purlins at top and bottom edges of roof slopes and one to every alternate crest along intermediate purlins. Fixings to vertical cladding are to be spaced one to even alternate trough to each rail.

Fittings, unless otherwise specified, are to be lapped a minimum of 150mm and where necessary are to be drilled for and fixed with the fixings securing the roofing and cladding sheets.

STRUCTURAL STEEL WORK

GENERALLY: — The fabrication, assembly and erection of structural steelwork is to be executed in accordance with SANS Specification 1200H — Structural Steelwork (a copy of which the Contractor will be required to keep on site so that it can be referred to at all times during the Contract) with the following amplifications and amendments: —

INTERPRETATIONS: — Clauses 2.1 and 2.2 refer. This preamble, together with any other supplementary preambles appearing in these Bills of Quantities shall be deemed the project specification and are the "Portion 2" referred to in Clause 2.2.

DEFINITIONS: — Clause 2.3 of SANS Specification 1200H refers. All references to the Engineer shall be deemed to mean the Department.

SUB-CONTRACTORS: —The Contractor shall either (a) have adequate satisfactory and approved experience in this type of work or (b) employ an approved specialist structural steelwork Sub-Contractor. The Contractor, in the case of (a), or the specialist Sub-Contractor, in the case of (b), shall employ at all stages of the Works both on and off site a competent Supervisor experienced in the work.

SHOP DETAIL DRAWINGS: — The Contractor shall prepare shop detail drawings, in conformity with the details shown on the structural steelwork drawings and to show all information necessary for complete fabrication, assembly, erection and painting. In the preparation of the shop detail drawings the Contractor is to comply with the requirements of SANS Code of Practice 0162.

The cost of preparing all necessary shop detail drawings and copies thereof is to be allowed for by the Contractor in his rates.

The Contractor shall submit two copies of his shop detail drawings to the Department for approval at least 10 days before fabrication of the member concerned is due to commence. Such approval does not imply that a complete and comprehensive check of the detail drawings has been carried out, and the Contractor shall remain responsible for ensuring that the steelwork is correctly fabricated, assembled, erected and painted.

All plant and equipment used in the erection of structural steelwork shall be adequate in every respect. The Contractor shall allow in his rates for all necessary temporary bracing, and for maintaining and finally removing such temporary bracing.

Fixing of Bolts, etc.: — Unless approved by the Department, no pre-drilled fixings for bolts, etc. will be permitted through hollow section members. Any hollow section member that has been drilled or punctured in any way shall be considered condemned and must be replaced to the satisfaction of the Department.

GALVANISING OF STEELWORK: — All steel surfaces described to be galvanized are to be thoroughly sand, grit or steel shot blasted to white metal in accordance with SANS Code of Practice 064 and fluxed ready for galvanising, and the completed unit is to be hot dip galvanized after fabrication in accordance with SANS Specification 763 for general applications on the relative thicknesses of metal.

The zinc coating shall be continuous and of even thickness over all surfaces entirely free of bare spots, dull, rough patches, blisters and other imperfections and shall show no signs of peeling. Where site welding has to be done, the welds are to be properly cleaned down and cold galvanized to the approval of the Department.

PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

3. SCHEDULE OF RATES

PREAMBLE TO SCHEDULE OF RATES

Items and Pricing

The Department reserves the right to place an order for any quantities of items included in the Schedules. The Schedule of Rates must also not be assumed to include and describe every detail of the supply requirement, but must be taken and read in conjunction with the other parts of the document. Thus the supplier shall not have claim for further payment in respect of any order, which may be described or implied in the contract, although apparently no corresponding items are given in the Schedule of Rates. The supplier shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the contract and of the rates and prices stated in the Schedule of Rates.

Tax and Duties

Prices, tendered and paid, must include all customs, excise and import duties, and any other tariffs or taxes levied by the government or statutory body having jurisdiction on the goods provided under this contract, including Value Added Tax (applicable to the current rate).

Rates

Except where provision is made in the Schedule of Rates, the rates and prices inserted shall be the full rates and prices for the service delivered described under the respective items and shall cover all labour, transport, overhead charges and profit, etc. as well as the general liabilities, obligations and risks arising out of the Conditions of Contract, the overhead charges and profit being spread proportionately over the rates of the relative items in the Schedule of Rates.

PART 4: WORK TO BE DONE AND SCHEDULE OF RATES

WORK TO BE DONE AND SCHEDULE OF RATES:

tem	DESCRIPTION	UNIT	QTY	RATE/	UNIT	тот	'AL
				R	c	R	
	NOTE:						
	1). All rates for items contained in this Schedule						
	of Prices must be computed excluding the						
	applicable Sales Tax.						
	2). The Administration reserves the right to						
	Negotiate prices in the Bill of Quantities. 3). All rubble shall be removed from site and			ľ			
	suitably disposed of.						\perp
	Design and Installation of the covered						
	patient's waiting area shelter for PHC and						
	Hast departments at East boom CHC						
	NOTES:						
	All rates quoted shall be inclusive of transport,						
	labour and profit. The Bidder is advised that the buildings are						
	Occupied and interruptions to the electrical						
	installation must be kept to an absolute minimum.						
	PROPRIETARY ARTICLES:						\top
	All equipment and material used in this contract is to be that which is specified or other approved prior to submission of bid.						
	ALL WORK TO BE DONE ACCORDING TO THE STANDARD PREAMBLES						
	Allow to remove the existing awning at PHC waiting				-		+
1)	area.	m²	12				
21	Allow for fees for Structural Engineers, architectural design and certification of structure.	T4					
2)	Allow for consultants fees for drawing up of a safety	Item			_	-	+
	work plan as required by OHSA and Dept of						
3)	Manpower.	Item					
	Allow to excavate in tarred surface and soft pickable						
	soil ensuring that the underground services						
	(Telecommunications, Electricity, Plumbing, etc.) are not demaged for concrete bases for the upright						
4)	beams. Size 600mm x 600mm x 600mm.	m ³	5.5				
	Supply and apply soil poisoning in the excavated		0.0				1
5)	holes and supply poisoning certificate.	Item					
Yi.	Allow to cast material concrete to strength of 25Mpa						
6)	for the pad foundations.	m³	5				
7)	Supply and cast concrete for pad foundations including slab with concrete strength of 25Mpa.	m ³	10.5				1
	more and with control of officing the 20mm.	111*	10.5				_
	d To Collection Summary PS 1				R		- 1

PART 4: WORK TO BE DONE AND SCHEDULE OF RATES

WORK TO BE DONE AND SCHEDULE OF RATES:

tem	DESCRIPTION	UNIT QTY	QTY	RATE/ UNIT		TOTAL	
				R	С	R	C
	Supply and install 100mm x 100mm x 4mm						
	Galvanised M.S post welded to 200mm x 200mm x						
	8mm M.s Plate. Stub columns 250mm x 250mm. use			1			
	non shrink grout under base plate. Plate to be bolted						
	to concrete pad with No 4 /16mm diameter bolts x						- 1
	600mm long set in pad with hooked ends. Top of					T .	
0.00	foundation to project + or – 10mm above finishing	N-	22				
8)	surface.	No	22	+		+	_
	Supply and install 150mm x 76mm x 19mm x 3.5mm						
	lipped M.S channel (lipped purlins) secure to M.S channel rafter (lipped rafters). Top of the post to be						
	cut out to receive rafters. Two end flange to be bent						
	inwards. Rafters to bolted through the remaining two						
	sides flanges	m	160				
	Supply and install 10mm diameter bolts, nuts and						
9)	washer to secured lipped channel and rafters	Item					
	Supply and install Sisalation 450 including						
10)	galvanized support wire (Provisional)	m ²	280				
	Supply and install galvanised eye hook bolts, nuts						
11)	and neoprene capped washers to secure 0.6mm			1			
·	Chromadek metal IBR roof sheeting to lipped channel.	Item					
12)	Supply and install 0.75mm IBR profile 'Chromadek'						
12)	colour plus roof sheeting in full lengths.	m²	280				
	Supply and install 300mm x 12mm uPVC facia						
13)	including joining strips screwed to 300x 150 x03mm						- 1
10,	M.S bracket welded with brass nuts and bolts. Plate						- 1
	welded to end of 150 x 76mm lipped purlins	m	90			_	_
14)	Supply and install clip lock barge(Flashing) to be		06				
	serrated broad flute close	m	26	1			-
	Aluminium rainwater pipes						
	150 x 125mm 'Superspan Type 355' ogee pattern			1			
	seamless eaves gutters fixed to falls to uPVC fascia				0		
15)	including gutter bracket in suitable spacing.						
		m	90				
16)	Extra over eaves gutter for stopped end						
,	B	No	8				
15)	Extra over gutter for outlet and joint to 100 x 75mm						
•	Aluminium downpipes rainwater pipe						
		No	16				
16)	100 x 75mm rainwater pipe fixed to 100 x100						
•	Galvanized M.S post						
		No	4				
17)	Extra over 100 x 75mm rainwater pipe for shoe	No	8				
18)	Allow to remove all rubble from site.	Item					

COLLECTION SUMMARY

INSTITUTION: East Boom CHC

PROJECT DESCRIPTION: Design and Installation of the covered patient's waiting area shelter for PHC and Hast departments

NOTE:

THIS COLLECTION SUMMARY MUST BE COMPLETED IN FULL BY THE CONTRACTOR AND IT MUST BE RETURNED TOGETHER WITH THE QUOTATION FORM.

SUB-TOTAL: CARRIED TO QUOTATION FORM	R	
Collection Summary PS 2	R	
Collection Summary PS 1	R	



Department: Health	END-USER SE	LUITIOATIC	
PROVINCE OF KWAZULU-NATAL			
Quote Number: Z	NQ 202/20		
	CARRY OUT THE REPLACEMENT LD PHARMACY AT EAST BOOM		NING UNIT AND DISPENSING WINDOW
Department/Section: P	HARMACY	Purpose of Item:	INFRASTRUCTURE MAINTENANCE
1. Pre-qualification crite	ria if any:		
Regulatory Body / certific WITH NHBRC / MASTER FOR THE STRUCTURAL	ication required if Yes: CERTIFIED BUILDERS ASSOCIATION. CERTIF	COPIES OF THE CIDE G IED COPIES OF THE REGIS IRAL CONSULTANT SHALL	NS, SANAS, ISO, CIDB, etc.)? Yes / No: RADE 1GB / 1SL/ 1CE & REGISTRATION STRATION WITH THE RELEVANT BODIES BE PRESENTED ON THE BID AWARD.
if Yes, specify: 100 % So	on and content part of the quote? OUTH AFRICAN MANUFACTURE ction 4(1)(a) of the PPPFA Regula	ED MATERIALS	? Yes / No
1.5. Liability Cover ins if Yes, specify: WORKM	surance? <u>Yes</u> / No MAN'S COMPENSATION REGISTRA	TION WITH DEPARTMENT	OF LABOUR
2. What is the specificat	tion of the required item?		
		KWAZULU-NATAL ENT OF HEALTH	
	zno	201/20	
Design and Installation East boom CHC	n of the covered patient's w	vaiting area shelter f	or PHC and Hast departments at
1. PROJECT SPE	ecifications		

1.1 SCOPE OF CONTRACT

This Contract is for the execution of the project indicated above.

1.2 CONTRACT DRAWINGS

This tender document is to the read in conjunction with the drawings listed below which is issued together with this document.

Drawing Nr: Nil

The drawings and the designs are to be provided by the successful bidder for the department of health's consideration and approval before production. No claim will be considered for work, which requires to be changed due to the use of outdated drawings.

1.3 CONDITIONS OF CONTRACT AND PRELIMINARIES

1.3.1 PERIOD OF CONTRACT

Six (6) Weeks is the Contract Period for the completion of the Work from date of Site handover.

Name of End-user (in full)	T. Mkhiza	Name of SCM Rep (in full)	H. Almsoo
Designation / Rank (in full)	Devision topmany	Designation/ Rank (in full)	Mo
Signature	(1)	Signature	B.
Date	16/11/2000	Date	1111 2000
04	Alan France		Dogo 1 of 0

Standard End-User Specification Form

Page 1 of 9



1.3.2 CONTRACT GUARANTEE:

The Successful Bidder will NOT be required to submit a contract guarantee.

1.3.3 GUARANTEE PERIOD

The guarantee period for the completion of the Building, Painting all structural - work and all materials must be a minimum of <u>Twelve (12) Calendar Months</u> from the date of first delivery.

1.3.3.1 PENALTIES FOR NON COMPLETION/ DEFAUTY BY CONTRACT

Penalties at rate 7% of the contract value per day shall apply

1.3.4 SITE AND MODE OF PROCEDURE

The work contained in this contract will be carried out on the site of the existing **East Boom CHC**The Bidder is advised that the existing premises will be occupied throughout the period of the contract, and that the minimum amount of disruption to services is of the utmost importance.

Damage to the existing buildings - Bidders to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor/ Bidder.

The installation must be to the satisfaction of the Kwazulu-Natal Department of Health. Bidders are advised to visit the site prior to tendering and to acquaint themselves with the nature of the work to be done and access to the siting of the existing buildings etc., as no claim whatsoever will be allowed on the grounds of ignorance of the conditions under which the work will be executed.

1.3.5 SATISFACTORY INSTALLATION

The whole of the installation shall be carried out in accordance with the South African Bureau of Standards Code of Practice for the application of National Building Regulations, the KZNPA Standard Preambles to all Trades, the KZNPA General Electrical Specification, ICASA, Telecommunications regulations, the South African Bureau of Standards Code of Practice for the Wiring of Premises SABS 0142 and the Occupational Health and Safety Act and Regulations 85/1993 as amended.

Copies of the KZNPA Standard Preambles to all Trades and the KZNPA General Electrical Specification are available at the office of the Secretary for Health – KwaZulu-Natal and can be obtained on request.

1.3.6 GENERAL

The Bidder's / Contractors will be responsible for all masonry work associated with the structural installation and making good of all work related to the shelter installation. Any patching must be to the satisfaction of the KwaZulu-Natal Department of Health.

2. TECHNICAL SPECIFICATION

2.1 GENERAL

This TECHNICAL SPECIFICATION shall be read in conjunction with all other sections of the SPECIFICATION and cognisance shall be taken of the clauses relevant to this particular installation, whether any specific clauses are referred to or not.

3. SCOPE OF WORK

The work to be carried out under this contract includes the supply of all materials, including all labour and leaving in service condition to the satisfaction of the Secretary for Health: KwaZulu-Natal.

3.1. The work comprises of-

16 /n 12020	Date		1 11)
7-7	B		2000
6)	Signature		A
FERSON FREEMON	Designation/ Rank (in full)	' D	1 Sma
T. Mkhizz		I N	Mubbo
	T. MKhizz	Designation/ Rank (in full)	Terison Treemon Designation/ Rank (in full)

health Department Health PROVINCE OF KWAZULU-NATAL

END-USER SPECIFICATION FORM

- a) Design and produce quality structural engineer and local supply authority approved architectural 3D and CAD layout of the shelters to be located outside PHC and Hast departments.
- b) Preparation of the holes for the upright pillars.
- 3. 2 Supply and install the following:
 - a) New hot dipped galvanised steel posts
 - b) New hot dipped galvanised purlins
 - c) New IBR profile 0.75mm industrial grade colour plus Chromadek sheeting and barge.
 - d) New 5mm fibre glass clear sheeting
 - e) 12mm Bolts and nuts
 - f) Material concrete for upright posts
 - g) Chromadek cladding
 - h) New aluminium gutters and downpipes including brackets and screws with neoprene washers

This project is for the design, supply and installation of the shelters over patients waiting areas for the PHC and Hast Departments. **NOTE THAT DRAWINGS PRODUCED MUST BE ELIGEBLE AND TO SCALE**INCLUSIVE OF THE MEASUREMENTS. All dimensions and heights shall be checked on site prior to any work being undertaken. Items marked as 'Provisional' are subject to remeasure on completion of project and before any final payments are processed.

Frame work:

Frame work of the shelter shall consist of Hot Dipped Galvanised steel square posts fixed to reinforced concrete bases with steel purlins over.

NOTE:

The whole structure and reinforcing for bases shall be designed and certified by a Structural Engineer. Design shall be produced by successful bidder before any work is begun on site.

Roof Cover

Insulation in form of Sisalation 450 supported on 3.6mm diameter galvanised straining wire shall be provided under the roof sheeting. Roof sheets shall be 0.75mm colour plus 'Chromadek' in continuous lengths supplied with cappings – traffic green/azure on exposed side and fixed to steel purlins with galvanised Hook Bolts – complete with neoprene sealing washers, steel washers and nuts.

Stan Name of End-user (in full) Designation / Rank (in full) Signature Date Stan Name of SCM Rep (in full) Designation/ Rank (in full) Designation/ Rank (in full) Signature Date

Standard End-User Specification Form



The Bidder shall carry out all work according to the Standard Preambles to all Trades. The standard preambles can be obtained from Department of Health Facilities Management.

EARTHWORKS

SITE CLEARANCE: —The item given in the Bills of Quantities for site clearance shall be deemed to include the removal from the site, or burning if permitted by the Local Authority, of shrubs and trees with trunks under 200mm girth measured at 1m above ground level, hedges, bushes, other vegetation, rubbish and debris.

Holes left by roots are to be backfilled with earth and rammed.

EXCAVATIONS: — Rates for excavations are to include for forming and trimming to the correct levels, falls, slopes, curves, etc. for trimming sides, stepping, levelling and ramming bottoms, staging and disposing of the excavated material as described in the items. Rates for excavations to reduce levels over site are also to include for forming and trimming banks to the required batter. The Contractor is to allow in his rates for the bulking of excavated material.

The term "excavate", unless otherwise stated, shall mean excavate in "soft excavation" as defined below and for the purpose of classifying excavations the following will apply: —

a) **Soft excavation**: — shall be excavation in material that can be efficiently removed by a back-acting excavator of flywheel power approximately 0, 10 kW per millimetre of tined-bucket width without the assistance of pneumatic tools such as paving breakers, or that can be efficiently loaded without prior ripping or stockpiling by a rubber tired front-end loader of approximately 15t mass and a flywheel power of approximately 100 kW.

Treating the ground

The ground under surface beds, and below suspended wood floors, must be treated by the application of Soil Insecticides of Chlordane or Aldrin types complying with SANS Specifications 1165 and 1164 respectively, mixed with water and applied at the rate of not less than 5 litres of solution per square metre uniformly over the whole surface. The concentration of the solution must be strictly in accordance with the manufacturer's instructions and to the approval of the Department. The Department reserves the right to take samples of the diluted solution, at any time, in order to test the concentration of the chemicals used.

ROOF COVERINGS

*CHROMODEK" ROOFING SHEETS: - Shall be the secret fixed type, supplied with all fittings in full-length sheets in the profile and colour as specified. Sheets shall be a minimum of 0.75mm and maximum of 0.8mm thickness. When 0.75mm thick sheets are used, purlin spacings shall be a maximum of 1.2mtr¢ and maximum 1.5mtr¢ for 0.8mm thickness. Sheets shall leave the factory in the specified colour and any scratches etc., due to handling are to be 'touched up' on site after installation. All fixings, valleys, cappings and

securing clips shall be to manufacturers' recommendations and no variations shall be accepted without prior approval from the department.

0,75mm thick roof sheeting for purlins up to 1,2m spacing and 0,8mm thick roof sheeting for purlins exceeding 1,2m – 1,5m spacing.

Generally: — where sheet lengths are in excess of 12m these have been measured separately.

Roofing, etc. shall be lapped one flute at sides and 230mm at ends unless otherwise specified. Fixing roofing sheets are to be spaced one every crest along purlins at top and bottom edges of roof slopes and one to every alternate crest along intermediate purlins. Fixings to vertical cladding are to be spaced one to even alternate trough to each rail.

Fittings, unless otherwise specified, are to be lapped a minimum of 150mm and where necessary are to be drilled for and fixed with the fixings securing the roofing and cladding sheets.

STRUCTURAL STEEL WORK

GENERALLY: — The fabrication, assembly and erection of structural steelwork is to be executed in accordance with SANS Specification 1200H — Structural Steelwork (a copy of which the Contractor will be required to keep on site so that it can be referred to at all times during the Contract) with the following amplifications and amendments: — **INTERPRETATIONS:** — Clauses 2.1 and 2.2 refer. This preamble, together with any other

Stan			- 1	
Name of End-user (in full)	I Mkh 28	Name of SCM Rep (in full)	P	1 VIMBOO
Designation / Rank (in full)	ARTIGAN HOREMAN	Designation/ Rank (in full)	1	Zmo
Signature	(6)	Signature	1	\
Date	6/11/2020	Date		1611 7020

Standard End-User Specification Form

Page 4 of 9



supplementary preambles appearing in these Bills of Quantities shall be deemed the project specification and are the "Portion 2" referred to in Clause 2.2.

DEFINITIONS: — Clause 2.3 of SANS Specification 1200H refers. All references to the Engineer shall be deemed to mean the Department.

SUB-CONTRACTORS: —The Contractor shall either (a) have adequate satisfactory and approved experience in this type of work or (b) employ an approved specialist structural steelwork Sub-Contractor. The Contractor, in the case of (a), or the specialist Sub-Contractor, in the case of (b), shall employ at all stages of the Works both on and off site a competent Supervisor experienced in the work.

SHOP DETAIL DRAWINGS: — The Contractor shall prepare shop detail drawings, in conformity with the details shown on the structural steelwork drawings and to show all information necessary for complete fabrication, assembly, erection and painting. In the preparation of the shop detail drawings the Contractor is to comply with the requirements of SANS Code of Practice 0162.

The cost of preparing all necessary shop detail drawings and copies thereof is to be allowed for by the Contractor in his rates.

The Contractor shall submit two copies of his shop detail drawings to the Department for approval at least 10 days before fabrication of the member concerned is due to commence. Such approval does not imply that a complete and comprehensive check of the detail drawings has been carried out, and the Contractor shall remain responsible for ensuring that the steelwork is correctly fabricated, assembled, erected and painted.

All plant and equipment used in the erection of structural steelwork shall be adequate in every respect. The Contractor shall allow in his rates for all necessary temporary bracing, and for maintaining and finally removing such temporary bracing.

Fixing of Bolts, etc.: — Unless approved by the Department, no pre-drilled fixings for bolts, etc. will be permitted through hollow section members. Any hollow section member that has been drilled or punctured in any way shall be considered condemned and must be replaced to the satisfaction of the Department.

GALVANISING OF STEELWORK: — All steel surfaces described to be galvanized are to be thoroughly sand, grit or steel shot blasted to white metal in accordance with SANS Code of Practice 064 and fluxed ready for galvanising, and the completed unit is to be hot dip galvanized after fabrication in accordance with SANS Specification 763 for general applications on the relative thicknesses of metal.

The zinc coating shall be continuous and of even thickness over all surfaces entirely free of bare spots, dull, rough patches, blisters and other imperfections and shall show no signs of peeling. Where site welding has to be done, the welds are to be properly cleaned down and cold galvanized to the approval of the Department.

Name of End-user (in full)	T. Mkhize	Name of SCM Rep (in full)		dimen
Designation / Rank (in full)	HERVAN TOERMAN	Designation/ Rank (in full)	-	oun !
Signature	(1)	Signature	1 D	1
Date	16/4/2020	Date	10	PH 30%

Standard End-User Specification Form



PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

SCHEDULE OF RATES

PREAMBLE TO SCHEDULE OF RATES

Items and Pricing

The Department reserves the right to place an order for any quantities of items included in the Schedules. The Schedule of Rates must also not be assumed to include and describe every detail of the supply requirement, but must be taken and read in conjunction with the other parts of the document. Thus the supplier shall not have claim for further payment in respect of any order, which may be described or implied in the contract, although apparently no corresponding items are given in the Schedule of Rates. The supplier shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the contract and of the rates and prices stated in the Schedule of Rates.

Tax and Duties

Prices, tendered and paid, must include all customs, excise and import duties, and any other tariffs or taxes levied by the government or statutory body having jurisdiction on the goods provided under this contract, including Value Added Tax (applicable to the current rate).

Rates

Except where provision is made in the Schedule of Rates, the rates and prices inserted shall be the full rates and prices for the service delivered described under the respective items and shall cover all labour, transport, overhead charges and profit, etc. as well as the general liabilities, obligations and risks arising out of the Conditions of Contract, the overhead charges and profit being spread proportionately over the rates of the relative items in the Schedule of Rates.

Stan			1)
Name of End-user (in full)	T. Michiga	Name of SCM Rep (in full)	NJ	Missel
Designation / Rank (in full)	ARROAN FOREMAN	Designation/ Rank (in full)	127	LW)
Signature	(1)	Signature		
Date	16/11/2020	Date	1	1 P 11 3000
Oten dead Food Hans Consulting				1

Standard End-User Specification Form



PART 4: WORK TO BE DONE AND SCHEDULE OF RATES

Item	DESCRIPTION	UNIT	QTY	RATE	/ UNIT	TOTAL	
				R	С	R	С
	NOTE:						
	1). All rates for items contained in this Schedule						- 11
	of Prices must be computed excluding the				1		
	applicable Sales Tax.	1			- 1	1	
	2). The Administration reserves the right to						
	Negotiate prices in the Bill of Quantities.				- 1		
	3). All rubble shall be removed from site and				1		- 1
	suitably disposed of.	-			_	-	_
		1					
	Design and Installation of the covered						
	patient's waiting area shelter for PHC and						- 1
	Hast departments at East boom CHC						
				-			
	NOTES:						
	All rates quoted shall be inclusive of transport,			1			
	labour and profit.						
	The Bidder is advised that the buildings are			1			
	Occupied and interruptions to the electrical installation must be kept to an absolute						
	minimum.						
	PROPRIETARY ARTICLES:						
	All equipment and material used in this contract is to						
	be that which is specified or other approved prior to submission of bid.						
	Submission of big.			-			_
	ALL WORK TO BE DONE ACCORDING TO THE						
	STANDARD PREAMBLES						
	Allow to remove the existing awning at PHC waiting						-
1)	Allow for fees for Structural Engineers, architectural	m²	12				_
2)	design and certification of structure.	Item					
	Allow for consultants fees for drawing up of a safety	10111					_
	work plan as required by OHSA and Dept of						
3)	Manpower.	Item					
	Allow to excavate in tarred surface and soft pickable soil ensuring that the underground services						
	(Telecommunications, Electricity, Plumbing, etc.) are						
	not demaged for concrete bases for the upright						
4)	beams. Size 600mm x 600mm x 600mm.	m³	5.5				
-	Supply and apply soil poisoning in the excavated						
5)	holes and supply poisoning certificate.	Item					_
6)	Allow to cast material concrete to strength of 25Mpa for the pad foundations.	m³	5				
	Supply and cast concrete for pad foundations	111-					
7)	including slab with concrete strength of 25Mpa.	m³	10.5				
		(i)					
Carrie	d To Collection Summary PS 1				R		

Name of End-user (in full) MB 80 Name of SCM Rep (in full) Mkh1213 Designation / Rank (in full) Designation/ Rank (in full) KTIDAN HOREMAN Signature Signature Date Date 2000 2020 Page 7 of 9 Standard End-User Specification Form



PART 4: WORK TO BE DONE AND SCHEDULE OF RATES

Item DESCRIPTION		UNIT QTY	RATE/ UNIT		TOTAL		
				R	С	R	С
2.1	Supply and install 100mm x 100mm x 4mm Galvanised M.S post welded to 200mm x 200mm x 8mm M.s Plate. Stub columns 250mm x 250mm. use non shrink grout under base plate. Plate to be bolted to concrete pad with No 4 /16mm diameter bolts x 600mm long set in pad with hooked ends. Top of foundation to project + or - 10mm above finishing						
8)	surface.	No	22				_
	Supply and install 150mm x 76mm x 19mm x 3.5mm lipped M.S channel (lipped purlins) secure to M.S channel rafter (lipped rafters). Top of the post to be cut out to receive rafters. Two end flange to be bent inwards. Rafters to bolted through the remaining two sides flanges	m —	160				
	Supply and install 10mm diameter bolts, nuts and						
9)	washer to secured lipped channel and rafters	Item					
	Supply and install Sisalation 450 including						
10)	galvanized support wire (Provisional)	m ²	280				
11)	Supply and install galvanised eye hook bolts, nuts and neoprene capped washers to secure 0.6mm Chromadek metal IBR roof sheeting to lipped channel.						
12)	colour plus roof sheeting in full lengths.		280				
13)	Supply and install 300mm x 12mm uPVC facia including joining strips screwed to 300x 150 x03mm M.S bracket welded with brass nuts and bolts. Plate welded to end of 150 x 76mm lipped purlins		90				
14)	Supply and install clip lock barge(Flashing) to be serrated broad flute close	m m	26				
	Aluminium rainwater pipes	***	20				\top
15)	150 x 125mm 'Superspan Type 355' ogee pattern seamless eaves gutters fixed to falls to uPVC fascia including gutter bracket in suitable spacing.		00				
16)	Extra over eaves gutter for stopped end	m	90			-	-
10,	DAILA OVEL CAVES guitter for stopped crit	No	8		- 1		
15)	Extra over gutter for outlet and joint to 100 x 75mm Aluminium downpipes rainwater pipe	NO	0				
		No	16				
16)	100 x 75mm rainwater pipe fixed to 100 x100 Galvanized M.S post						
171	Fatro over 100 v 75mm minuster sine for the	No	4				_
17)	Extra over 100 x 75mm rainwater pipe for shoe	No	8		_		\rightarrow
18)	Allow to remove all rubble from site.	Item					

Name of End-user (in full)	T. Mkhiza	Name of SCM Rep (in full)	A JIMBOO
Designation / Rank (in full)	DETSAN FOREMAN	Designation/ Rank (in full)	1 Sha
Signature	10/	Signature	1
Date	16/11/2000	Date	9 /6 // 2020
Standard End-User Specifica	The state of the s		Page 8 of



3.	Doe	es a sample need to be submitted? Ye	s / No(seld	ect option 3.1 or 3.2))	
	3.1.	Deadline for submission if Yes: Date	1 1	Time;	Place	
or	3.2.	Specify that samples must be made ava	ailable whe	en requested in writii	ng. Yes or No]

Penalties to be noted by the suppliers:

4.1. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

What is the evaluation criteria / special terms and conditions to be advertised?

		oritoria / special terms and conditions to be advertised?
Lis	t evaluation criteria / speci	al terms and conditions to be advertised (if applicable)
1.	Pre-qualification criteria	Does the offer meet the pre-qualification criteria?
2.	Administrative	Does the offer comply to stipulated administrative requirements?
3.	Conformance:	Was the product made or service performed to specifications?
4.	Performance:	Will/does the product/service fulfil its performance obligation, in a manner that releases the supplier from all liabilities under the contract?
5.	Features:	What characteristics does the product or service have?
6.	Reliability:	How long can a product go between failures and the need for maintenance? (guarantee)
7.	Durability:	What is the useful life for the product? How will the product hold up under extended use?
8.	Serviceability:	How easy is it to repair, maintain or support the product or service? (customer support)
9.	Ability & Capacity	The ability and capacity of the vendor to execute the contract
10.	Preference points	Preferential Procurement System (80/20) if applicable

Name of End-user (in full)	T. Mkhizis	Name of SCM Rep (in full)	HOVIWBUC
Designation / Rank (in full)	PERSON FOREMAN	Designation/ Rank (in full)	1 mos
Signature	1/1	Signature	14
Date	16 14 19000	Date	II II Casa

health Department: Health PROVINCE OF KWAZULU-NATAL

EAST BOOM COMMUNITY HEALTH CENTRE

SUPPLY CHAIN MANAGEMENT - DEMAND MANAGEMENT

ITEM SPECIFICATIONS

<u>Please note</u> with reference to the Supply Chain Management Practice Notes Part 7. It is the responsibility of the End User to provide specifications with each item requested.

Therefore to ensure quality a draft specification is to be submitted with each requisition. The draft specification is to provide information describing the required item in full and what is expected thereof.

Please note that no requisition wil	be accepted without this document fully completed and attached, to NSI
DESCRIPTION OF ITEM REQUIRED	CARRY OUT THE INSTALLATION OF COVERED PATIENT'S WAITING AREA IN PHC
	AND HAST DEPARTMENTS AT EAST BOOM CHC.
(please provide a full description)	
(You can even attach a brochure)	TECHNICAL SPECIFICATION ATTACHED.
	BID CONDITIONS AND MINIMUM REQUIREMENTS
	MINIMUM CIDB GRADING: 1GB / 1SL / 1CE (CERTIFIED PROOF TO BE
	ATTACHED WITH THE BID)
	LETTER OF GOOD STANDING (CERTIFIED COPY TO BE ATTACHED WITH THE
	BID)
	TAX COMPLIANCE (CERTIFIED COPY TO BE ATTACHED WITH THE BID)
	FAILURE TO ADHERE TO THE ABOVE CONDITIONS SHALL LEAD TO
	DISQUALIFICATION OF THE BID.
PRODUCT CODE (If Any)	
SIZE:	
COLOUR:	
PACKING SIZE:	
Please provide details of how the	
item is packed	
DISPOSABLE OR NON DISPOSABLE	
PROPRIETRY OR NON	
PROPRIETRY	
SPECIFICATION COMMITTEE APPRO	OVED / NOT ADDDOVED DATE.
	/VED/NOI APPROVED DATE:
	OVED / NOT APPROVED DATE:
NAME SURNAME	SIGN (CHAIRMAN)