



Quotation Advert

Opening Date: 2020-10-19
 Closing Date: 2020-10-27
 Closing Time: 11:00

INSTITUTION DETAILS

Institution Name: Ndwedwe CHC
 Province: KwaZulu-Natal
 Department or Entity: Department of Health
 Division or section: Central Supply Chain Management
 Place where goods / services is required: Ndwedwe CHC
 Date Submitted: 2020-10-16

ITEM CATEGORY AND DETAILS

Quotation Number: ZNQ:
159 20/21
 Item Category: Services
 Item Description: Supply and install window frame for security guard house
 Supply and install aluminum glass partitioning in a reception counter area
 Remove an old burglar guard in SCM office and Supply and install aluminum door with frame

Quantity (if supplies)

COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type: Compulsory Site Visit
 Date: 2020-10-21
 Time: 10am
 Venue: Ndwedwe CHC - Boardroom

QUOTES CAN BE COLLECTED FROM: Ndwedwe CHC - site meeting

QUOTES SHOULD BE DELIVERED TO: Ndwedwe CHC - Tender box on Rehabilitation centre veranda

ENQUIRIES REGARDING THE ADVERT MAY BE DIRECTED TO:

Name: Maria Kekana
 Email: maria.kekana@kznhealth.gov.za
 Contact Number: 032 - 532 3044
 Finance Manager Name: Mr SG Hlongwane

Finance Manager Signature:

No late quotes will be considered

OFFICIAL PRICE PAGE FOR QUOTATIONS

ZNQ NUMBER: 159 20/21

DESCRIPTION: Maintenance projects

SIGNATURE OF BIDDER DATE.....
 [By signing this document I hereby agree to all terms and conditions]

CAPACITY UNDER WHICH THIS QUOTE IS SIGNED.....

Item No	Quantity	Description	Brand & model	Country of manufacture	Price	
					R	c
01	01	SUPPLY AND INSTALL WINDOW FRAMES FOR SECURITY GUARD HOUSE				
02	01	SUPPLY AND INSTALL ALUMINUM GLASS PARTITIONING IN A RECEPTION COUNTER AREA				
03	01	REMOVE AN OLD BURGLAR GUARD IN SCM OFFICE SUPPLY AND INSTALL ALUMINUM DOOR WITH FRAME AS PER ATTACHED SPECIFICATION				
		SBD4 FORMS MUST BE COMPLETED, SIGNED AND ATTACHED PER EACH AND EVERY QUOTATION REQUIRED ATTACHMENTS 1. PROOF OF CSD REGISTRATIONS 2. VALID TAX CLEARANCE 3. CIDB 4. LETTER OF GOOD STANDING				
VALUE ADDED TAX @ 15% (Only if VAT Vendor)						
TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days)						

Does This Offer Comply With The Specification? Is The Price Firm?	Does The Article Conform To The S.A.N.S. / S.A.B.S. Specification? State Delivery Period E.G. E.G. 1day, 1week
--	---

<p>Enquiries regarding the quote may be directed to:</p> <p>Contact Person: <u>Maria Kekana</u> Tel: <u>032532 3044</u> E-Mail Address: <u>maria.kekana@kznhealth.gov.za</u></p>	<p>Enquiries regarding technical information may be directed to:</p> <p>Contact Person: <u>Xolani Dlamini</u> Tel: <u>032532 3044</u></p>
--	--

SPECIAL CONTRACT CONDITIONS OF QUOTATIONS

1. AMENDMENT OF CONTRACT

- 1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

- 2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (*domicilium citandi et executandi*) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The institution is under no obligation to accept the lowest or any quote.
- 3.2. The price quoted must include VAT (if VAT vendor). However, it must be noted that the department reserves the right to evaluate all quotations excluding VAT as some bidders may not be VAT vendors.
- 3.3. The bidder must ensure the correctness & validity of quote:
- (i) *that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk*
- 3.4. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.5. This quotation will be evaluated based on the 80/20 points system, specification & correctness of information. All required documentation must be completed in full and submitted.
- 3.6. Offers must comply strictly with the specification.
- 3.7. Only offers that meet or are greater than the specification will be considered.
- 3.8. Late quotes will not be considered.
- 3.9. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.10. A bidder not registered on the Central Suppliers Database or verification has failed will not be considered.
- 3.11. All delivery costs must be included in the quote price, for delivery at the prescribed destination.
- 3.12. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.13. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.14. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered. Furthermore a verification will be done to identify if bidders have multiple companies and are quoting (cover-quoting) for this bid. In such instances only the cheapest bid according to specification will be considered.

4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotation submitted must be complete in all respects.
- 4.5. Any alteration made by the bidder must be initialled.
- 4.6. Use of correcting fluid is prohibited
- 4.7. Quotation will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.

5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.

- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
 - (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
 - (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. **Samples must be made available when requested in writing or if stipulated on the document.**
 - (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

7.1. Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process.

- (i) The institution has determined that a compulsory site meeting take place
- (ii) Date / / Time : Place

Institution Stamp:	Institution Site Inspection / briefing session Official Full Name: Signature: Date:
--------------------	--

8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

10. TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, **it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.**
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, **the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.**

11. TAX INVOICE

11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:

- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

12. PATENT RIGHTS

The supplier shall indemnify the **KZN Department of Health** (hereafter known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

14. TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
 - (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
 - (ii) if the supplier fails to perform any other obligation(s) under the contract; or
 - (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

15. FAILURE TO COMPLY WITH ABOVE WILL RESULT IN YOUR QUOTE BEING PASSED OVER.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to all quotes:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and

1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.

1.3 Points for this quote shall be awarded for:

- (a) Price; and
- (b) B-BBEE Status Level of Contributor.

1.4 The maximum points for this quote is allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.

1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. DEFINITIONS

- (a) **"B-BBEE"** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) **"B-BBEE status level of contributor"** means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) **"bid"** means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) **"Broad-Based Black Economic Empowerment Act"** means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) **"EME"** means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) **"functionality"** means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) **"prices"** includes all applicable taxes less all unconditional discounts;
- (h) **"proof of B-BBEE status level of contributor"** means:
 - 1) B-BBEE Status level certificate issued by an authorized body or person;
 - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- (i) **"QSE"** means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) **"rand value"** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

$$P_s = 80 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right) \text{ Where}$$

- P_s = Points scored for price of bid under consideration
- P_t = Price of bid under consideration
- P_{min} = Price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

5. BID DECLARATION

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1

6.1 B-BBEE Status Level of Contributor: =(maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7. SUB-CONTRACTING

(Tick applicable box)

7.1 Will any portion of the contract be sub-contracted?

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

7.1.1 If yes, indicate:

- i) What percentage of the contract will be subcontracted.....%
- ii) The name of the sub-contractor.....
- iii) The B-BBEE status level of the sub-contractor.....

8. Whether the sub-contractor is an EME or QSE

(Tick applicable box)

iv) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations,2017:

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

Designated Group: An EME or QSE which is at least 51% owned by:	EME √	QSE √
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

9. **DECLARATION WITH REGARD TO COMPANY/FIRM**

9.1 Name of company/firm:.....

9.2 VAT registration number:.....

9.3 Company registration number:.....

9.4 **TYPE OF COMPANY/ FIRM [TICK APPLICABLE BOX]**

- Partnership/Joint Venture / Consortium
- One person business/sole propriety
- Close corporation
- Company
- (Pty) Limited

9.5 **DESCRIBE PRINCIPAL BUSINESS ACTIVITIES**

.....
.....

9.6 **COMPANY CLASSIFICATION [TICK APPLICABLE BOX]**

- Manufacturer
- Supplier
- Professional service provider
- Other service providers, e.g. transporter, etc.

9.7 Total number of years the company/firm has been in business:.....

9.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
- iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have –
 - (a) disqualify the person from the bidding process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution.

<p>WITNESSES</p> <p>1.</p> <p>2.</p>
--

<p>.....</p> <p>SIGNATURE(S) OF BIDDERS(S)</p> <p>DATE:</p> <p>ADDRESS.....</p> <p>.....</p> <p>.....</p>

PROVINCE OF KWAZULU-NATAL
DEPARTMENT OF HEALTH



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

DIRECTORATE: NDWEDWE CHC

Physical Address: P100 Main road, Ndwedwe Central, 4342
Postal Address: Private Bag X 528, Ndwedwe, 4342
Tel: 032 532 3048 Fax: 032 532 3628 Email: Xolani.Dlamini2@kznhealth.gov.za

MAINTENANCE DEPARTMENT

PROVINCE OF KWAZULU-NATAL
DEPARTMENT OF HEALTH

ZNQ –
NDWEDWE CHC

Remove supply & install window frame

1.1 SCOPE OF CONTRACT

This Contract is for the execution of the project indicated above.

1.2 NO CONTRACT DRAWINGS

1.3 CONDITIONS OF CONTRACT AND PRELIMINARIES

1.3.1 PERIOD OF CONTRACT

Four (04) *Weeks* as the Contract Period for the completion of the Work from date of Site handover.

1.3.2 CONTRACT GUARANTEE:

The Successful Bidder will **NOT** be required to submit a contract guarantee.

1.3.3 GUARANTEE PERIOD

The guarantee period for the completion of the Structural work and all materials must be a minimum of Twelve (12) Calendar Months from the date of first delivery.

1.3.4 SITE AND MODE OF PROCEDURE

The work contained in this contract will be carried out on the site of the existing at **NDWEDWE chc**

The Bidder is advised that the existing premises will be occupied throughout the period of the contract, and that the minimum amount of disruption to services is of the utmost importance.

Damage to the existing buildings - Bidders to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor/ Bidder.

The repairs must be to the satisfaction of the KwaZulu- Natal Department of Health. Bidders are advised to visit the site prior to tendering and to acquaint themselves with the nature of the work to be done and access to the siting of the existing buildings etc., as no claim whatsoever will be allowed on the grounds of ignorance of the conditions under which the work will be executed.

1.3.5 SATISFACTORY INSTALLATION

The whole of the installation shall be carried out in accordance with the South African Bureau of Standards Code of Practice for the application of National Building Regulations, the KZNPA Standard Preambles to all Trades, the KZNPA General Electrical Specification, ICASA, Telecommunications regulations, the South African Bureau of Standards Code of Practice for the Wiring of Premises SABS 0142 and the Occupational Health and Safety Act and Regulations 85/1993 as amended.

Copies of the KZNPA Standard Preambles to all Trades and the KZNPA General Electrical Specification are available at the office of the Secretary for Health – KwaZulu-Natal and can be obtained on request.

1.3.6 CERTIFICATE OF COMPLIANCE

On completion of the service, a copy of the "Certificate of Compliance for Electrical Installation" must be submitted to the office of the Secretary for Health: KwaZulu Natal.

1.3.7 GENERAL

The Bidder's / Contractors will be responsible for all masonry work associated with the electrical installation and making good of all work related to the electrical installation. The patching and painting must be to the satisfaction of the KwaZulu-Natal Department of Health.

PROVINCE OF KWAZULU-NATAL
DEPARTMENT OF HEALTH



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

DIRECTORATE: NDWEDWE CHC

Physical Address: P100 Main road, Ndwedwe Central, 4342
Postal Address: Private Bag X 528, Ndwedwe, 4342
Tel: 032 532 3048 Fax: 032 532 3628 Email: Xolani.Dlamini2@kznhealth.gov.za

MAINTENANCE DEPARTMENT

PROVINCE OF KWAZULU-NATAL
DEPARTMENT OF HEALTH

NDWEDWE CHC
Remove supply & install window frame

TECHNICAL SPECIFICATIONS

2. TECHNICAL SPECIFICATION

2.1 GENERAL

This TECHNICAL SPECIFICATION shall be read in conjunction with all other sections of the SPECIFICATION and cognisance shall be taken of the clauses relevant to this particular installation, whether any specific clauses are referred to or not.

2.2 *Standard Preambles*

This is available from the department on request.

2.3 *Health and Safety Specification*

Health and Safety Plan with Risk assessment schedule is to be compiled taking cognisance of the specific type of patient's that walk around the institution all day. All areas are to be protected at all times from patients falling in. All new and old materials are to be securely stored during construction to eliminate any person from rolling them around or playing inside



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

DIRECTORATE: NDWEDWE CHC

Physical Address: P100 Main road, Ndwedwe Central, 4342
Postal Address: Private Bag X 528, Ndwedwe, 4342
Tel: 032 532 3048 Fax: 032 532 3628 Email: Xolani.Dlamini2@kznhealth.gov.za

MAINTENANCE DEPARTMENT

**ZNQ –
NDWEDWE CHC -
Remove supply & install window frame**

3. SCOPE OF WORK

The work to be carried out under this contract includes the supply of all materials, and including all labour to carry out all electrical work and leaving in service condition to the satisfaction of the Secretary for Health: KwaZulu-Natal.

3.1. The work comprises of: Remove supply & install window frame

1. ALTERATIONS

SITE VISIT: — Tenderers are advised to visit the site prior to tendering and satisfy themselves as to the nature and extent of the work to be done, also to examine the condition of all existing buildings as no claim will be entertained on the grounds of ignorance of the conditions under which the work was to be executed.

MATERIALS FROM THE ALTERATIONS: — unless otherwise stated, will become the property of the Contractor and all these materials, together with all rubbish and debris must be carried away and the site left clean and unencumbered.

Items described as “removed” shall mean removed from the site.

Credit for the value of materials from the alterations is to be allowed for on the Summary/
Final Summary page.

Items described as to be re-used or to be handed over to the Administration are to be dismantled where necessary and stacked on site where directed, and the Contractor will be responsible for their removal and storage until required, and shall make good all items missing, damaged or broken at his own expense.

Unless otherwise described, no materials from the alterations shall be re-used in any new work without the written approval of the Department.

Prior to the removal of any timbers from the site, these are to be inspected by Government Entomologists. If any of these timbers are infested by wood destroying agencies, these timbers are to be disposed of in the manner prescribed by the Government Entomologist. In taking down and removing existing work, particular care must be taken to avoid any structural or other damage to the remaining portions of the buildings.

2. ROOF COVERINGS

CONCRETE ROOFING TILES: — shall conform to SANS Specification 542. The tiles are to be of pattern and colour specified and is to be even in thickness, uniform in shape and colour and free from cracks and blemishes. The tiles are to be laid to “straight bond” in accordance with SANS Code of Practice 062 with vertical joints and bottom edges of each course ranging perfectly straight.

Unless otherwise specified each tile in every third course, all tiles in eaves and ridge courses and tiles in every course on each side of hips and valleys shall be secured with copper clout headed nails driven into the battens or with approved non-corrodible tile clips and nails in accordance with the manufacturer’s instructions. Where nail holes in tiles have been cut off at hips, valleys, top edges, etc. new holes are to be drilled.

All ridge and hip cappings are to be of the types specified and of colour to match the roofing tiles. The cappings are to be bedded, jointed, pointed and torched up over roofing tiles in 1:3 cement mortar tinted to match the tiles. Where cappings having butt jointed ends are specified, an approved damp proof course conforming to Type C of SANS Specification 952 is to be fixed under, laid over the roofing tiles in accordance with the manufacturer’s instructions.

Barge cappings are to be of the types specified and of colour to match the roofing tiles. The barge capping tiles are, unless otherwise specified, to be bedded, jointed, pointed and touched up over roofing tiles in 1:3 cement mortar tinted to match the tiles with every tile drilled and secured with copper clout headed nails to timber barge boards or bearers (elsewhere measured). Concrete tiles to residential units in non hail area’s are permitted.

3. IRONMONGERY

Ironmongery is to be to the approval of the Department and rates are to include for fixing screws of corresponding metal and finish and for oiling and easing as required at completion.

Where catalogue references are given, the articles are to be of the brand specified or other approved.

4. PAINTING

MATERIALS: — Proprietary materials where specified are to be of the brand specified or other approved by the Department.

All primers, emulsion paints, enamels, stains, varnishes, etc. are to comply with the relevant SANS Specification.

Paints, etc. shall be suitable for application on the surfaces to which they are being applied and those used externally shall be of exterior quality or suitable for exterior use.

For any particular work the priming coat and subsequent coats of paint are to be executed with paints from the same manufacturer and in accordance with that manufacturer’s instructions.

The materials are to be brought to the site in unopened containers and no adulteration will be permitted, except thinners of a quantity and quality directed by the manufacturer.

The Department shall at all times be permitted to take samples for testing purposes from open containers of any brand of paint being used on the work.

All materials, if and when required by the Department, will be subject to tests by the South African Bureau of Standards, and the cost of such tests, should the material under test not

meet the requirements of this specification, shall be borne by the Contractor. Fillers and stoppings are to be suitable for use with the material being filled or stopped and to the approval of the Department.

PREPARATORY WORK: — All new and existing surfaces are to be thoroughly dry and are to be cleaned of all dust, dirt, grease, oil, rust, scale, efflorescence, fungus, loose or flaking material, etc. rubbed down, stopped, filled, knotted and sanded smooth as required in accordance with the paint manufacturer's recommendations and to the approval of the Department prior to the application of paint, etc.

Ceilings are to have nail heads, including those to cornices and cover strips, primed and stopped up as necessary and rubbed down smooth.

Asbestos cement shall be primed with an approved alkali resistant primer before the application of subsequent coats which are not, in themselves, alkali resistant.

Iron, steel and other ferrous metals shall be cleaned in accordance with SANS Code of Practice 064 to remove rust, scale, grease, oil, etc. and the surface brought to a bright metallic condition.

Galvanized iron and zinc shall be cleaned in accordance with SANS Code of Practice 062 to remove the manufacturer's temporary protective coating, white rust, etc.

Other non-ferrous metals shall be thoroughly cleaned to remove all milling oils, temporary protective coatings, etc. and the surface abraded with fine water-paper and white spirit.

Woodwork to be painted shall have all knots and resinous areas treated with an approved knotting, the surface shall then be primed and all holes, etc. stopped and rubbed down smooth,

Woodwork to be oiled, stained, varnished, etc. shall be free of all stains, pencil marks and other surface discolorations and all holes, etc. stopped with tinted stopping and rubbed down smooth.

In preparing existing glazed sashes and sash doors, all loose putty is to be removed, the rebates primed and glass re-sprigged and re-puttied as necessary before the painting is commenced.

Previously distempered or lime washed surfaces to receive any other type of paint, are to have the existing distemper or lime wash completely removed by scraping or wire brushing and the surfaces treated with an approved bonding liquid.

Where existing paint film are in good condition any flaking or bared patches are to be properly feathered into the surrounding paint and spot primed as necessary.

Where existing paint films are in poor condition and require to be removed completely, they are to be removed by means of wire brushing, paint remover, burning off, or other approved method. Paint removers shall be free of wax and caustic substances and shall preferably be of water rinseable type. When burning off paint from wood, care must be taken to avoid charring the wood.

The final state of preparatory work to existing decorated surfaces shall in all cases produce in the finished decorated surfaces a condition similar to new work.

The Contractor will be held responsible for the proper and adequate preparation of the surfaces and any work which fails to meet the manufacturer's recommendations must be made good at the Contractor's expense to the satisfaction of the Department.

APPLICATION OF PAINTS, ETC.: — Painting may be carried out by brush, roller or spray as recommended by the manufacturer and to the approval of the Department. All paints, etc. are to be applied in strict accordance with the manufacturer's instructions. Each coat of paint is to be adequately and permanently keyed onto the previous coat or surface and shall be evenly distributed and continuous and shall dry to a smooth film, free from sags, runs or other imperfections. Each coat of paint is to be of a colour distinctive from previous or succeeding coats.

All painting must be done in accordance with a colour scheme which will be provided by the Department, and rates for painting etc. are to include for all cutting in of contrasting colours and masking as required. No distinction has been made where more than one colour of the same material is required on the walls or ceiling of the same room.

Samples of colours for the final coats are to be prepared in all cases to the approval of the Department and all work must be finished to the approved colours.

Backs of wood door and similar frames and the surfaces of other new or prefixed joinery in contact with brickwork, etc. and built in as the work proceeds, shall be primed or sealed before building in to prevent moisture seeping into the wood from the mortar bedding.

Tongued and grooved and rebated edges of boards in batten doors and other such like inaccessible parts of new joinery shall, before assembly, be primed, or where the joinery is to receive a finish other than paint, be given one coat of such other finishing material.

All new external structural timbers shall be primed before the timbers are fixed in position and shall include all surfaces such as backs of fascias and barge boards.

RATES: — Rates for painting, etc. are to include for all preparatory work, and where spraying is employed, are to include or adequately masking all surrounding areas. Where diameters of pipes are stated these are the nominal internal diameters, and rates for painting pipes are to include for painting the holderbats, hangers, clips, etc. supporting the pipes.

Rates are to include for providing all necessary dust sheets, covers, etc. taking all necessary precautions to prevent marking the surfaces of joinery, walls, floors, glass, electrical fittings, etc. All surfaces disfigured or otherwise damaged shall be completely renovated or replaced as necessary to the approval of the Department at the Contractor's own expense.



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

DIRECTORATE: NDWEDWE CHC

Physical Address: P100 Main road, Ndwedwe Central, 4342
Postal Address: Private Bag X 528, Ndwedwe, 4342
Tel: 032 532 3048 Fax: 032 532 3628 Email: Xolani.Dlamini2@kznhealth.gov.za

MAINTENANCE DEPARTMENT

**PROVINCE OF KWAZULU-NATAL
DEPARTMENT OF HEALTH**

**ZNQ –
NDWEDWE CHC
Remove supply & install window frame
SCHEDULE OF RATES**

4.1 ITEMS AND PRICING

The Department reserves the right to place an order for any quantities of items included in the Schedules. The Schedule of Rates must also not be assumed to include and describe every detail of the supply requirement, but must be taken and read in conjunction with the other parts of the document. Thus the supplier shall not have claim for further payment in respect of any order which may be described or implied in the contract, although apparently no corresponding items are given in the Schedule of Rates. The supplier shall be deemed to have satisfied himself before quoting as to the correctness and sufficiency of his quote for the contract and of the rates and prices stated in the Schedule of Rates.

4.2 TAX AND DUTIES

Prices, quoted and paid, must include all customs, excise and import duties, and any other tariffs or taxes levied by the government or statutory body having jurisdiction on the goods provided under this contract, **including Value Added Tax (applicable to the current rate).**

3.3 RATES

Except where provision is made in the Schedule of Rates, the rates and prices inserted shall be the full rates and prices for the service delivered described under the respective items and shall cover all labor, transport, overhead charges and profit, etc. as well as the general liabilities, obligations and risks arising out of the Conditions of Contract, the overhead charges and profit being spread proportionately over the rates of the relative items in the Schedule of Rates.

For all floor coverings are to include for laying as described, for cleaning down backing surfaces before laying and for all square and ranking cutting and waste and fitting, fair edges where no skirting occur, protection from injury and for cleaning down etc. as described at completion.

Rates for all finings are to include for lying as described, cleaning down backing surfaces before laying, sizing backing surfaces if necessary to ensure proper adhesion, all square and raking cutting and waste and fitting, fair etc. as described at completion.

Rates for skirting, stair nosing, edging strips, etc. are to include for fixing as described, cutting to lengths, and fitting at intersections, miters, ends, etc. and for cleaning down at comp an

ITEM NO	DESCRIPTION: RE-INSTALLATION TO A NEW POSITION	UNIT	QTY	RATE/UNIT		TOTAL	
				R	c	R	- c
	<p>All items to be priced fully inclusive of all charges e.g. labour, plan, profit etc. but excluding Value added tax</p> <p>Contractors are advised to visit site to acquire them with site and lay out of the institution premises during the contract is not allowed & arrangements for accommodation will have to be allowed for. all items are subjected to re-measure</p> <p>Tenders are referred to the project specifications for full description of materials, etc. to be used .all works shall be done strictly accordance with the specification & leave in perfect working order after completion</p>	No					
1	Allow to hire or employ a local residential citizen. That will help to open up job opportunities for a community of the area it's a mandatory (while you are conducting service)						
2							
3	<p>No contractor will be awarded without this following below item</p> <p>Attach valid tax clearance certificate</p> <p>BEE certificate</p> <p>proof of registration to CSD</p> <p>CIDB</p> <p>Letter of good standing</p> <p>Attach a company grade regarding building</p> <p>A company must improvise profile of a previous work in health department if not attached an approved certificate.</p>						
		No	item				

ITEM NO	DESCRIPTION: Remove supply & install window frame	UNIT	QTY	RATE/UNIT		TOTAL	
				R	c	R	c
12	<u>Alterations bill no.1</u>	No					
13	Allow to hack up & remove existing concrete	m ²	3				
14	Allow to remove carefully brickwork as per attached drawing 23	m ²	3				
15	Allow to remove an existing PVC window frame & glass	m ²	3				
	Chase & remove a concrete slab	m ²	0,5				
17							
18							
19							
20							
21	<p>Copy of relevant AAMSA Performance certificate from the manufacturer/ contractor supplying architectural aluminium product</p> <p>2. certificate of conformance certifying that all anodizing or powder coating has been processed in strict accordance with SABS999/1998 & SABS 1796/2001 respectively</p> <p>3. powder coat guarantee of no less than 15 years issued by powder manufacture .the specific conditions contained in said guarantee shall conform to part of the process & may only be applied by an approved powder applicator</p> <p>4. Certificate of conformance that the glazing has been installed in accordance with sabs0137 ENSURING THAT SAFETY GLAZING MATERIAL HAVE BEEN INSTALLED IN THE MANDATORY AREAS That each individual pane of safety glazing material has been permanently marked.</p> <p>5. A warranty from the manufacture of the laminated safety glass & or hermetically sealed glazing units warranting the products against delamination & colour degradation for a period of no less than 5 year. Prior to commencement of manufacture the contractor is to submit the relevant shop drawing for approval, which shall have been prepared after taking on site measurement</p>						
	CARRIED TO COLLECTION SUMMARY	PS 2			R		R

NO				R	c	R	c
12	<p><u>Installation bill no.2</u> Copy of relevant AAMSA Performance certificate from the manufacturer/ contractor supplying architectural aluminium product 2. certificate of conformance certifying that all anodizing or powder coating has been processed in strict accordance with SABS999/1998 & SABS 1796/2001 respectively 3. powder coat guarantee of no less than 15 years issued by powder manufacture .the specific conditions contained in said guarantee shall conform to part of the process & may only be applied by an approved powder applicator 4. Certificate of conformance that the glazing has been installed in accordance with sabs0137 ENSURINGTHAT SAFETY GLAZING MATERIAL HAVE BEEN INSTALLED IN THE MANDATORY AREAS That each individual pane of safety glazing material has been permanently marked. 5. A warranty from the manufacture of the laminated safety glass & or hermetically sealed glazing units warranting the products against delamination & colour degradation for a period of no less than 5 year. Prior to commencement of manufacture the contractor is to submit the relevant shop drawing for approval, which shall have been prepare after taking on site measurement</p>	No					
13	<p><u>Main gate guard room</u> Supply and install granite toping (2300x600mmx30mm) service counter supported with 50mm diameter with stainless steel support at centre & 2 sides mounted using raw bolt hot deep galvanised</p>	m ²	3				
14	<p>Supply & install brickwork of face brick to conform to FBX quality 220x110x75 Bergendal cottage satin colour matching an existing one. (2300x220mm) Brick force must be used every second course or other approved by facility management at head office only 2,5mm galvanised brick force shall be used. Tender is advised to ensure that finishing of brick work shall be roller course.</p>	m ²	3				
15	<p>Allow to clean brickwork after completion using spirit of salt. Tender is advised that spirit of salt is hazardous substance therefore health & safety prescripts shall be adhered in this regard</p>	m ²	3				
	<p>Allow to remove old material off site. Accumulation of rubble on site is n permitted or allowed</p>						
	<p>Supply & install aluminium structure fitted translucent shutter ply glass Side panel not less than 4mm thick supported at very 1000m with stainless steel uprights of not less than 40mm diameter as per attached drawing or nay other approved by Department of Health KZN facility management . tenders is advised that drawing are not drawn to scale</p>	m ²					
17							
18	Supply & install nylon nuts & bolt for aluminium structure						
19	Supply & install stainless steel pop rivet						
20	<p>Tender is allowed to re-take measurement since the department will not accept poor workmanship or imperfect of sizes for window frames & sides See the attached drawing</p>						
21	<p>Allow to remove old material off site. Accumulation of rubble on site is n permitted or allowed</p>						
	CARRIED TO COLLECTION SUMMARY					R	R
	PS 2						

NO	<u>Alterations bill no.3</u>			R	c	R	c
12	Supply & install closing latches control hydraulic arm system weather resistance suitable for swing door includes mounting hardware 70kg	No	01				
13	<u>Scm department</u> Supply & install powder coated solid SABS approved aluminium frames mounted on brick wall with aluminium double shutter tinted glass doors lockable in the centre size 2560mmx900mm each side, it must be mounted in a frame with three hinges; it must have a latch hook to hold the door when it is open. & stainless steel handles per door inside & outside that is matching the existing one x1 One must have must have with top widow frames size 900mmx40mm/2 glass with glasses thickness 4mm tinted shutter window similar with vehicle, white colour matching the existing one	m ²	3				
		m ²	02				
14	<u>Admitting next to maternity</u> Supply & install powder coated solid anti- bacteria weather resistance SABS approved aluminium frames mounted on brick wall & aluminium frames with aluminium double shutter tinted glass in the centre size Supply & install aluminium structure fitted translucent tinted shutter ply glass Side panel not less than 4mm thick supported at very 1000m with stainless steel uprights of not less than 40mm diameter as per attached drawing or nay other approved by Department of Health KZN facility management . tenders is advised that drawing are not drawn to scale 1150x1040mm	m ²	2				
15	Seal the frames with a rubber to prevent water to get through tops, sides & bottoms Supply & install pair double action transom closure with shoe trap & floor mounted door holder satin chrome finish(hot deed galvanized or brass) with a floor door stopper matching an existing one		All				
	Allow to chase, cut or break concrete for preparation of installation of aluminium frames & patching up by re-plastering or brick up neatly where chasing was conducted, finishing top surface of concrete smooth with float U2 finish <u>repaint with an existing paint colour & re-bricks with an existing bricks size , strength & colour</u>	m ²	0.5				
	Allow 12 months guarantee & company profile of the previous work similar to this one	No	Item				
17	<u>Opening Up of Existing Cables</u> Where it is necessary to expose existing buried cables for any purpose or to excavate in the vicinity of existing buried cable, pipes electric wires etc every care is to be exercised and only staff experience in such work, and duly warned by the contractor, shall be employed thereon.	No	item				
18	Tenderer must allow for all charges in connection with acquiring the services of the accredited Safety, Health and environment Consultant to prepare safety plan, risk assessment schedule and do regular inspections for the duration of the contract in compliance with Occupational and Safety act. (Assessment to be forwarded to Department of Health Occupational Health and Safety in Natalia.) Tenderer will not be allowed to start work without submission of Safety Plan	No	item				
19			Item				
	R 1 500.00 (ONE THOUSAND FIVE HUNDRED RANDS) PER DAY WILL BE CHARGED, FROM DAY I (ONE) AFTER CONTRACT EXPIRED						
21	TENDERES ARE ADVISED THAT ANY WORK DONE NOT UP SATISFACTORY OF THE DEPARTMENT, TENDERER MUST RE-DO WORK AT OWNNER'S EXPENSE.		Item				
	CARRIED TO COLLECTION SUMMARY			R		R	
	PS 2						



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

DIRECTORATE: NDWEDWE CHC

Physical Address: P100 Main road, Ndwedwe Central, 4342
Postal Address: Private Bag X 528, Ndwedwe, 4342
Tel: 032 532 3048 Fax: 032 532 3628 Email: Xolani.Dlamini2@kznhealth

MAINTENANCE DEPARTMENT

**DEPARTMENT OF HEALTH
COLLECTION SUMMARY**

Institution Ndwedwe


**Project description;
Remove supply & install
window frame**

NOTE:


THIS COLLECTION SUMMARY MUST BE COMPLETED IN FULL BY THE CONTRACTOR
AND RETURNED TOGETHER WITH THE QUOTATION FORM

BILL	<u>FINAL SUMMARY</u>	PAGE NO.	AMOUNT
1	Remove supply & install window frame		
2	Contingencies@10%		
	Sub Total		
	Value Added Tax@15%		
	Carried to Form of Tender		


Installation



40x40x4mm




REMOVAL



GCM

1000




hinges

hangle
Locher

2560

Frame

55mm



admitting next to Meff

