Q

SharePoint

Christ The King Hospital Stores1 v ?



KZN HEALTH

KZN Health Intranet

Search this site

HOME CORPORATE INFORMATION COMPONENTS


OMPONENTS DIRECTORY

DISTRICT OFFICES

HEALTH FACILITIES

KZN Health > Components > Supply Chain Management

AdvertQuote



STANDARD QUOTE DOCUMENTATION OVER R30 000.00 YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT CHRIST THE KING HOSPITAL' DATE ADVERTISED: 27-04-2022 CLOSING DATE: 12-05-2022 f..... CLOSING TIME: 11:00 E-MAIL ADDRESS: HAND DELIVER THE QUOTATION FACSIMILE NUMBER: N/A PHYSICAL ADDRESS: CHRIST THE KING HOSPITAL, 1 PETER HAUFF DRIVE, IXOPO , 3279 QUOTE NUMBER: DESCRIPTION: REPLACEMENT OF CORROGATED IRON, SUSPENDED CEILING AND LIGHTS FEMALE WARD AT CTK CONTRACT PERIOD. ONCE OFF VALIDITY PERIOD 60 Days SARS PIN..... (if applicable) CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO. UNIQUE REGISTRATION REFERENCE DEPOSITED IN THE QUOTE BOX SITUATED AT (STREET ADDRESS) Bidders should ensure that quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted for consideration. The quote box is open from 08:00 to 15:30. QUOTATIONS MUST BE SUBMITTED ON THE OFFICIAL FORMS - (NOT TO BE RETYPED) THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2011, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT. THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR QUOTE BEING DISQUALIFIED) NAME OF BIDDER POSTAL ADDRESS STREET ADDRESS TELEPHONE NUMBER CODE......NUMBER......FACSIMILE NUMBER CODENUMBER...... **CELLPHONE NUMBER** E-MAIL ADDRESS VAT REGISTRATION NUMBER (If VAT vendor) YES NO

[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT (FOR EMES& QSEs) MUST BE SUBMITTED TO QUALIFY

HAS A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE BEEN SUBMITTED? (SBD 6.1)

FOR PREFERENCE POINTS FOR B-BBEE]

| | | FOR QUOTATIONS OVER R30 000 | | BER: | | |
|-----------------|-------------|------------------------------------------------------------------------|-------------------------|-------------------------|----------|--------------|
| DESCRIPTIO | N: | CEMENT OF CORROGATED IRON, SUSPENDED CEIL | ING AND LIGH | TS FEMALE WARD AT | стк | ••••• |
| [By signing th | is documen | Rt, I hereby agree to all terms and conditions] | | | | |
| CAPACITO | INDER WHI | CH THIS QUOTE IS SIGNED | | | , | ••••• |
| Item No | Quantity | Description | Brand & | Country of | Price | |
| | | DERI ACEMENT OF CORRESPONDE | model | manufacture | R | С |
| | | REPLACEMENT OF CORROGATED IRON, | | | | ļ |
| | | SUSPENDED CEILING AND LIGHTS FEMALE WAR AT CHRIST THE KING HOSPITAL | | | | ļ |
| | | AT OTRIST THE KING HOSPITAL | . ,, | | | |
| | NB | CIDB CATEGORY 1 GB,SN / AND ABOVE | | | | |
| | NB | SEE MORE SPECIFICATION ATTACHED | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | <u> </u> |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | , , , , , , , , , , , , , , , , , , , , | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | ļ | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | <u> </u> | |
| | | | | | | |
| VALUE ADDE | D TAX @ 1 | 5% (Only if VAT Vendor) | | | | |
| | | CE (VALIDITY PERIOD 60 Days) | | | | |
| Does This Offe | er Comply V | Does The Article Vith The Specification? | Conform To | The S.A.N.S. / S.A | .B.S. | |
| Is The Price Fi | | State Delivery Period, e | e.g., <i>1day, 1wee</i> | k | | |
| | NG TSH | IENDU Tel: 039 834 7519 | | ical information may be | |); |

BIDDER'S DISCLOSURE

| | | A = = : : = | |
|----|---------|-------------|------|
| 7. | PURPOSE | OF THE | FORM |

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

| 2. | RID | DER'S | DECL | ARAT | ION |
|----|-----|-------|------|------|-----|
| | | | | | |

- 2.1. Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state?

 YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

| Full Name | Identity Number | Name of State Institution |
|-----------|-----------------|---------------------------|
| | | |
| | | |

- 2.2. Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution?

 YES/NO
- 2.2.1. If so, furnish particulars:
- 2.3. Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? YES/NO
- 2.3.1. If so, furnish particulars:

3. DECLARATION

- I, the undersigned (name)...... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:
- 3.1. I have read and I understand the contents of this disclosure;
- 3.2. I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.
- 3.4. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.5. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.6. There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.7. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

| | | *************************************** | *************************************** |
|----------------|-----------|-----------------------------------------|-----------------------------------------|
| Name of Bidder | Signature | Position | Date |

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

SPECIAL CONTRACT CONDITIONS OF QUOTATIONS

1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (*domicilium citandi et executandi*) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The Department is under no obligation to accept the lowest or any quote.
- 3.2. The Department reserves the right to communicate in writing with vendors in cases where information is incomplete or where there are obscurities regarding technical aspects of the offer, to obtain confirmation of prices or preference claims in cases where it is evident that a typing, written, transfer or unit error has been made, to investigate the vendor's standing and ability to complete the supply/service satisfactorily.
- 3.3. ALL DECÍSIONS TAKEN BY THE DEPARTMENT ARE FINAL, INCLUDING THE AWARD OR CANCELLATION OF THIS OUOTATION.
- 3.4. The price quoted must include VAT (if VAT vendor).
- 3.5. Should a bidder become a VAT vendor after award or during the implementation of a contract, they may not request the VAT percentage from the Department as the service provider made an offer during the period they were not registered as a VAT vendor. The Department is only liable for any VAT from registered VAT vendors as originally stated on the quotation document.
- 3.6. The bidder must ensure the correctness & validity of the quotation:
 - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk
 - (ii) it is the responsibility of the bidder to confirm receipt of their quotation and to keep proof thereof.
- 3.7. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.8. This quotation will be evaluated based on the 80/20 points system, specification, correctness of information and/or functionality criteria.

 All required documentation must be completed in full and submitted.
- 3.9. Offers must comply strictly with the specification.
- 3.10. Only offers that meet or are greater than the specification will be considered.
- 3.11. Late offers will not be considered.
- 3.12. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.13. Used/ second-hand products will not be accepted.
- 3.14. A bidder not registered on the Central Suppliers Database or whose verification has failed will not be considered.
- 3.15. All delivery costs must be included in the quoted price for delivery at the prescribed destination.
- 3.16. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.17. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.18. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered.
- 3.19. Verification will be conducted to identify if bidders have multiple companies and are cover-quoting for this bid.
- 3.20. In such instances, the Department reserves the right to immediately disqualify such bidders as cover-quoting is an offence that represents both corruption and acquisition fraud.

4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotations submitted must be complete in all respects. However, where it is identified that information in a bidder's response, which does not affect the preference points or price, is incomplete in any respect, the said supplier meets all specification requirements and scores the highest points in terms of preference points and price, the Department reserves the right to request the bidder to complete/submit such information.
- 4.5. Any alteration made by the bidder must be initialled; failure to do so may render the response invalid.
- 4.6. Use of correcting fluid is prohibited and may render the response invalid.
- 4.7. Quotations will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.

4.10. The Department is under no obligation to pay suppliers in part for work done if the supplier can no longer for fulfil their obligation.

5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the guotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.
- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
- (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
- (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.
- (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

- 7.1. Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process.
- The institution has determined that a compulsory site meeting take place.
- (ii) Date 05 / 05 / 2022 Time 14 : 00 Place CHRIST THE KING ASSEMBLE POINT

| Institution Stamp: | Institution Site Inspection / briefing session Official | |
|--------------------|---------------------------------------------------------|--|
| | Full Name: | |
| | Signature: | |
| | Date: , | |

8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

10. TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 10.2. In the event that the institution cannot validate the suppliers tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

TAX INVOICE

- 10.3. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

11. PATENT RIGHTS

The supplier shall indemnify the KZN Department of Health (hereafter known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

12. PENALTIES

- 12.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 12.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 12.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 12.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

13. TERMINATION FOR DEFAULT

- 13.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
- (ii) if the supplier fails to perform any other obligation(s) under the contract; or
- (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the
- 13.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 13.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 14. THE DEPARTMENT RESERVES THE RIGHT TO PASS OVER ANY QUOTATION WHICH FAILS TO COMPLY WITH THE ABOVE.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all quotes:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.
- 1.3 Points for this quote shall be awarded for:
 - (a) Price; and
 - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this quote is allocated as follows:

| | POINTS |
|---------------------------------------------------|--------|
| PRICE | 80 |
| B-BBEE STATUS LEVEL OF CONTRIBUTOR | 20 |
| Total points for Price and B-BBEE must not exceed | 100 |

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
 - B-BBEE Status level certificate issued by an authorized body or person;
 - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes:

- 3. POINTS AWARDED FOR PRICE
- 3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

$$Ps = 80 \left(1 - \frac{Pt - P\min}{P\min} \right)$$
 Where

Ps

Points scored for price of bid under consideration

Pt Design

Price of bid under consideration

Pmin =

price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

| 3-BBEE Status Level of Contributor | Number of points (80/20 system) |
|------------------------------------|---------------------------------|
| 1 | 20 |
| 2 | 18 |
| 3 | 14 |
| 4 | 12 |
| 5 | 8 |
| 6 | 6 |
| 7 | 4 |
| 8 | 2 |
| Non-compliant contributor | 0 |

| ~ | DID | DEAL | ADATION |
|----|-----|------|---------|
| 5. | RID | ULLL | ARATION |

- 5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:
- 6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1
- 6.1 B-BBEE Status Level of Contributor: =(maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

| |
|-----------------|
| amplicable back |
| applicable box) |
| -1-1 |
| |

(Tick

| YES | NO |
|-----|----|
| | |

7.1 Will any portion of the contract be sub-contracted?

SUB-CONTRACTING

| 7.1.1 If yes, indi | cate: |
|--------------------|-------|
|--------------------|-------|

7.

- i) What percentage of the contract will be subcontracted.....%
- ii) The name of the sub-contractor.....
- iii) The B-BBEE status level of the sub-contractor.....
- 8. Whether the sub-contractor is an EME or QSE

(Tick applicable box)

v) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations, 2017:

| Designated Group: An EME or QSE which is at last 51% owned by: | EME | QSE |
|-------------------------------------------------------------------|-----------------------------------------|-----|
| | √ | √ |
| Black people | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| Black people who are youth | | |
| Black people who are women | *************************************** | |
| Black people with disabilities | | · |
| Black people living in rural or underdeveloped areas or townships | | |
| Cooperative owned by black people | | |
| Black people who are military veterans | ********* | |
| OR | | |
| Any EME | | |
| Any QSE | | |

| 9. | DECLARATION WITH REGARD TO COMPANY/FIRM | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9.1 | Name of company/firm: | |
| 9.2 | VAT registration number: | |
| 9.3 | Company registration number: | |
| 9.4 | TYPE OF COMPANY/ FIRM [TICK APPLICABLE BOX] | |
| | □ Partnership/Joint Venture / Consortium □ One person business/sole propriety □ Close corporation □ Company □ (Pty) Limited | |
| 9.5 | DESCRIBE PRINCIPAL BUSINESS ACTIVITIES | |
| 9.6 | COMPANY CLASSIFICATION [TICK APPLICABLE BOX] | |
| | □ Manufacturer □ Supplier □ Professional service provider □ Other service providers, e.g. transporter, etc. | |
| 9.7 | Total number of years the company/firm has been in busin | ess: |
| 9.8 | I/we, the undersigned, who is / are duly authorised to do s | so on behalf of the company/firm, certify that the points claimed, based on one 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for |
| | i) The information furnished is true and correct; | |
| | ii) The preference points claimed are in accordance with | n the General Conditions as indicated in paragraph 1 of this form; |
| | iii) In the event of a contract being awarded as a result of be required to furnish documentary proof to the satisf | of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may action of the purchaser that the claims are correct; |
| | iv) If the B-BBEE status level of contributor has been contract have not been fulfilled, the purchaser may, ir | claimed or obtained on a fraudulent basis or any of the conditions of addition to any other remedy it may have – |
| | (a) disqualify the person from the bidding process; | |
| | (b) recover costs, losses or damages it has incurred | or suffered as a result of that person's conduct; |
| | (c) cancel the contract and claim any damages whic arrangements due to such cancellation; | h it has suffered as a result of having to make less favourable |
| | who acted on a fraudulent basis, be restricted by | reholders and directors, or only the shareholders and directors the National Treasury from obtaining business from any organ or the audi alteram partem (hear the other side) rule has been |
| | (e) forward the matter for criminal prosecution. | |
| | WITNESSES | CIONATURE (O) OF BIDDEDO(O) |
| | 1 | SIGNATURE(S) OF BIDDERS(S) |
| | 2 | ADDRESS |
| | | ., |

PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

ZNQ-

CHRIST THE KING HOSPITAL – REPLACEMENT OF CORRODED CURRUGATED IRON, SUSPENDED CEILING AND LIGHTS FEMALE WARD AT CHRIST THE KING HOSPITAL.

1.1 SCOPE OF CONTRACT

This Contract is for the execution of the project indicated above.

1.2 CONTRACT DRAWINGS

No drawings

1.3 CONDITIONS OF CONTRACT AND PRELIMINARIES

1.3.1 PERIOD OF CONTRACT

Eight (8) Weeks as the Contract Period for the completion of the Work from date of Site handover.

1.3.2 CONTRACT GUARANTEE:

The Successful Bidder will **NOT** be required to submit a contract guarantee.

1.3.3 GUARANTEE PERIOD

The guarantee period for the completion of the Structural work and all materials must be a minimum of <u>Three (3) Calendar Months</u> from the date of first delivery.

1.3.4 SITE AND MODE OF PROCEDURE

The work contained in this contract will be carried out on the site of the existing at Christ the King.

The Bidder is advised that the existing premises will be occupied throughout the period of the contract, and that the minimum amount of disruption to services is of the utmost importance.

Damage to the existing buildings - Bidders to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor/ Bidder.

The repairs must be to the satisfaction of the Kwazulu- Natal Department of Health. Bidders are advised to visit the site prior to tendering and to acquaint themselves with the nature of the work to be done and access to the siting of the existing buildings etc., as no claim whatsoever will be allowed on the grounds of ignorance of the conditions under which the work will be executed.

NB: Bidders are advised to examine the drawings and visit the site prior to quoting and to acquaint themselves with the nature of the work to be done and access to the siting of the existing buildings etc., as no claim will be allowed on the grounds of ignorance of the conditions under which the work will be executed.

1.3.5 SATISFACTORY INSTALLATION

The whole of the installation shall be carried out in accordance with the South African Bureau of Standards Code of Practice for the application of National Building Regulations, the KZNPA

Standard Preambles to all Trades, the KZNPA General Electrical Specification, ICASA, Telecommunications regulations, the South African Bureau of Standards Code of Practice for the Wiring of Premises SABS 0142 and the Occupational Health and Safety Act and Regulations 85/1993 as amended.

Copies of the KZNPA Standard Preambles to all Trades and the KZNPA General Electrical Specification are available at the office of the Secretary for Health – KwaZulu-

Natal and can be obtained on request.

PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

ZNQ-

CHRIST THE KING HOSPITAL – REPLACEMENT OF CORRODED CURRUGATED IRON, SUSPENDED CEILING AND LIGHTS FEMALE WARD AT CHRIST THE KING HOSPITAL.

TECHNICAL SPECIFICATIONS

- 2. TECHNICAL SPECIFICATION
- 2.1 GENERAL

This TECHNICAL SPECIFICATION shall be read in conjunction with all other sections of the SPECIFICATION and cognisance shall be taken of the clauses relevant to this particular installation, whether any specific clauses are referred to or not.

2.2 Standard Preambles

This is available from the department on request.

2.3 Health and Safety Specification

Health and Safety Plan with Risk assessment schedule is to be compiled taking cognisance of the specific type of patient's that walk around the institution all day. All areas are to be protected at all times from patients falling in. All new and old materials are to be securely stored during construction to eliminate any person from rolling them around or playing inside them.

Grading: 1GB, SN and Above

CIDB COMPLIANCE

2.4 Amendments: Functionality in different contracting strategies in line with regulations 4.3.3 of the CIDB regulations, where functionality is evaluated, at least three Persons who are fully conversant with the Technical aspects of the scope of works shall undertake such evaluation.

PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

ZNQ-

CHRIST THE KING HOSPITAL - REPLACEMENT OF CORRODED CURRUGATED IRON, SUSPENDED CEILING AND LIGHTS FEMALE WARD AT CHRIST THE KING HOSPITAL.

The work to be carried out under this contract includes the supply of all materials, and including all 3. labour to carry out all electrical work and leaving in service condition to the satisfaction of the Secretary for Health: KwaZulu-Natal.

- The work comprises of 3.1.
- Supply and install the following 3.2
 - a) Removal of the exiting roof sheets.
 - b) Installation of new roof sheeting.
 - c) Beam filling

NOTE ALL WORK TO BE REMEASURED ON COMPLETION:

1. ALTERATIONS SITE VISIT: — Tenderers are advised to visit the site prior to tendering and satisfy themselves as to the nature and extent of the work to be done, also to examine the condition of all existing buildings as no claim will be entertained on the grounds of ignorance of the conditions under which the work was to be executed.

MATERIALS FROM THE ALTERATIONS: — unless otherwise stated, will become the property of the Contractor and all these materials, together with all rubbish and debris must be carried away and the site left clean and unencumbered. Items described as "removed" shall mean removed from the site.

Credit for the value of materials from the alterations is to be allowed for on the Summary/ Final Summary page.

Items described as to be re-used or to be handed over to the Administration are to be dismantled where necessary and stacked on site where directed, and the Contractor will be responsible for their removal and storage until required, and shall make good all items missing, damaged or broken at his own expense.

Unless otherwise described, no materials from the alterations shall be re-used in any new work without the written approval of the Department.

Prior to the removal of any timbers from the site, these are to be inspected by Government Entomologists. If any of these timbers are infested by wood destroying agencies, these timbers are to be disposed of in the manner prescribed by the Government Entomologist. In taking down and removing existing work, particular care must be taken to avoid any structural or other damage to the remaining portions of the buildings.

In terms of Asbestos Regulations 2001, no individual person, contractor or agent shall remove, demolish or strip any building containing asbestos or products containing asbestos (including asbestos roof sheeting, ceilings, guttering and down pipes) unless the work is performed by a "Registered Contractor", registered with the Department of Labour. All asbestos work shall be carried out under the supervision of an "Approved Inspection Authority".

It is a requirement that before any work involving asbestos removal is carried out, the following procedure and documentation is followed: -

- 1. Prior to the commencement of any demolition work, written notification shall be given to the Assistant Manager (Inspection and Enforcement), Durban Labour Centre, Masonic Grove, Durban, stating the name, address and details of the person(s) removing or stripping the asbestos. The notification shall include the date, time and place where the proposed work is to be carried out. (Regulation 3):
- 2. The name and details of the Approved Inspection Authority that is to supervise and confirm that the work is being carried out according to the specific requirements of the Asbestos Regulations 2001 (as amended), including the approved "written work procedure" document. This document shall be submitted and signed at least 14 days prior to commencement of demolition work by the Approved Inspection Authority. (Regulation 21).
- 3. The production of valid accreditation certification of training for all employees involved in the asbestos removal work.
- On completion of the asbestos related work a "Clearance Certificate" which includes the asbestos disposal certificate shall be forwarded to the Department by the Approved Inspection Authority.

In terms of the above regulations, it is an offence to carry out any asbestos work as defined in the above regulations without the necessary approval / requirements being met. Individual persons or contractors found to contravene these regulations will be issued with a

PROHIBITION NOTICE which in effect will stop all work on site and the offenders will then be liable for prosecution. Any employer found guilty under the Asbestos Regulations 2001 may be liable to afine and or imprisonment not exceeding 12 months.

NOTICE OF DISCONNECTIONS: — The Contractor is to give ample notice to the Department and Local Authorities regarding any disconnections necessary prior to the removal or interruption of electrical or telephone cables, water supply and sanitary services, etc.

DUST: — The Contractor is to allow in his rates for taking all precautions necessary to prevent any nuisance from dust whilst carrying out the works.

SHORING: — Rates for shoring are to include for the use and waste of all props, needles, wedges, braces, nails and screws, etc. required and for all cutting, notching, framing and fitting, maintaining in position for the required periods and removing at completion. All shoring is to be executed in a manner approved by the Department.

MATCHING EXISTING WORK: — The terms "make good" or "making good" to existing work as described in the items shall mean making good with materials to match, all joined to existing.

FORMING NEW OPENINGS, ETC. IN EXISTING WALLS: — Rates for items of forming new or altering existing openings are, unless otherwise stated, to include for the following: -

a) Breaking out for and inserting adequate lintels over the new openings (except where stated in the items as being below an existing beam, slab or lintel), to the approval of the Department. The lintels are to be of in-situ concrete Class C, or of pre-cast pre-stressed concrete or of brickwork in 1:3 cement mortar, with a minimum bearing of 230mm at each end and suitably reinforced, and rates are to include for all necessary formwork, turning pieces, etc. and for wedging and pinning up to existing brickwork over in 1:3 cement mortar.

b) All shoring and propping required.

c) Facing up jambs in new brickwork in cement mortar properly bonded to existing,

d) Building up the portions of the openings stated in the items in new brickwork in cement mortar properly bonded to existing.

e) Formwork for concrete sills and thresholds where required.

f) Making good only to the finishes as stated in the items. (Note: - The making good

of paint finishes has been measured separately).

g) Forming rounded angles, throats on external plastered soffits, mitres, etc. where required in all new plaster, render and granolithic finishes.

The supply, building in, fixing, etc. of all windows, doors, frames, etc. to the newly formed openings and the removal of all existing windows, doors, frames, etc. from openings to be altered, have been elsewhere measured.

2. ROOF COVERINGS

"CHROMODEK" ROOFING SHEETS: - Shall be the secret fixed type, supplied with all fittings in full-length sheets in the profile and colour as specified. Sheets shall be a minimum of .58mm and maximum of .8mm thickness. When .58 thick sheets are used, purlin spacings shall be a maximum of 1.2mtr¢ and maximum 1.5mtr¢ for .8 thickness.

Sheets shall leave the factory in the specified colour and any scratches etc., due to handling are to be 'touched up' on site after installation. All fixings, valleys, cappings and securing clips shall be to manufacturers' recommendations and no variations shall be accepted without prior approval from the department. 0,58mm thick roof sheeting for purlins up to 1,2m spacing and 0,8mm thick roof sheeting for purlins exceeding 1,2m-1,5m spacing.

In area's up to 30Km from the coast, metal roof sheeting to be 0,58mm thick with special corrosion protection as supplied in "Global- Duro" roofing sheets. All other area's to be 0,58mm as "Global-Tech corrosion protection. 0,58mm "Klip Lock 700" or "Craflock" and 0,8mm "Brownbuilt ". (0,8mm is recommended for high rainfall and snow fall area's due to deeper trough.)

RATES: — for roof coverings, are to include for all necessary half tiles at verges and for all square cutting and waste at verges, abutments, and top and bottom edges and to both sides of ridges.

Rates for cappings, etc. are to include for all short lengths, cutting, waste and fitting at intersections.

All measurements are nett. No allowances have been made for overlaps.

CARPENTRY AND JOINERY

JOINERY: — All timbers shall be in as long lengths as possible. Lengths for joinery shall be single where possible and where joints are unavoidable, they shall be made as inconspicuous as possible.

Timber for grounds, firrings, blocks, plugs, etc. shall be sound and free from defects. All joinery work is to include for work in connecting by mortise and tenon, dovetailing, housing, flush pinning, etc. as may be by required and for all screws, nails and glueing

together and for sinking flush all exposed screws unless otherwise specified. Wrot surfaces and edges are to be steel scraped and sandpapered before and if necessary, after fixing.

Edges are to be arras rounded unless specified to be angle rounded.

"Arras rounded" denotes that the sharp edges are slightly rounded off and that no mitring is

"Angle rounded" denotes rounded from 3mm to 10mm radius and is to include for housed

and mitred joints.

Hardwood doors, frames, jamb and soffit linings, etc. are to be treated on all surfaces with one coat of approved sealer before building in, etc. and rates for these items must include for this. Batten doors with tongued and grooved battens are to have the tongues and grooves well sealed before assembling. The sealer used shall be compatible with the finishing coats to be applied.

Horns of door frames are to be checked and splayed back where frames are fixed

projecting or flush with surface and built in.

Where doors, fanlights or sashes are described as hung to butts on steel or aluminium frames, rates are to include for supplying necessary steel, brass or stainless steel screws. Panel work is to be secured to the grounds, etc. with screws concealed behind the mouldings or by sinking the screws and pelleting as directed.

Joinery is to be framed up, but not glued or wedged, immediately the order is given to commence work. Wherever possible, joinery shall not be placed or fabricated in position until the plaster has dried out. Reasonable tolerance shall be provided at all connections between the joinery and building carcass so that any irregularities, settlements or other movements shall be adequately compensated. All joinery shall be accurately scribed to fit the contour of any irregular surface. Should the joints of any joinery open or give, such defective work is to be taken down, refitted and redecorated or replaced by new joinery at the Contractor's expense.

Only brass screws may be used for hardwood joinery. The Contractor is to allow for cross-tonguing all solid wood sections unobtainable in single widths.

No joinery is to be primed until it has been inspected and approved by the Department. All joinery liable to injury must be protected to the satisfaction of the Department. Rates must include for this temporary protection.

Rates for timber frames, mullions, transoms, linings, standards, rails, fascias, cornices, skirtings, beads, picture rails, etc. are to include for mitres, etc. Rates for all items of timber-are to include for fixing and planting on as may be required with necessary panel pins or nails.

JOINTING OF PURLINS, FASCIAS, RAILS, BEAMS, ETC.: —shall, unless otherwise detailed, be as follows: -

Purlins, slating battens, etc. of cross-sectional size 50 x 76mm and under shall be jointed over the rafter. Larger sized purlins may be dealt with in the same way or by using some other suitable, recognised method. All purlins and battens shall be fixed to the supporting rafter by at least one nail skew driven from the direction of the ridge. Where the purlin or batten is fixed at more than 900mm centres, at least two nails shall be used at every fixing point.

Fascias shall be jointed over rafters.

Beams, rails, etc. shall be jointed over a support or at 1/5th span with a recognised joint using bolts, etc.

Roof and floor plates are to be halved at joints, angles and intersections and nailed together.

Floor joists and bearers are to have splayed heading joints nailed together and staggered to occur over bearers and sleeper piers respectively.

Sawn brandering is to be butt-jointed at heading joints and angles and where wrot, is to have splayed heading joints and mitred angles over all point of support.

INSULATION, WATERPROOFING AND DUST PROOFING MATERIAL FOR ROOFS: shall be of an approved aluminium foil faced both sides laminated Kraft Paper and synthetic reinforced material fixed in accordance with the manufacturer's instructions, lapped 150mm at all edge, unless otherwise specified.

PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

ZNQ-

CHRIST THE KING HOSPITAL – REPLACEMENT OF CORRODED CURRUGATED IRON, SUSPENDED CEILING AND LIGHTS FEMALE WARD AT CHRIST THE KING HOSPITAL.

SCHEDULE OF RATES

4.1 ITEMS AND PRICING

The Department reserves the right to place an order for any quantities of items included in the Schedules. The Schedule of Rates must also not be assumed to include and describe every detail of the supply requirement, but must be taken and read in conjunction with the other parts of the document. Thus the supplier shall not have claim for further payment in respect of any order which may be described or implied in the contract, although apparently no corresponding items are given in the Schedule of Rates. The supplier shall be deemed to have satisfied himself before quoting as to the correctness and sufficiency of his quote for the contract and of the rates and prices stated in the Schedule of Rates.

4.2 TAX AND DUTIES

Prices, quoted and paid, must include all customs, excise and import duties, and any other tariffs or taxes levied by the government or statutory body having jurisdiction on the goods provided under this contract, including Value Added Tax (applicable to the current rate).

3.3 RATES

Except where provision is made in the Schedule of Rates, the rates and prices inserted shall be the full rates and prices for the service delivered described under the respective items and shall cover all labour, transport, overhead charges and profit, etc. as well as the general liabilities, obligations and risks arising out of the Conditions of Contract, the overhead charges and profit being spread proportionately over the rates of the relative items in the Schedule of Rates.

| Item | Description | Qty | Rate | Amount |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|--------|
| No | BILL NO 1 | | | |
| | ALTERATIONS. The Tenderer is referred to the relevant Clauses in the Model Preambles to All Trades and to the Supplementary Preambles which are incorporated at the back of these Bills of Quantities | · · | | |
| | Unless otherwise described the preambles and full descriptions of all items appearing in all the bills of the preceding sections are to apply equally to this section. | | | |
| | NOTES | | | |
| | The materials to be used and the work to be done are to be similar and equal to the new work contained in all the subsequent Bills. | | | |
| | Unless otherwise described, the preambles and full descriptions of the Items appearing in all the subsequent Bills are to apply equally to this Bill. | | | |
| | Items described as to be re-used or to be handed over to the Director are to be carefully dismantled where necessary and stacked on site where directed, and the Contractor will be responsible for their removal and storage until required, and shall make good all items missing, damaged or broken at his own expense. | | | |
| | Unless otherwise described, no materials from the alterations shall be re-used in any new work without the written approval of the Director, with the exception of facing bricks required in filling to openings, etc., which may be re-used if free of cracks and chips and properly cleaned of all mortar. | | | |
| | | | | |
| | | | | |
| | Alterations | | | |

| Item No | Description | Qty | Rate | Amount |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------|--------|
| NO | The Contractor is to take all dimensions affecting the existing buildings on the site as he will be solely responsible for all new work being to the correct sizes. | | - 1111111111111111111111111111111111111 | |
| The desiration of the second s | Prices are to include for carting away from site all- materials not specifically mentioned as being stored on site for re-use or handed over to the Director and all rubbish, debris, etc., arising from the alterations, etc., and for making good all work damaged or disturbed to the approval of the Director. | | | |
| | Tenderers are to include in pricing for the statutory Requirements with regard to the demolition and disposal of asbestos cement material arising from the works. | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Alterations | | <u> </u> | |

| Item No | Description | | Qty | Rate | Amount |
|-----------------------------------------|------------------------------------------------------------------------------------|-----|------|------|--------|
| | REMOVAL OF EXISTING WORK | | | | |
| 1. | Roof covering, ridge caps, barge boards, fascia boards etc. and make good | m² | 628. | | |
| 2. | Purlins, hurricane clipper and make good. ite | em | 01. | | |
| 3. | Existing light fittings, fans, air conditioning units and make good. | ∍m | 01. | - | |
| 4. | Fanlights and make good | 10. | 02. | | |
| 5. | Gutters and downpipes and make good ite | em | 01. | | |
| | During construction process allow for the temporary roof covering, in case raining | | | | |
| 6. | tarpaulin ite | em | 01. | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | , |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| *************************************** | | | · | | |
| | | | | | - |
| | Carried to Final Summary. <u>Alterations</u> | | | | R |

| Item No | Description | | Qty | Rate | Amount |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-----|------|--------|
| | BILL NO.2 | • | , | | |
| | MASONRY (BEAM FILLING) | | | | |
| | The Tenderer is referred to the relevant Clauses in the Model Preambles to All Trades and to the Supplementary Preambles which are incorporated at the back of these Bills of Quantities. | | | | |
| | SUPPLEMENTARY PREAMBLES | | | | |
| | Sizes in descriptions | | | | |
| | Where sizes in descriptions are given in brick units, 'one brick' shall represent the length and 'half brick' the width of a brick. | | | | |
| | Face bricks | | | | |
| | Bricks shall be ordered timeously to obtain uniformity in size and colour | | | | |
| | Pointing | | | | |
| | Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc. | | | | |
| | | | | | |
| | | | | , | |
| | | | | _ | |
| | | | | - | • |
| | | | | | , |
| · . | | | | | · |
| | | | | | |
| | | | | | |
| | Masonry (Beam filling) | | | · | |

| Item No | Description | | Qty | Rate | Amount |
|------------|---------------------------------------------------|--------|-----|------|--------|
| | | | | | |
| | MASONRY (BEAM FILLING) | , | | | |
| | Brickwork of NFP burnt clay imperial bricks in | | | | |
| | cement mortar | ⋰ m² | a | | |
| 1. | Half brick wall in beam filling | , 111- | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | · | | | | |
| | · | | | , | |
| | | | | - | |
| | | | | | |
| | | | | - | |
| | | , | | | |
| | | | | | |
| | | ; | | | |
| - | | | | | |
| | · | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | · · · | | | | |
| | Carried to Final Summary. Masonry (Beam filling) | | | | R |

| Item | Description | Qty | Rate | Amount |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|--------|
| No | | | | |
| | BILL NO.3 | | | |
| , | ROOF COVERINGS, ETC. | | | |
| | PREAMBLES | | | |
| | For Preambles refer to "Standard Preambles to all trades -WB20 - 1986" | | | |
| | SUPPLEMENTARY PREAMBLES | | | |
| • | Ridge coverings and flashings shall have at least 225mm laps and closers shall have at least 150mm laps at end joints with sufficient laps at angles and intersections. | , a | | |
| · | Roof coverings, ridge coverings, closers, flashings, etc. are measured net and prices are to include for all laps, screws, bolts, etc. Prices for roof coverings are also to include for straight cutting. All work shall be left completely watertight. | | | |
| | PROFILED ROOF SHEETING | | | · |
| | FIXING | | | |
| | Fixing shall be done according to SABS 1200HB with minimum 225mm end laps. | | | |
| | Use continuously length, No joint is allowed. | | | |
| | Do not cut the sheets. | | | |
| | | | | |
| | | | | |
| | · | | | |
| | | | - | |
| | | | | |
| | | | - | , |
| A CONTRACTOR ASSESSMENT | | | | |
| | Roof Coverings, etc. | | | |

| | Description | \top | Qty | Rate | Amount |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------|------|--------|
| Item No | Description | - - | | | |
| 1.0 | De la everinge atc | | | | |
| | Roof coverings etc. | | | | , |
| į | Supply, deliver and install: | | | | |
| | Roof sheeting to be Green Klip-Lok 700 x 0,58mm thick heavy industrial Z275 spelter galvanised steel sheeting with Globalcoat finish to one side and half coat Globalcoat Grey other side and accessories fixed to timber purlins or rails at 1,00mm centres. | | | | |
| 1. | |) ² | 628. | | |
| 2. | Fibre Cement fascia boards. | n | 72. | | |
| 3. | Badge capping 550mm girth three times bent | m | 35. | | |
| | ROOF AND WALL INSULATION | | | | |
| | "Sisalation 420" heavy industrial grade aluminium foil based insulation | | | | |
| 5. | Insulation laid taut over purlins (at approximately 1000mm centres) and fixed concurrent with roof covering including galvanised steel straining wires | n² | 628. | | |
| | SUNDRIES | | | | |
| | Notes: on the verge and eaves there is two per intersection. The inner section there is one per intersection. | - | | | |
| 6. | Hurricane clips (Left and Right) ite | em | 01. | | |
| | | | | , | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Carried to final Summary | | | | R |
| | Roof coverings, etc. | | <u> </u> | | |

| Item No | Description | | Qty | Rate | Amount |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|------|------|--------|
| ONE | BILL NO.4 | | | | |
| | CARPENTRY AND JOINERY | | | | |
| | The Tenderer is referred to the relevant Clauses in the Model Preambles to All Trades and to the Supplementary Preambles which are incorporated at the back of these Bills of Quantities. | | | | |
| | CARPENTRY | | | | |
| | SAWN SOFTWOOD | | | | |
| | Prices for all sawn timbers are to include for all Notchings, splay cuttings, housings, scarfing, etc., cutting timbers to required lengths, spiking, clinching, bolting, hoisting and fixing timbers in positions. | | | | |
| | Use treated timber and apply two coats carbolinium on eaves and verge: | | | | |
| | In roofs, supply deliver and install: | | | | |
| 1. | Treated S.A. pine 50 x 76mm Purlins. | m | 643. | | |
| | Wrot softwood: | | | | |
| 2. | Treated S.A. 114 x 38mm runners for the barge board fixing. | m | 33. | | , |
| | Sundries | | | | |
| 3. | Two coats carbolinium on sawn timbers | m² | 4.3 | | |
| | | • | | | - |
| | | | , | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Carried to Final Summary | | | | |
| | Carpentry and Joinery | | | | R |

| Item | Description | Qty | Rate | Amount |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------|----------------|
| | BILL NO 5 | | • | |
| | SUSPENDED CEILING | | | |
| | The Tenderer is referred to the relevant Clauses in the Model Preambles to All Trades and to the Supplementary Preambles which are incorporated at the back of these Bills of Quantities. | | | |
| | Note: the new suspended ceiling need to march existing ceiling. It has to be done in the following areas ward B, ward C and Hi care ward. | | | |
| 1. | Suspended ceiling. m ² | 34.27 | | |
| | | | | |
| | | | | |
| | | | · | |
| | | | | |
| | | | | |
| | | | , | |
| | | | | |
| - | | | | |
| | | | | |
| | | | | |
| | , | | | |
| | | ٠ | | • |
| | | · | | |
| | | | | |
| i | | | | · |
| | | | | |
| | Carried to Final Summary Suspended ceiling | | | R [*] |

| Item | Description | , | Qty | Rate | Amount |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-------|------|--------|
| No | BILL NO. 6 | | ٠ | | |
| | Metal work (Aluminium) | | | | |
| | The Tenderer is referred to the relevant clauses in the Specification of Materials and Methods to be used PW371, the Supplementary | | | , | |
| | Preambles and Note: The thickness of gutters and down pipes is 0.6mm. Colour: Green. | , | | | |
| | Industrial 155 mm box gutter with following specifications: back height 100 mm, front height 125mm mm and bottom is 100 mm total length required is 35 830 mm. | | | | |
| 1. | Supply, deliver and install industrial 155 mm box gutter (note the building is divided into two sections, section A is 2 640 mm, section B is 33 190 mm total length of the building is 35 830 mm | m | 35.83 | | , |
| 2. | Supply, deliver and install Green Rectangular shape downpipes 100x75x0.6mm (Four to be installed) | m | 20. | | |
| | | | | | |
| | | | | | |
| · | · | | | | |
| | · | | | | |
| | | • | | | |
| | | | | | |
| | · | | | | |
| | | | | | |
| | | | : | | |
| | | | | | |
| | | , | : | · | |
| | Carried to final summary Metal work (Aluminium) | • | | | R · |

| Item No | Description | Qty | Rate | Amount |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|--------|
| | BILL NO. 7 ELECTRICAL WORK | | | |
| | The Tenderer is referred to the relevant Clauses in the Model Preambles to All Trades and to the Supplementary Preambles which are incorporated at the back of these Bills of Quantities. | | | |
| | Note: all the lights need to match existing lights and to be connected to existing switches. | | : | |
| | The allocation of lights. Ward B - two lights to be fitted or installed Ward C - two lights to be fitted or installed Hi care Ward - no lights to be fitted or installed | | | |
| | Supply, deliver and install: | | , | |
| 1. | Lights. no. | 04. | | |
| 2. | Suffix Cable with 1.5 mm ² wires to connect the light m | 100 | | |
| | Sundries | | | |
| 3. | Testing, Certificate of Compliance and Commissioning for all electrical installation. | 01. | | |
| | | | | |
| | | | | |
| | | : | • | |
| | | | | |
| | | , | | |
| | · | | | |
| | Carried to Final Summary Electrical Work | | | R |

| Item No | Description | Page No | Amount |
|------------|---------------------------------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | FINAL SUMMARY | | |
| 1. | Alterations | 12. | |
| 2. | Masonry (Beam filling) | 14. | 117 THE TOTAL PROPERTY OF THE TOTAL PROPERTY |
| 3. | Roof covering | `16. | |
| 4. | Carpentry and joinery | 17. | |
| 5. | Suspended Ceiling | 18. | |
| 6. | Metal work (aluminium) | 19. | |
| 7. | Electrical work | 20. | |
| 8. | Less Material recovered on site | | - R |
| | | | |
| · | ' | | |
| | | | |
| | Carried to quotation form | | R |

The following documents must be returned with the quotation:

CIDB Registration certificate under General Building, SN and above.

Valid Tax Clearance

COMPILED BY: C.B. Ngcobo Chief WORKS INSPECTOR AT HARRY GWALA HEALTH DISTRICT

CHECKED BY: B.J ZINDELA DISTRICT ENGINEER AT HARRY GWALA HEALTH DISTRICT



Physical Address: 111 main road ixopo 3276

Tel: 039 8348271Fax: 039 8341746 Email: cyprian.ngcobo@kznhealth.gov.za www.kznhealth.gov.za

PROJECT: REPLACEMENT OF CORRODED CURRUGATED IRON, SUSPENDED CEILING AND LIGHTS FEMALE WARD AT CHRIST THE KING HOSPITAL.

| CRITERIA | POINT ALLOCATION | CONTRACTOR POINTS OBTAINED | COMMENTS |
|-----------------------------------------------------------|---------------------|----------------------------------|----------|
| Two verifiable orders of similar work | 40 | | |
| with completion certificate. | | | |
| Quotation of the Klip-lok | 20 | | |
| Director /shareholder with relevant | 10 | | |
| qualifications in the construction | | | |
| industry. | | | - |
| Attach, the letter of good standing | 10 | | |
| Attach, active CIDB | 10 | | |
| Attach, EPWP attendance register and payment certificate. | 10 | | |
| Total points | 100 | | |

Minimum points required is 60

On appointment compliance with the following:

- · Submission of site specific health and safety file.
- Covid 19 compliance

CONTRACTOR DETAILS

- · Signing of site hand over certificate.
- · Contractors staff to have identifiable workwear.
- · Compliance with EPWP requirements.
- · Submission of contractors program.
- Penalties will be imposed on defaulting contractors, formula as follows (0.00275 x total cost) = cost per day
- Contractors are requested to sign this document.

| Initials and Surname: | Signature | |
|-----------------------|-----------|--|