

SharePoint

Ngubo Philani ▾ ?



KZN Health > Components > Supply Chain Management
AdvertQuote



Quotation Advert

Opening Date:

Closing Date:

Closing Time: 11:00

INSTITUTION DETAILS

Institution Name: ▾

Province: KwaZulu-Natal

Department or Entity: Department of Health

Division or section: Central Supply Chain Management

Place where goods / services is required:

Date Submitted:

ITEM CATEGORY AND DETAILS

Quotation Number: ZNQ:

Item Category: ▾

Item Description:
CIDB GRADE: 1ME
NB: PLEASE DOWNLOAD DOCUMENT AND BRING YOUR COPY

Quantity (if supplies):

COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type: ▾

Date:

Time:

Venue:

QUOTES CAN BE COLLECTED FROM:

QUOTES SHOULD BE DELIVERED TO:

ENQUIRIES REGARDING THE ADVERT MAY BE DIRECTED TO:

Name:

Email:

Contact Number:

Finance Manager Name:

Finance Manager Signature:

No late quotes will be considered

DECLARATION OF INTEREST

1. Any legal person, including persons employed by the state¹, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to quote (includes a price quotation, advertised competitive quote, limited quote or proposal). In view of possible allegations of favouritism, should the resulting quote, or part thereof, be awarded to persons employed by the state or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority where-
 - the bidder is employed by the state; and/or
 - the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the quote(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the quote.

2. In order to give effect to the above, the following questionnaire must be completed and submitted with the quote.

- 2.1. Full Name of bidder/representative.....
- 2.2. Identity Number:
- 2.3. Position occupied in the Company (director, trustee, shareholder²):
- 2.4. Company Registration Number:
- 2.5. Tax Reference Number:
- 2.6. VAT Registration Number:

2.7. The names of all directors / trustees / shareholders / members, their individual identity numbers, tax reference numbers and, if applicable, employee / persal numbers must be indicated in paragraph 3 below. [TICK APPLICABLE]

2.8. Are you or any person connected with the bidder presently employed by the state? YES NO

2.8.1. If so, furnish the following particulars:
 Name of person / director / trustee / shareholder/ member:
 Name of state institution at which you or the person connected to the bidder is employed:.....
 Position occupied in the state institution:Any other particulars:.....

2.8.2. If you are presently employed by the state, did you obtain the appropriate authority to undertake remunerative work outside employment in the public sector? YES NO

2.8.2.1. If yes, did you attach proof of such authority to the quote document?

(Note: Failure to submit proof of such authority, where applicable, may result in the disqualification of the quote.)

2.8.2.2. If no, furnish reasons for non-submission of such proof:

2.9. Did you or your spouse, or any of the company's directors / trustees / shareholders / members or their spouses conduct business with the state in the previous twelve months? YES NO

2.9.1. If so, furnish particulars:.....

2.10. Do you, or any person connected with the bidder, have any relationship (family, friend, other) with a person employed by the state and who may be involved with the evaluation and or adjudication of this quote? YES NO

2.10.1. If so, furnish particulars:.....

2.11. Are you, or any person connected with the bidder, aware of any relationship (family, friend, other) between any other bidder and any person employed by the state who may be involved with the evaluation and or adjudication of this quote? YES NO

2.11.1. If so, furnish particulars:.....

2.12. Do you or any of the directors / trustees / shareholders / members of the company have any interest in any other related companies whether or not they are bidding for this contract? YES NO

2.12.1. If so, furnish particulars:.....

3. Full details of directors / trustees / members / shareholders.

NB: The Department Of Health will validate details of directors / trustees / members / shareholders on CSD. It is the suppliers' responsibility to ensure that their details are up-to-date and verified on CSD. If the Department cannot validate the information on CSD, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

4 DECLARATION

I, THE UNDERSIGNED (NAME).....CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 2.

I ACCEPT THAT THE STATE MAY REJECT THE QUOTE OR ACT AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.

..... Name of bidder Signature Position Date
-------------------------	--------------------	-------------------	---------------

"State" means –

a) any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No. 1 of 1999);	c) provincial legislature;
b) any municipality or municipal entity;	d) national Assembly or the national Council of provinces; or
	e) Parliament.

"Shareholder" means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.

SPECIAL CONTRACT CONDITIONS OF QUOTATIONS

1. AMENDMENT OF CONTRACT

- 1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

- 2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (*domicilium citandi et executandi*) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The Department is under no obligation to accept the lowest or any quote.
- 3.2. The Department reserves the right to communicate in writing with vendors in cases where information is incomplete or where there are obscurities regarding technical aspects of the offer, to obtain confirmation of prices or preference claims in cases where it is evident that a typing, written, transfer or unit error has been made, to investigate the vendor's standing and ability to complete the supply/service satisfactorily.
- 3.3. **ALL DECISIONS TAKEN BY THE DEPARTMENT ARE FINAL, INCLUDING THE AWARD OF THIS QUOTATION.**
- 3.4. The price quoted must include VAT (if VAT vendor). However, it must be noted that the Department reserves the right to evaluate all quotations excluding VAT as some bidders may not be VAT vendors.
- 3.5. The bidder must ensure the correctness & validity of the quotation:
- (i) *that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk*
 - (ii) *it is the responsibility of the bidder to confirm receipt of their quotation and to keep proof thereof.*
- 3.6. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.7. This quotation will be evaluated based on the 80/20 points system, specification, correctness of information and/or functionality criteria. All required documentation must be completed in full and submitted.
- 3.8. Offers must comply strictly with the specification.
- 3.9. Only offers that meet or are greater than the specification will be considered.
- 3.10. Late offers will not be considered.
- 3.11. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.12. Used/ second-hand products will not be accepted.
- 3.13. A bidder not registered on the Central Suppliers Database or whose verification has failed will not be considered.
- 3.14. All delivery costs must be included in the quoted price for delivery at the prescribed destination.
- 3.15. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.16. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.17. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered.
- 3.18. Verification will be conducted to identify if bidders have multiple companies and are cover-quoting for this bid.
- 3.19. In such instances, the Department reserves the right to immediately disqualify such bidders as cover-quoting is an offence that represents both corruption and acquisition fraud.

4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotations submitted must be complete in all respects. However, where it is identified that information in a bidder's response is incomplete in any respect, the said supplier meets all specification requirements and is lowest to quote, the Department reserves the right to request the bidder to complete/submit such information.
- 4.5. Any alteration made by the bidder must be initialled; failure to do so may render the response invalid.
- 4.6. Use of correcting fluid is prohibited and may render the response invalid.
- 4.7. Quotations will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.
- 4.10. The Department is under no obligation to pay suppliers in part for work done if the supplier can no longer for fulfil their obligation.

5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.
- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
 - (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
 - (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. **Samples must be made available when requested in writing or if stipulated on the document.**
 - (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

7.1. Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process.

- (i) The institution has determined that a compulsory site meeting **WILL** take place
- (ii) Date 07 / 09 / 2022 Time 10 : 00 Place GAMALAKHE CHC

Institution Stamp	GAMALAKHE COMMUNITY HEALTH CENTRE 2022 -09- 07	Institution Site Inspection / briefing session Official Full Name: Signature: Date:
SUPPLY CHAIN MANAGEMENT		

8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

10. TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, *it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.*
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, *the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.*

11. TAX INVOICE

11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:

- | | |
|--|--|
| (i) the name, address and registration number of the supplier; | (iv) a description and quantity or volume of the goods or services supplied; |
| (ii) the name and address of the recipient; | (v) the official department order number issued to the supplier; |
| (iii) an individual serialized number and the date upon which the tax invoice is issued; | (vi) the value of the supply, the amount of tax charged; |
| | (vii) the words tax invoice in a prominent place. |

12. PATENT RIGHTS

The supplier shall indemnify the KZN Department of Health (hereafter known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

14. TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
 - (ii) if the supplier fails to perform any other obligation(s) under the contract; or
 - (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

15. FAILURE TO COMPLY WITH ABOVE WILL RESULT IN YOUR QUOTE BEING PASSED OVER.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to all quotes:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and

1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.

1.3 Points for this quote shall be awarded for:

- (a) Price; and
- (b) B-BBEE Status Level of Contributor.

1.4 The maximum points for this quote is allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.

1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
 - 1) B-BBEE Status level certificate issued by an authorized body or person;
 - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

$$P_s = 80 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right) \text{ Where}$$

- P_s = Points scored for price of bid under consideration
- P_t = Price of bid under consideration
- P_{min} = price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

5. BID DECLARATION

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1

6.1 B-BBEE Status Level of Contributor: =(maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7. SUB-CONTRACTING
applicable box)

(Tick

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

7.1 Will any portion of the contract be sub-contracted?

7.1.1 If yes, indicate:

- i) What percentage of the contract will be subcontracted.....%
- ii) The name of the sub-contractor.....
- iii) The B-BBEE status level of the sub-contractor.....

8. Whether the sub-contractor is an EME or QSE

(Tick applicable box)

iv) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations, 2017:

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

Designated Group: An EME or QSE which is at least 51% owned by:	EME √	QSE √
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		

9. DECLARATION WITH REGARD TO COMPANY/FIRM

9.1 Name of company/firm:.....

9.2 VAT registration number:.....

9.3 Company registration number:.....

9.4 TYPE OF COMPANY/ FIRM [TICK APPLICABLE BOX]

- Partnership/Joint Venture / Consortium
- One person business/sole propriety
- Close corporation
- Company
- (Pty) Limited

9.5 DESCRIBE PRINCIPAL BUSINESS ACTIVITIES

.....

9.6 COMPANY CLASSIFICATION [TICK APPLICABLE BOX]

- Manufacturer
- Supplier
- Professional service provider
- Other service providers, e.g. transporter, etc.

9.7 Total number of years the company/firm has been in business:.....

9.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
- iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have –
 - (a) disqualify the person from the bidding process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution.

<p>WITNESSES</p> <p>1.</p> <p>2.</p>
--

<p>.....</p> <p>SIGNATURE(S) OF BIDDERS(S)</p>
<p>DATE:</p> <p>ADDRESS.....</p> <p>.....</p> <p>.....</p>



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

Enquires: Mr. Dube Reference: ZNQ:..... Date:.....

MINUTES OF SITE MEETING HELD ON:

Date:

Venue: GAMALAKHE C H C

1. Matter Discussed:

- 1.1. Signing of attendance register and site inspection briefing certificate.
- 1.2. Handing out of quotation documents.
- 1.3. Completion of quotation documents.
 - 1.3.1. SBD 4
 - 1.3.2. SBD 6.1
 - 1.3.3. Form 9
 - 1.3.4. Bill of Quantities
- 1.4. Submission of required information.
 - 1.4.1. Documents as per page 3 of the specification.
- 1.5. Site visit and deliberations on specifications and requirements.
- 1.6. Bidders are compelled to re-visit the site for one-on-one clarification of measurements and requirements. Post Site Inspection Briefing certificate to be signed on day of re-visit.
- 1.7. No part payments will be made and any stage of the project.
- 1.8. No payment will be made for incomplete or poor quality of work.
- 1.9. Material list page to be completed for all quotation documents. Failure to attach signed and completed document will render the quotation as not valid.
- 1.10. Past poor performance of contractors.
 - 1.10.1. Contractors that have performed poorly in the past will not be considered.
 - 1.10.2. Contractors that have not completed previous projects fully will not be considered.
 - 1.10.3. Contractors will be referred to National Treasury as a defaulter to be listed on the Database of Restricted Suppliers.**

SECTION C – Confirmation

Compulsory to be completed by the bidder and returned with quotation:

I,, from do hereby <i>(Print Name)</i> <i>(Name of Business)</i> acknowledge that I have read and understand the items discussed as laid out above and will ensure that the quotation price submitted will address all the requirements as stipulated. / / Signature Date

2. General matters during site visit:

2.1. _____

2.2. _____

2.3. _____

2.4. _____

2.5. _____

2.6. _____

2.7. _____

2.8. _____

2.9. _____

2.10. _____



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

**CERTIFICATE OF BIDDERS ATTENDANCE AT COMPULSORY
SITE INSPECTION BRIEFING MEETING**

GAMALAKHE C H C

QUOTATION NO.	DESCRIPTION	SITE INSPECTION DATE
ZNQ.....	Specification for the service of booster pumps on the fire back-up storage tank.	

This is to certify that I _____

A representative of (Bidder) _____

of Address: _____

Telephone No: _____

Telefax No.: _____

Attended the Pre-Bid Site Briefing Meeting on (date) _____


And at the following venues (mark in appropriate block):

GAMALAKHE C H C

BIDDERS REPRESENTATIVE _____

DEPARTMENT REPRESENTATIVE _____

DEPARTMENTAL STAMP:





health

Department:
Health
PROVINCE OF KWAZULU-NATAL

**CERTIFICATE OF BIDDERS ATTENDANCE AT COMPULSORY
POST SITE INSPECTION BRIEFING MEETING (RE-VISIT)**

GAMALAKHE C H C

QUOTATION NO.	DESCRIPTION	SITE INSPECTION DATE
ZNQ.....	Specification for the service of booster pumps on the fire back-up storage tank.	

This is to certify that I _____

A representative of (Bidder) _____

of Address: _____

Telephone No: _____

Telefax No.: _____

Attended the Pre-Bid Site Briefing Meeting on (date) _____

And at the following venue (mark in appropriate block):

GAMALAKHE C H C

BIDDERS REPRESENTATIVE _____

DEPARTMENT REPRESENTATIVE _____

DEPARTMENTAL STAMP:

ENQUIRIES: Mrs. H. KHOWA

REF:.....

CLOSING DATE:.....

CONTRACTOR: _____

1. On behalf of the KwaZulu-Natal Department of Health, we hereby invite you to quote for the above service
2. Your quotation must be submitted to the following address:

HAND DELIVERED

--	--

In a sealed envelope, the front of the envelope being clearly endorsed with the Quotation Number **ZNQ** _____ and the service type as stated above, not later than **11h00** on

3. The quotation shall be fully detailed as follows:
 - 3.1 Itemised list of additional Material/Spare parts required by the Contractor, showing costs and contracts mark-up.
 - 3.2 Labour hours, rate and total travelling costs.
 - 3.3 Kilometres, Rate and Total Travelling Cost (specify number of trips).
 - 3.4 Subsistence: Number of Days, Rate and Total Subsistence Costs.
4. Kindly complete the attached document and return all pages as per paragraph two above, each page being initialled by the Contractor's authorized signatory.
5. The Contractor's attention is drawn to the following, which under no circumstances will be acceptable and will result in the automatic disqualification of the quotation.
 - 5.1 Use of correcting fluid i.e. Tippex on the quotation documents.
 - 5.2 Faxed quotations
 - 5.3 Photocopies of quotations
 - 5.4 Incomplete quotation document including Bill of Quantities.
6. Only the original document, duly signed and completed in its entirety will be given any consideration.
7. Bidder to sign and date every page in acknowledgment that he/she has read and understood all the requirements contained in this document. Failure to do so will render your offer as non-responsive.

ZNQ: Bidders Signature:

DOCUMENTATION TO BE SUBMITTED

No.	Document Details	Doc. Type	Submitted	
			Yes	No
1.	Tax Clearance Certificate	Original		
2.	CIDB Registration 1ME	Certified Copy of Original		
3.	Company Registration Documents (CK)	Certified Copy of Original		
4.	B-BBEE Status Verification Certificate	Certified Copy of Original		
5.	Fully Completed and Signed Quotation Document	Original		
6.	SBD 4 Document Declaration Of Interest (Fully completed and signed)	Original		
7.	Bill of Quantities (fully priced for each item as listed)	Original		
8.	Previous experience in working on Mechanical pumps.	Reference with contact details.		
9.	Registration with Department of Labour Letter of Good Standing.	Certified Copy of Original		

PLEASE NOTE: FAILURE TO SUBMIT ANY OF THE DOCUMENTS AS REQUIRED IN THE TABLE ABOVE WILL RESULT IN THE OFFER BEING REGARDED AS NON-RESPONSIVE.

A COVERING LETTER REFERRING TO THE DOCUMENT WHERE A SET OF THESE DOCUMENTS HAVE BEEN ATTACHED MUST BE ATTACHED TO EVERY OTHER QUOTATION DOCUMENT.

1. **NOTES TO BIDDERS**

1.1 GENERAL CONDITIONS AND PROCEDURES FOR PROCUREMENT

The KwaZulu-Natal Treasury's General Conditions and Procedures for Procurement (ZNT 6 – September 2002), copies of which are available from the offices of the Head: Works (as well as at <http://www.kzntreasury.gov.za>), will apply.

1.2 VISIT TO SITE

Bidders are advised to visit the site before quoting in order to satisfy themselves as to the nature and full extent of the work to be done and the conditions generally affecting the execution of the contract. Claims on the grounds of lack of knowledge in such respects or otherwise will not be entertained.

1.3 SUPERVISION

The work shall at all times, for the duration of the contract, be carried out under the supervision of a skilled and competent representative of the contractor, who will be able and authorized to receive and carry out instructions on behalf of the contractor. A sufficient number of workers shall be employed at all times to ensure satisfactory progress of the work.

1.4 PROTECTING AND MAKING GOOD

The contractor shall allow for covering up and protecting, as necessary, from time to time, throughout the performance of the contract, all work liable to suffer damage and on completion clear away and make good any damage caused to the works by his negligence and shall be liable for all costs incurred in making good any such damage, to the satisfaction of the Head: Works.

The contractor shall allow for making good in all surrounding trades, which have been disturbed during alterations, repairs and renovations.

1.5 RECLAIMABLE MATERIAL

Reclaimable material will become the property of the contractor and who must allow for any credit in the quotation.

1.6 COMPLIANCE

All work must comply with the Local Authority regulations and National Building Regulations, as well as SABS specifications applicable to the work to be executed.

1.7 LEAVE PERFECT

The contractor shall at all times keep the site in a clean and tidy condition and on completion, remove all superfluous materials, debris, etc. and leave the premises in a thoroughly clean and perfect state, fit for occupation.

1.8 ARRANGEMENT WITH OCCUPANTS

The contractor shall arrange with the occupants of the buildings for access to the site/building to render the service and put the work in hand within twenty four (24) hours after being notified, telephonically or otherwise, of acceptance of the contractor's quotation.

1.9 PRECAUTIONS TO PROTECT

The contractor shall take all necessary precautions and steps to protect furniture and fittings in the building and on the site against damage and/or contamination.

1.10 INDEMNITIES

(a) The contractor shall indemnify the Head: Works against any claims of whatever nature arising from the contractor's activities and accept responsibility for all damage caused to property and persons as a result of such activities.

(b) The contractor shall indemnify his workers in terms of the Compensation for Occupational Injuries and Diseases Act.

1.11 OCCUPATIONAL HEALTH AND SAFETY ACT NO. 85 OF 1993

By the submission of a quotation, any Tenderer will, if awarded the contract to which this quotation document relates, be deemed to be a mandatory as envisaged by Section 37(2) of the Act. As a mandatory the successful Tenderer will be deemed to be an employer in his/her/their own right with duties as prescribed in the Act and accordingly will be deemed to have agreed to be solely responsible for ensuring that in connection with the project to which this quotation document relates, all work will be performed and machinery and plant used in accordance with the Act. Should the successful Tenderer, for whatever reason be unable to perform as required by the Act, the successful Tenderer undertakes to inform the Employer accordingly.

1.12 ESCALATION

Bidders are advised that the contract with the successful tenderer will not be subject to the Contract Price Adjustment Provisions (CPAP) or any other escalation formula, and they are therefore to allow for any increases in the costs of labor, material, transport, etc. However, any statutory increase or decrease in Value-Added Tax will be for the account of the Province.

1.13 GUARANTEE

The successful tenderer shall guarantee that no faulty material or workmanship was used in the execution of services. Should the guarantee not be complied with, the State may, without prejudice to any other rights it may have, demand that the services be repaired without cost to the State.

1.14 PENALTIES

If the contractor fails to render the service within the period stipulated in the contract, the State shall have the right, in its sole discretion either to deduct as a penalty from the value of the contract sum an amount of one-fourteenth percent thereof per calendar day for the period of delay or to claim any damages or loss suffered in lieu of such penalty: provided that where beneficial use of the completed portion is enjoyed, penalty shall be applied to the value of the outstanding portion only.

1.15 ALTERATIONS TO QUOTATION DOCUMENTS

Any amendment or correction in the quotation document of a quoted amount/sum/rate or other entry must be effected only by deleting the incorrect entry and writing the correct amount/sum/rate entry just above it in **INK**. Each and every amendment/correction must be initialed by the signatory to the quotation.

The use of "TIPPEX" or any other similar substances to make corrections and/or alterations **ANYWHERE** in the quotation is **NOT** permitted and any quotation altered/amended in such a manner may be declared invalid or be disregarded.

1.16 REGISTRATION ON THE PROVINCIAL SUPPLIERS DATABASE

1. In terms of the KwaZulu-Natal Procurement Regulations promulgated in terms of Section 47 of the KwaZulu-Natal Procurement Act, all suppliers of goods and services to the Province of KwaZulu-Natal are required to register on the Provincial Suppliers Database.
2. If you wish to apply for registration, forms may be downloaded from the website, <http://www.kzntreasury.gov.za> or obtained by phoning the toll free number **0800 201 049**. This number is also available for general enquiries relating to Provincial procurement.
3. If a business is registered on the Database and it is found subsequently that false or incorrect information has been supplied, then the Province may, without prejudice to any other legal rights or remedies it may have:
 - 3.1 de-register the supplier from the Database,
 - 3.2 cancel a tender or a contract awarded to such supplier,and the supplier would become liable for any damages if a less favorable quotation is accepted or less favorable arrangements are made.
4. The same principles as set out in paragraph 3 above are applicable should the supplier fail to request updating of its information on the Provincial Suppliers Database, relating to changed circumstances.

1.17 VALIDITY

This quotation shall be valid for a period of sixty (60) calendar days calculated from the closing time specified.

1.18 CONTRACT PERIOD

The work shall be completed within **3 weeks** from the date of the official order/letter of acceptance.

1.19 PROPRIETARY MATERIALS

Where the term "or other approved" is used in connection with proprietary materials or articles it is to be understood that approval shall at the sole discretion of the Head: Works.

Where brand or trade names are referred to in the extent of work/specification these shall indicate the quality and type of material or fitting required and no substitution of materials so specified will be permitted unless the authority of the Head: Works has been obtained *before tenders close*.

In all cases where the contractor takes delivery of, handles, stores, uses, applies and/or fixes any proprietary product he shall do so in strict accordance with the manufacturer's instructions after consultation with the manufacturer or his duly authorized representative.

1.20 DEFINITION OF APPROVED, ETC.

The term "approved" or "specified" where used in these extent of work/specifications shall mean approved or specified by the Head: Works. This term shall apply equally to the Head: Health.



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

GAMALAKHE C H C

UGU HEALTH DISTRICT OFFICE
HEALTH AND SAFETY SPECIFICATION

OCCUPATIONAL HEALTH AND SAFETY ACT 85 OF 1993

EXTRACT FROM THE CONSTRUCTION REGULATIONS

1. **Scope:** This specification calls for the service of booster pumps on the fire back-up storage tank.
2. **Interpretations :** Construction work is defined as: any work in connection with: -
 - a) The erection, maintenance, alteration, repair, demolition or dismantling of or addition to a building or any similar structure;
 - b) The installation, erection, dismantling or maintenance of a fixed plant where such work includes the risk of a person falling; or
 - c) The moving of earth, clearing of land, the making of an excavation, piling or any similar type of work.
3. **General:** The Employer will take reasonable steps to ensure that the contractor's health and safety plan is implemented and maintained. The steps taken will include periodic audits at intervals of at least once every month.

Should the Contractor at any stage in the execution of the work-

- a) Fail to implement or maintain contractors' health and safety plan;
- b) Execute construction work which is not in accordance with contractors' health and safety plan; or
- c) Act in any way which may poses a threat to the health and safety of any person/s, **the Employer or employers' representative/agent will stop the Contractor from executing construction work.**

4. **General Requirements**

4.1. **First Aid Equipment:** The Contractor shall provide for its employees an approved first aid box. The first aid box to be checked weekly by a responsible person, who shall be appointed by the Contractor.

4.2. **Reporting of incidents and /or injuries:**

4.2.1. All incidents in respect of damage to Works, property or machinery or injury to persons, shall be reported by the Contractors Safety Officer or Site

- Representative to the Representative/agent by the quickest means possible.
- 4.2.2. A mandatory incident report form, containing full details of the incident, shall be completed and submitted to the representative/agent within (24) hours of the occurrence of the incident.
- 4.2.3. The representative/agent shall have the right to make all or any enquiries as to the cause and result of any such incident. The Contractor shall provide the representative/agent with full facilities for carrying out such enquiries.
- 4.3. **Danger Areas:** All danger areas shall be demarcated by the Contractor with appropriate tape and hazard notices to prevent unauthorized person/s entering the danger area.
- 4.4. **Hazard Notices:** The Contractor shall display hazard notices in all areas identified in the risk assessment as potentially hazardous.
- 4.5. **Personal Protective Clothing:** The Contractor shall provide the necessary personal protective clothing for his employees in hazardous areas, appropriate to the nature of the hazard identified in the risk assessment.
- a) **Hard Hats:**
All employees of the Contractor shall wear hard hats in areas where appropriate hazard notices are displayed. Hard hats shall not be painted or otherwise defaced.
- b) **Eye Protection:**
Suitable eye protection shall be worn in areas where appropriate hazard notices are displayed, or when grinding, chipping, breaking, drilling, arc welding, cutting with oxyacetylene equipment of similar activities are taking place.
- c) **Hearing Protection:**
Suitable hearing protection shall be worn in areas where appropriate hazard notices are placed.
- d) **Foot Wear:**
All employees of the Contractor shall wear undamaged, laced-up safety boots or safety shoes, suitable for the intended purpose, in prescribed areas where appropriate hazard notices are displayed.
- e) **Gloves:**
All employees of the Contractors shall wear suitable gloves in all areas where appropriate hazard notices are displayed or when handling hot or hazardous materials or chemicals.
- 4.6. **Machine Guarding:** All power tools and machinery driven by belts, gears, ropes, chains, couplings and similar drives shall be adequately guarded. The Contractor shall prohibit the use of any equipment with a damaged, missing or inadequate guard.

4.7. Ladders:

4.7.1. Every ladder shall be:

- Of good construction, sound material and adequate strength and suitable to the purpose for which it is used (e.g. electricians shall use suitable insulated ladders),
- Fitted with non-skid devices at the bottom of the stiles or with hooks or similar devices at the tops of the stiles.

4.7.2. Except for extension ladders, no ladder shall be used which is longer than 4,5m and no ladder shall have its reach extended by tying together two or more ladders.

4.7.3. All ladders shall be inspected weekly and a log shall be kept of the inspections.

4.8. Scaffold Framework:

4.8.1. Scaffold standards shall be firmly supported and secured against displacement and shall be kept vertical.

4.8.2. No Contractor shall use, or cause to be used, any scaffold unless it is inspected by a competent person at least once a week and after inclement weather.

4.9. Prevention of Uncontrolled Collapse: The Contractor shall ensure that no structure or part of a structure is loaded in a manner that would render it unsafe.

4.10. Electrical Equipment and Procedures Used by the Contractor:

4.10.1. All electrical equipment to be inspected regularly by a qualified electrician, who shall be appointed by the Contractor and inspections to be logged.

4.10.2. The Contractor shall ensure that all his electrical equipment conforms to the operational and safety requirements.

4.10.3. All earth leakage units shall be tested at intervals of not more than one month and signed for by a qualified electrician.

4.11. Indemnity of the Employer and his agents: The annexure to this Contract Document contain a "Mandatory Form of Authority and Agreement in terms of Section 37 (2) of the Occupational Health and Safety Act, No, 85 of 1993 which agreement shall be entered into and duly signed by both the Employer and Contractor prior to the commencement with work. A copy of the signed agreement shall be included in the Contractors health and safety plan.



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

GAMALAKHE C H C TECHNICAL SPECIFICATION

GENERAL

- 1.1. This TECHNICAL SPECIFICATION shall be read in conjunction with all other sections of the SPECIFICATION, including the National Building Regulations SABS 0400 of 1990 as amended and the Occupational Health and Safety Act and Regulations, 85 of 1993.
- 1.2. Cognisance shall be taken of the clauses relevant to this particular installation, whether any specific clauses are referred to or not.

2. SCOPE

- 2.1. The work to be carried out under this contract includes the supply, delivery, installation, connecting, testing and leaving in good service condition to the satisfaction of the Head of Department or his or her designee, the building maintenance, renovations, repairs and minor new works to KwaZulu-Natal Health Institutions as specified by the Head of Department or his or her designee.
- 2.2. Work to be done as per drawing.
- 2.3. Material as specified below.
- 2.4. Work to be done according to Standard preambles to all Trade of the Department of Health.
- 2.5. No jack hammers to be used unless cleared by Maintenance Manager.
- 2.6. If unsure please contact Maintenance Manager before commencing with the work.
- 2.7. No cutting off cables (electrical or network) if not cleared by Maintenance Manager. Contractor will be responsible if any cables are cut without permission.

3. REFERENCES

- 3.1. Where references have been made to specific brand names, these are read as "OR OTHER APPROVED BY DEPARTMENT OF HEALTH, FACILITIES MANAGEMENT."

STRUCTURAL/DETAILED SPECIFICATION:

1. Remove coupling cover and do inspection on couplings.
2. Open and inspect centrifugal pumps volute, mechanical seal and impeller, replace gaskets after inspection on two centrifugal pumps.
3. Also do inspection on two Grundfos pumps.
4. Open and inspect two x 2 inch non-return valves.
5. Do inspection on 2 X 4 inch non-return valves.
6. Drain oil on both centrifugal pumps and flush them.
7. Fill oil on both centrifugal pumps with SAE 320 lubricant (20L) the remainder will be left with at maintenance department.
8. Open and inspect six butterfly valves and give report.
9. Electrically and mechanically inspect four pump motors.
10. Check and do inspection on pressure gauge switches on delivery lines.
11. Check if isolators are functional
12. The service provider will be required to furnish the institution with certificates of service, to be valid for twelve months.
13. Clean all mechanical & electrical equipment's, walls and floors of the plant room after service.



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

SCOPE OF WORK

GENERAL

5. 1.1 This specification calls for the service of booster pumps on the fire back-up storage tank.

SCOPE OF WORK

- a. The work to be carried out in terms of this section of the project comprises the supply and installation of all the materials necessary, as per the Bill of Quantities and Drawings.
- b. All work must be checked and approved by the Chief Works Inspector.
- c. All workmanship will be done fully in accordance of the Occupational Health and Safety Act 85/1993, as amended.
- d. All work to be carried out as per Department of Health - Standard Preambles to all trades, Rev 3- January 2009.
- e. Contractors are advised to visit the site to acquaint themselves fully with the nature and full extent of the work involved. Claims on the grounds of insufficient information will not be entertained.
- f. Site to be cleared daily of building rubble and work area kept clean at all times.

**PLEASE NOTE THAT THIS CONTRACT PERIOD IS FOR FOUR (4) WEEKS.
CONTRACTOR IS TO ENSURE THAT THEY HAVE STAFF IN PLACE TO COMPLETE
THIS CONTRACT WITHIN THE STATED PERIOD.**

Time required for completion of this contract as specified from receipt of official order: -

Lead Time: One (1) Week
 Site Time: Three (3) Weeks
 Total Time: Four (4) Weeks

Signature of Contractor

Name of Contractors

Contractor Name in block letters

Date

Contractors Stamp

BILLS OF QUANTITIES

Specification for the service of booster pumps on the fire back-up storage tank.

Notes to Bidders: All items to be priced fully inclusive of all charges, e.g. labour, scaffolding, materials, profit, Transport etc. including Value Added Tax.

SPECIFICATION FOR THE SERVICE OF BOOSTER PUMPS ON THE FIRE BACK-UP STORAGE TANK

Bill of Quantities

Description	Quantity	Price per Unit	Total Units	Total
1. Inspection of two centrifugal pump couplings.	2 Units			
2. Inspect volute, mechanical seal & impeller. Type-Grundfos pump; Type CR3-17 A-FGJ-A-E-HOOE; Model A96516662p11520; f 50Hz; n 2896 min ⁻¹ ; Q 3m ³ /h; Pmax/tmax 25/120 bar/ ^o C; P2- 1,5Kw; Hmax112,8; H- 82,8m.	2 Units			
3. Inspect two motors of the centrifugal pumps. Make-Weg W22 Top Premium; P – 15kw; Hz - 50	2 Units			
4. Inspect two pumps, Type-Centrifugal, NK50-200/198 A2FBE-SBQQE; Model B98896437P115190003; Q 70m ³ /h; H 50m; n 2964r/m; p/t 16/110 bar/ ^o C max	2 Units			
5. 2xFour inch non-return valves & 2x1,5 inch non-return valves. DN100 PN16	4 Units			
6. Inspection of 2 x 4 inch Non-return valve BS 5153 PN16	2 Units			
7. Flushing out oil and filling with new SAE 320 lubricant. (Take oil samples and check for iron filings)	20Liters			
8. Open and inspect six butterfly valves 4 inch size.	6 Units			
9. Electrically and mechanically inspect pump motors.	4 Units			
10. Check pressure gauges, ammeters and isolators.	Unit			
11. Supply service certificate after service is complete.	Unit			
12. Clean all mechanical & electrical equipment's, walls and floors of the plant room after service.	Unit			
Sub Total				
Vat				
Total				

NB:- It is the responsibility of the contractor to take their own measurements and inspection of the plant before quoting.

SECTION C – Confirmation

Compulsory to be completed by the bidder and returned with quotation:

<p>I,, from do hereby (Print Name) (Name of Business) acknowledge that I have read and understand the specifications as laid out above and will ensure that the quotation price submitted will address all the requirements as stipulated.</p>
--

ZNQ: Bidders Signature:

Signature

Date / /

STRUCTURAL SPECIFICATION AS PER STANDARD PREAMBLES TO ALL TRADES: Rev 3
January 2009

DRAINAGE AND PLUMBING

GENERALLY: — The Standard Preambles for other trades, with reference to Excavations, Concrete, Brickwork and Plastering, and, in particular for the full description intent and meaning of the classification for excavations, are to apply equally to this trade.

LICENSED DRAINLAYERS AND PLUMBERS: — Only licensed drain layers shall be employed on any drainage work and licensed plumbers on plumbing work.

SUBSOIL DRAINS

Unplasticised polyvinyl chloride (UPVC) slotted drainage pipes and fittings: — shall be of approved manufacture jointed in accordance with the manufacturer's instructions.

Pitch-fibre perforated or slotted drainage pipes and fittings: shall comply with SANS Specification 921 and shall be jointed in accordance with the manufacturer's instructions.

Filter fabric: — shall be non-woven, spun bonded, needle punched and continuous polyester fabric, resistant to the effects of alkalis, acids, saline solution and sunlight.

CONCRETE BEDS AND ENCASEMENT TO DRAIN PIPES: — Where pipes are required to be bedded on concrete, the bed of concrete shall be Class B, a minimum of 500mm wider than the diameter of the pipe, laid to correct falls and levels with recesses formed in same for pipe joints including all necessary formwork and any additional excavation. The barrel of the pipe shall then be bedded on a thin cement mortar (1:3) bed and laid to falls. After jointing, the recesses previously formed shall be filled in with concrete Class B and the haunching or surrounding completed.

Where pipes are fixed vertically they shall be encased in concrete Class B having a minimum thickness of 150mm around the pipe and carried up to ground level and shall include for any necessary formwork.

PIPE LAYING: — All drain and sewer pipes are to be laid to a straight line to even gradients and jointed in accordance with SANS Code of Practice 058 except in the case of polyethylene or unplasticised polyvinyl chloride drain and sewer piping which is to be in accordance with SANS Code of Practice 01 12.

Before laying, each pipe shall be examined to ensure that the bore is clean and free of any foreign matter and shall be tested for soundness by striking with a wooden mallet, and any cracked or damaged pipes shall be rejected. Ends of all pipes must be clean before

STANDARD PREAMBLES TO ALL TRADES 64

Rev 3 January 2009

jointing. Immediately after jointing a tight fitting wad or scraper shall be drawn several times through the bore of the pipe to ensure that it is left clean and free from obstructions.

Whenever work is suspended, the open ends of pipes and junctions must be temporarily plugged to prevent the entrance of rubbish during construction.

GULLEY TRAPS: — Gulley trap assemblies must be of the material specified with "P" or "S" trap, jointed to drain and with hopper head with vertical and side inlets, the head fitted with 190mm diameter cast iron gulley grating complying with SANS Specification 1115 laid loose in socket. The trap, hopper head and vertical pipe shall be set on and encased in concrete Class B having a minimum thickness of 150mm at any one part, carried up 75mm above ground level as kerb, dished down to grating and finished on all exposed surfaces in 1:3 cement plaster with angles rounded, including necessary excavation and formwork.

GREASE TRAPS: — Grease trap assemblies of vitrified clay must consist of outlet junction jointed to trap with side inlet. Access openings of trap and junction shall be fitted with vitrified clay stoppers laid loose in socket of trap and set in bitumen in socket of junction. The trap and junction and vertical pipe shall be set on and encased in concrete Class B having a minimum thickness of 150mm at any one part, carried up 75mm above ground level as kerb, dished down to grating and finished, on all exposed surfaces in 1:3 cement

ZNQ: Bidders Signature:

plaster with angles rounded, including necessary excavation and formwork.

RODDING EYES: — Where pipes are carried up in ramps for rodding eyes, the head of the pipe at ground level must be fitted with an "A.B.C." cast iron cover and frame, complying with SANS Specification 746, jointed to pipe, the frame rebated for and including cover with raised letters "CE" cast on same, secured to frame with gun-metal screws and with the whole encased in concrete Class B having a minimum thickness of 150mm at any one part, carried up 75mm above ground Level and finished on all exposed surfaces in 1:3 cement plaster with angles rounded, including necessary excavation and formwork,

INSPECTION EYE BLOCKS: — Where inspection eye fittings are provided in pipelines, the position of these inspection eyes must be registered and demarcated with concrete Class C. block size 300 x 300 x 50mm thick finished on all exposed surfaces with 1:3 cement plaster with angles rounded and with sunk letters "I.E." formed in top and set in ground, including necessary excavation and formwork.

STRUCTURAL SPECIFICATION AS PER STANDARD PREAMBLES TO ALL TRADES: Rev 3
January 2009

DRAINAGE AND PLUMBING

GENERALLY: — The Standard Preambles for other trades, with reference to Excavations, Concrete, Brickwork and Plastering, and, in particular for the full description intent and meaning of the classification for excavations, are to apply equally to this trade.

LICENSED DRAINLAYERS AND PLUMBERS: — Only licensed drain layers shall be employed on any drainage work and licensed plumbers on plumbing work.

SUBSOIL DRAINS

Unplasticised polyvinyl chloride (UPVC) slotted drainage pipes and fittings: — shall be of approved manufacture jointed in accordance with the manufacturer's instructions.

Pitch-fibre perforated or slotted drainage pipes and fittings: shall comply with SANS Specification 921 and shall be jointed in accordance with the manufacturer's instructions.

Filter fabric: — shall be non-woven, spun bonded, needle punched and continuous polyester fabric, resistant to the effects of alkalis, acids, saline solution and sunlight.

CONCRETE BEDS AND ENCASEMENT TO DRAIN PIPES: — Where pipes are required to be bedded on concrete, the bed of concrete shall be Class B, a minimum of 500mm wider than the diameter of the pipe, laid to correct falls and levels with recesses formed in same for pipe joints including all necessary formwork and any additional excavation. The barrel of the pipe shall then be bedded on a thin cement mortar (1:3) bed and laid to falls. After jointing, the recesses previously formed shall be filled in with concrete Class B and the haunching or surrounding completed.

Where pipes are fixed vertically they shall be encased in concrete Class B having a minimum thickness of 150mm around the pipe and carried up to ground level and shall include for any necessary formwork.

PIPE LAYING: — All drain and sewer pipes are to be laid to a straight line to even gradients and jointed in accordance with SANS Code of Practice 058 except in the case of polyethylene or unplasticised polyvinyl chloride drain and sewer piping which is to be in accordance with SANS Code of Practice 01 12.

Before laying, each pipe shall be examined to ensure that the bore is clean and free of any foreign matter and shall be tested for soundness by striking with a wooden mallet, and any cracked or damaged pipes shall be rejected. Ends of all pipes must be clean before

STANDARD PREAMBLES TO ALL TRADES 64
Rev 3 January 2009

jointing. Immediately after jointing a tight fitting wad or scraper shall be drawn several times through the bore of the pipe to ensure that it is left clean and free from obstructions.

Whenever work is suspended, the open ends of pipes and junctions must be temporarily plugged to prevent the entrance of rubbish during construction.

ZNQ: Bidders Signature:

GULLEY TRAPS: — Gulley trap assemblies must be of the material specified with “P” or “S” trap, jointed to drain and with hopper head with vertical and side inlets, the head fitted with 190mm diameter cast iron gulley grating complying with SANS Specification 1115 laid loose in socket. The trap, hopper head and vertical pipe shall be set on and encased in concrete Class B having a minimum thickness of 150mm at any one part, carried up 75mm above ground level as kerb, dished down to grating and finished on all exposed surfaces in 1:3 cement plaster with angles rounded, including necessary excavation and formwork.

GREASE TRAPS: — Grease trap assemblies of vitrified clay must consist of outlet junction jointed to trap with side inlet. Access openings of trap and junction shall be fitted with vitrified clay stoppers laid loose in socket of trap and set in bitumen in socket of junction. The trap and junction and vertical pipe shall be set on and encased in concrete Class B having a minimum thickness of 150mm at any one part, carried up 75mm above ground level as kerb, dished down to grating and finished, on all exposed surfaces in 1:3 cement plaster with angles rounded, including necessary excavation and formwork.

RODDING EYES: — Where pipes are carried up in ramps for rodding eyes, the head of the pipe at ground level must be fitted with an “A.B.C.” cast iron cover and frame, complying with SANS Specification 746, jointed to pipe, the frame rebated for and including cover with raised letters “CE” cast on same, secured to frame with gun-metal screws and with the whole encased in concrete Class B having a minimum thickness of 150mm at any one part, carried up 75mm above ground level and finished on all exposed surfaces in 1:3 cement plaster with angles rounded, including necessary excavation and formwork,

INSPECTION EYE BLOCKS: — Where inspection eye fittings are provided in pipelines, the position of these inspection eyes must be registered and demarcated with concrete Class C. block size 300 x 300 x 50mm thick finished on all exposed surfaces with 1:3 cement plaster with angles rounded and with sunk letters “I.E.” formed in top and set in ground, including necessary excavation and formwork.

BRICKWORK

SAND: — shall comply with the requirements of SANS Specification 1090, washed where necessary and screened through a 2360 micro meter mesh sieve.

CEMENT: — shall be Portland cement of normal setting quality complying with SANS

STANDARD PREAMBLES TO ALL TRADES 24

Rev 3 January 2009

Specification 471 or Portland cement 15 complying with SANS specification 831. Cement containing more than 15 % blast furnace slag will not be permitted to be used.

LIME: — shall be hydrated lime complying with SANS Specification 523.

WATER: — shall be clean and free from injurious amounts of acids, alkalis, and other organic substances. If so required by the Department, the suitability of the water shall be proved by tests carried out by an approved laboratory.

CEMENT MORTAR: — unless otherwise described, shall be composed of one part by volume of cement to five parts by volume of sand.

COMPO MORTAR: — unless otherwise described, shall be composed of one part by volume of cement, one part by volume of lime to ten parts by volume of sand.

STRENGTH MORTAR: — where required, shall be of the class specified and as defined in Table C-I of SANS Code of Practice 0164—Part I.

MIXING OF MORTAR: — the materials are to be mixed dry on a non-absorbent and close jointed timber or iron platform until the mixture is of uniform colour with water added and the mixture turned over until the ingredients are thoroughly incorporated.

No cement mortar that has once commenced to set will be allowed to be used. Mixing platforms are to be cleaned and old mortar removed before any new batch of mortar is prepared for mixing. No mortar mixing by adding additional materials is permitted after 5 (five) hours.

TESTING OF STRENGTH MORTAR: — During the time brickwork is being laid samples shall be taken of the mortar being used as shall be directed by the Department. A group of three 70mm x 70mm x 70mm test cubes shall be made from each sample for testing at 28 days of age. Each group test cubes shall be deemed to represent the whole of the batch from which the sample was taken and shall be identifiable with the batch.

The testing shall be undertaken by an independent firm or institution nominated by the Contractor to the approval of the Department. An item for the testing of mortar cubes has been provided elsewhere in these Bills of Quantities.

BURNT CLAY COMMON BRICKS: — shall comply with SANS Specification 227 and are to be good quality, sound, hard, well burnt bricks, uniform in size and shape.

A sample load of bricks is to be approved by the Department and all subsequent loads are to be equal thereto.

BRICKS FOR FOUNDATIONS: — are to be as above but extra hard burnt bricks.

Reject facing bricks may be used in lieu of extra hard burnt foundation bricks provided they are equal to a sample to be submitted to and approved by the Department. These bricks are also to be used for septic tank walls.

BRICKWORK: — unless otherwise described is to be in burnt clay common bricks and wherever practicable is to be in stretcher bond with the skins tied together with and including galvanized crimped wire wall ties in accordance with SANS Specification 28. The wire ties are to be of sufficient length to allow each end to be built into brickwork built into every fourth course and spaced at 450mm staggered centres (seven ties per square metre). The bricks are to be well wetted before being laid and the course of bricks laid last is to be well wetted before bedding the next course of bricks upon it. The brickwork is to have all perpends flushed up solid and each course is to be laid on a solid bed of mortar. No false headers are to be used. Whole bricks are to be used except where bats or closers are legitimately required to form bond.

Unless otherwise described one brick walls are taken at a nominal thickness of 230mm. The joints of all walls to be plastered are to be raked out as the work proceeds to form key for plaster. All walls are to be carried up regularly so that no part is built more than 1,2m higher than the adjoining walls.

Mortar joints generally are not to exceed 10mm thickness unless otherwise indicated on the drawings. If a specific brick scale is indicated on the drawings, either drawn or written, it must be adhered to.

CONTRACTORS STAFF AND SUPPLIERS INFORMATION FORM

Supplier information

<u>Company name</u>	<u>Contact person</u>	<u>Telephone No.</u>	<u>Supplier of</u>

Sup contractor information

<u>Company name</u>	<u>Contact person</u>	<u>Telephone No.</u>	<u>Sub contract for</u>	<u>Name of responsible person on site</u>

Contractor staff information as per registration with Department of Labour

<u>Name</u>	<u>ID Number</u>	<u>Salary number</u>	<u>Rank</u>	<u>Qualification</u>