

**PROVINCE OF KWAZULU-NATAL  
DEPARTMENT OF HEALTH  
ESTCOURT HOSPITAL**

**SERVICE TABLE TOP MIXER**

**PART 1**

**1. GENERAL**

**1.1 SCOPE OF WORK**

- a) The current scope of work entails: see page 1 to 3
- b) Each pot must have its own report.
- c) Remove rubble from site and disposed of accordingly
- d) Notify maintenance before isolating the plant (one plant at a time).
- e) Contractor should report at maintenance and complete relevant register for payment purpose

The contractor shall allow for appointing relevant professionals, all independent statutory obligations for inspections and certificates.

- I. Company must have valid CIDB ME
- II. Company must be registered with CSD
- III. Company must attached a letter of good standing
- IV. Company must have liability insurance

**1.2 SITE AND MODE OF PROCEDURE**

The site at KwaZulu Natal UThukela District Estcourt Hospital

- a) Bidders are advised that all the existing premises will be occupied throughout the period of any contract.
- b) Damage to the existing buildings - Bidders to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor.
- c) The service must be to the satisfaction of the KwaZulu-Natal Department of Health.

**1.3 CONTRACT DRAWINGS**

There are no contract drawings issued together with this document.

**PART 2**

**2. GENERAL TECHNICAL SPECIFICATION**

This Technical Specification is provided as a guideline for bid purposes for Bidders on CIDB: ME level 1.

## 2.1 STANDARDS

The operation, spares, material and components of serviced equipment specified, must comply with the latest requirements of:

- i) The Occupational Health and Safety Act (Act 85, 1993) as amended.
- ii) SANS 10142: Code of Practice for Wiring of Premises.

## 2.2 PROGRAMMING OF WORKS

The contractor shall notify the institution two (2) days prior to carrying out any site work. As the Centre is to remain in full operation for the duration of the works, the works are to be planned and executed so as to cause minimum inconvenience to staff. **Contractor shall finish this work within four weeks counting from the date when the order number has been issued, unless other strong and valid reason.**

## 2.3 TESTING

The units shall be tested before handing over to Hospital: Chief Artisan / District Engineer.

## PART 3

### 3. SCHEDULE OF RATES

#### 3.1 ITEMS AND PRICING

The Hospital reserves the right to place an order for any quantities of items included in the Schedules. The Schedule of Rates must also not be assumed to include and describe every detail of the supply requirement, but must be taken and read in conjunction with the other parts of the document. Thus the supplier shall not have claim for further payment in respect of any order which may be described or implied in the contract, although apparently no corresponding items are given in the Schedule of Rates. ***The supplier shall be deemed to have satisfied himself before quoting as to the correctness and sufficiency of his / her quote for the contract and of the rates and prices stated in the Schedule of Rates.***

#### 3.2 TAX AND DUTIES

Prices, quoted and paid, must include all customs, excise and import duties, and any other tariffs or taxes levied by the government or statutory body having jurisdiction on the goods provided under this contract, including Value Added Tax (applicable to the current rate).

#### 3.3 RATES

The rates, prices inserted shall be the full rates and prices for the service delivered described under the respective items; shall cover all labour, transport and profit.

**NO PAYMENT WILL BE MADE FOR ABORTIVE WORK AND PURCHASE ORDER WILL BE CANCELLED**

**SCHEDULE OF RATES: TABLE TOP MIXER**

Item	DESCRIPTION	UNIT	QTY	RATE/ UNIT		Total
1.	Electric supply cable, conduit and Sprague including earth continuity					
2.	Wall switch plugs					
3.	Test to run					
4.	Excessive vibration or noise					
5.	amperage					
6.	Condition of blade or accessories					
7.	Sliding table					
8.	Bowl height and adjustment					
9.	Grease nipples and lubricant					
10.	Clean down					
11	Check machine for corrosion, treat and touch up with paint					
16	Condition for elements (fish fryer)					
<b>Carried To Collection Summary</b>		<b>PS 1</b>		<b>R</b>		

Item	DESCRIPTION	UNIT	QTY	RATE/ UNIT		Total
<b>2.</b>	<b>Labour, Travelling and Accommodation</b>			<b>R</b>	<b>c</b>	
<b>2.1</b>	Labour	hours				
<b>2.2</b>	Travelling	km				
<b>2.3</b>	Accommodation	days				
<b>Carried To Collection Summary</b>		<b>PS 2</b>		<b>R</b>		

**COLLECTION SUMMARY**

**INSTITUTION: ESTCOURT HOSPITAL**

**PREVENTATIVE MAINTENANCE: TABLE TOP MIXER**

**NOTE:**

THIS COLLECTION SUMMARY MUST BE COMPLETED IN FULL BY THE CONTRACTOR  
AND RETURNED TOGETHER WITH THE TENDER/QUOTATION FORM.

Collection Summary PS 1	R		
Collection Summary PS 2	R		
SUB-TOTAL	R		
ADD Provision for Value Added Tax of SUB-TOTAL	R		
<b><u>TOTAL: CARRIED TO TENDER FORM</u></b>	R		

**PROVINCE OF KWAZULU-NATAL  
DEPARTMENT OF HEALTH  
ESTCOURT HOSPITAL**

**SERVICE TILTING PAN**

**PART 1**

**1. GENERAL**

**1.1 SCOPE OF WORK**

- a) The current scope of work entails: see page 1 to 3
- b) Each pot must have its own report.
- c) Remove rubble from site and disposed of accordingly
- d) Notify maintenance before isolating the plant (one plant at a time).
- e) Contractor should report at maintenance and complete relevant register for payment purpose

The contractor shall allow for appointing relevant professionals, all independent statutory obligations for inspections and certificates.

- I. Company must have valid CIDB ME
- II. Company must be registered with CSD
- III. Company must attached a letter of good standing
- IV. Company must have liability insurance

**1.2 SITE AND MODE OF PROCEDURE**

The site at KwaZulu Natal: UThukela District, Estcourt Hospital.

- a) Bidders are advised that all the existing premises will be occupied throughout the period of any contract.
- b) Damage to the existing buildings - Bidders to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor.
- c) The service must be to the satisfaction of the KwaZulu-Natal Department of Health.

**1.3 CONTRACT DRAWINGS**

There are no contract drawings issued together with this document.

**PART 2**

**2. GENERAL TECHNICAL SPECIFICATION**

This Technical Specification is provided as a guideline for bid purposes for Bidders on CIDB: ME level 1.

## 2.1 STANDARDS

The operation, spares, material and components of serviced equipment specified, must comply with the latest requirements of:

- i) The Occupational Health and Safety Act (Act 85, 1993) as amended.
- ii) SANS 10142: Code of Practice for Wiring of Premises.

## 2.2 PROGRAMMING OF WORKS

The contractor shall notify the institution two (2) days prior to carrying out any site work. As the Centre is to remain in full operation for the duration of the works, the works are to be planned and executed so as to cause minimum inconvenience to staff. **Contractor shall finish this work within four weeks counting from the date when the order number has been issued, unless other strong and valid reason.**

## 2.3 TESTING

The units shall be tested before handing over to Hospital: Chief Artisan / District Engineer.

## PART 3

### 3. SCHEDULE OF RATES

#### 3.1 ITEMS AND PRICING

The Hospital reserves the right to place an order for any quantities of items included in the Schedules. The Schedule of Rates must also not be assumed to include and describe every detail of the supply requirement, but must be taken and read in conjunction with the other parts of the document. Thus the supplier shall not have claim for further payment in respect of any order which may be described or implied in the contract, although apparently no corresponding items are given in the Schedule of Rates. ***The supplier shall be deemed to have satisfied himself before quoting as to the correctness and sufficiency of his / her quote for the contract and of the rates and prices stated in the Schedule of Rates.***

#### 3.2 TAX AND DUTIES

Prices, quoted and paid, must include all customs, excise and import duties, and any other tariffs or taxes levied by the government or statutory body having jurisdiction on the goods provided under this contract, including Value Added Tax (applicable to the current rate).

#### 3.3 RATES

The rates, prices inserted shall be the full rates and prices for the service delivered described under the respective items; shall cover all labour, transport and profit.

**NO PAYMENT WILL BE MADE FOR ABORTIVE WORK AND PURCHASE ORDER WILL BE CANCELLED**

**SCHEDULE OF RATES: TILTING PAN**

Item	DESCRIPTION	UNIT	QTY	RATE/ UNIT		Total
1.	Control switches and indicator lamps					
2.	Electric supply cable, conduit and Sprague including earth continuity					
3.	Condition of panel wiring					
4.	All electrical connection for tightness					
5.	Wall isolator					
6.	Size of MCB					
7.	Total element amperage					
8.	Tilt mechanism- adjust as required					
9.	Lid hinges, springs and lubricant					
10.	Lid handle and insulation					
11.	External appearance and cleanliness					
12.	Internal for defects					
13.	condition of brackets					
14.	Clean down					
15.	Check machine for corrosion, treat and touch up with paint					
16.	Condition for elements (fish fryer)					
<b>Carried To Collection Summary</b>		<b>PS 1.</b>		<b>R</b>		

Item	DESCRIPTION	UNIT	QTY	RATE/ UNIT		Total
				R	c	
<b>2.</b>	<b>Labour, Travelling and Accommodation</b>					
<b>2.1</b>	Labour	hours				
<b>2.2</b>	Travelling	km				
<b>2.3</b>	Accommodation	days				
<b>Carried To Collection Summary</b>		<b>PS 2</b>		<b>R</b>		

**COLLECTION SUMMARY**

**INSTITUTION: ESTCOURT HOSPITAL**

**PREVENTATIVE MAINTENANCE: TILTING PAN**

**NOTE:**

THIS COLLECTION SUMMARY MUST BE COMPLETED IN FULL BY THE CONTRACTOR  
AND RETURNED TOGETHER WITH THE TENDER/QUOTATION FORM.

Collection Summary PS 1	R		
Collection Summary PS 2	R		
SUB-TOTAL	R		
ADD Provision for Value Added Tax of SUB-TOTAL	R		
<b><u>TOTAL: CARRIED TO TENDER FORM</u></b>	R		



**PROVINCE OF KWAZULU-NATAL  
DEPARTMENT OF HEALTH  
ESTCOURT HOSPITAL**

**SERVICE CONVENTION OVEN**

**PART 1**

**1. GENERAL**

**1.1 SCOPE OF WORK**

- a) The current scope of work entails: see page 1 to 3
- b) Each pot must have its own report.
- c) Remove rubble from site and disposed of accordingly
- d) Notify maintenance before isolating the plant (one plant at a time).
- e) Contractor should report at maintenance and complete relevant register for payment purpose

The contractor shall allow for appointing relevant professionals, all independent statutory obligations for inspections and certificates.

- I. Company must have valid CIDB ME
- II. Company must be registered with CSD
- III. Company must attached a letter of good standing
- IV. Company must have liability insurance

**1.2 SITE AND MODE OF PROCEDURE**

The site at KwaZulu Natal: UThukela District: Estcourt Hospital.

- a) Bidders are advised that all the existing premises will be occupied throughout the period of any contract.
- b) Damage to the existing buildings - Bidders to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor.
- c) The service must be to the satisfaction of the KwaZulu-Natal Department of Health.

**1.3 CONTRACT DRAWINGS**

There are no contract drawings issued together with this document.

**PART 2**

**2. GENERAL TECHNICAL SPECIFICATION**

This Technical Specification is provided as a guideline for bid purposes for Bidders on CIDB: ME level 1.

## 2.1 STANDARDS

The operation, spares, material and components of serviced equipment specified, must comply with the latest requirements of:

- i) The Occupational Health and Safety Act (Act 85, 1993) as amended.
- ii) SANS 10142: Code of Practice for Wiring of Premises.

## 2.2 PROGRAMMING OF WORKS

The contractor shall notify the institution two (2) days prior to carrying out any site work. As the Centre is to remain in full operation for the duration of the works, the works are to be planned and executed so as to cause minimum inconvenience to staff. **Contractor shall finish this work within four weeks counting from the date when the order number has been issued, unless other strong and valid reason.**

## 2.3 TESTING

The units shall be tested before handing over to Hospital: Chief Artisan / District Engineer.

## PART 3

### 3. SCHEDULE OF RATES

#### 3.1 ITEMS AND PRICING

The Hospital reserves the right to place an order for any quantities of items included in the Schedules. The Schedule of Rates must also not be assumed to include and describe every detail of the supply requirement, but must be taken and read in conjunction with the other parts of the document. Thus the supplier shall not have claim for further payment in respect of any order which may be described or implied in the contract, although apparently no corresponding items are given in the Schedule of Rates. ***The supplier shall be deemed to have satisfied himself before quoting as to the correctness and sufficiency of his / her quote for the contract and of the rates and prices stated in the Schedule of Rates.***

#### 3.2 TAX AND DUTIES

Prices, quoted and paid, must include all customs, excise and import duties, and any other tariffs or taxes levied by the government or statutory body having jurisdiction on the goods provided under this contract, including Value Added Tax (applicable to the current rate).

#### 3.3 RATES

The rates, prices inserted shall be the full rates and prices for the service delivered described under the respective items; shall cover all labour, transport and profit.

**NO PAYMENT WILL BE MADE FOR ABORTIVE WORK AND PURCHASE ORDER WILL BE CANCELLED**

**SCHEDULE OF RATES: CONVECTION OVEN**

Item	DESCRIPTION	UNIT	QTY	RATE/ UNIT		Total
1.	Water supply and valves					
2.	Steam supply and valves					
3.	Traps					
4.	Non return valves					
5.	Strainer					
6.	Element amperage					
7.	fans					
8.	Wiring and components and all control					
9.	gasket					
10.	Door locking device					
11.	Clean down					
12.	Check machine for corrosion descale steam generator as per manufacture requirements					
<b>Carried To Collection Summary</b>		<b>PS 1</b>		<b>R</b>		

Item	DESCRIPTION	UNIT	QTY	RATE/ UNIT		Total
<b>2.</b>	<b>Labour, Travelling and Accommodation</b>			<b>R</b>	<b>c</b>	
<b>2.1</b>	Labour	hours				
<b>2.2</b>	Travelling	km				
<b>2.3</b>	Accommodation	days				
<b>Carried To Collection Summary</b>		<b>PS 2</b>		<b>R</b>		

**COLLECTION SUMMARY**

**INSTITUTION: ESTCOURT HOSPITAL**

**PREVENTATIVE MAINTENANCE: SERVICE CONVENTION OVEN**

**NOTE:**

THIS COLLECTION SUMMARY MUST BE COMPLETED IN FULL BY THE CONTRACTOR  
AND RETURNED TOGETHER WITH THE TENDER/QUOTATION FORM.

Collection Summary PS 1	R		
Collection Summary PS 2	R		
SUB-TOTAL	R		
ADD Provision for Value Added Tax of SUB-TOTAL	R		
<b><u>TOTAL: CARRIED TO TENDER FORM</u></b>	R		