



KWAZULU-NATAL PROVINCE
HEALTH
REPUBLIC OF SOUTH AFRICA

Quotation Advert

Opening Date: 16/03/2023
Closing Date: 23/03/2023
Closing Time: 11:00

INSTITUTION DETAILS

Institution Name: Estcourt Hospital
Province: KwaZulu-Natal
Department of entity: Department of Health
Division or section: Supply Chain Management
Place where goods/
service is required: Estcourt District Hospital
Date Submitted: 16/03/2023

ITEM CATEGORY AND DETAILS

Quotation number: **EST 784/2022-23**
Item Category: Goods
Item Description: Supply and Deliver Eye Wash & Water Jet Cleaning Pistol
Quantity (if supplies): *04 Units*

COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type: Not applicable
Time: 11h00
Venue: n/a

QUOTES CAN BE COLLECTED FROM: kznhealth website

QUOTES SHOULD BE DELIVERED TO: 01 old main road, next to typist office estcourt
3310

ENQUIRIES REGARDING ADVERT MAY BE DIRECTED TO:


Name: Samke Nkabinde
Email: Samkelisiwe.Nkabinde@kznhealth.gov.za

Contact number: 034 342 7075

Finance Manager Name: *Mr S B Nkabinde*

Finance Manager signature: 


EYE WASH STATION



plum

Eye Wash Station Yellow Eye Wash Station Emergency Eye Wash Eye Wash Station Sign Emergency Eye Wash Station


EST 784 / 202203



Visual Search Save View image Feedback More




Eye Wash Station Dimensions ...



Signs | Informational | Graphic F...



Emergency Eye/Face/Body Dou...



HONEYWELL Double Eye Wash ..

Related searches

Yellow Ey : Wash Station




Eye Wash Station

Yellow
Eye Wash Station

Emergency
Eye Wash

Eye Wash Station
Sign

Emergency
Eye Wash Station





Visual Search

Save

View image

Feedback

More



Related searches

Yellow Eye Wash Station





148 cm

227004600229

Pharmaceuticals

1. This product is a sterile solution of 5% Propofol in a 2% Lipid Emulsion. It is used for the induction and maintenance of general anesthesia. It is also used for sedation in intensive care units. It is contraindicated in patients with known hypersensitivity to propofol or any of the components of the formulation. It should be used with caution in patients with severe hypotension, severe bradycardia, or severe respiratory depression. It is not recommended for use in patients with severe liver or kidney disease. It is also contraindicated in patients with severe hypotension, severe bradycardia, or severe respiratory depression. It is not recommended for use in patients with severe liver or kidney disease. It is also contraindicated in patients with severe hypotension, severe bradycardia, or severe respiratory depression. It is not recommended for use in patients with severe liver or kidney disease.

2024 03

Pharmaceuticals

1. This product is a sterile solution of 5% Propofol in a 2% Lipid Emulsion. It is used for the induction and maintenance of general anesthesia. It is also used for sedation in intensive care units. It is contraindicated in patients with known hypersensitivity to propofol or any of the components of the formulation. It should be used with caution in patients with severe hypotension, severe bradycardia, or severe respiratory depression. It is not recommended for use in patients with severe liver or kidney disease. It is also contraindicated in patients with severe hypotension, severe bradycardia, or severe respiratory depression. It is not recommended for use in patients with severe liver or kidney disease. It is also contraindicated in patients with severe hypotension, severe bradycardia, or severe respiratory depression. It is not recommended for use in patients with severe liver or kidney disease.

