



Quotation Advert

Opening Date: 30/01/2024

Closing Date: 05/02/2024

Closing Time: 11:00

INSTITUTION DETAILS

Institution Name: Ladysmith Hospital

Province: KwaZulu-Natal

Department of entity: Department of Health

Division or section: Supply Chain Management

**Place where goods/
service is required:** Ladysmith Regional Hospital

Date Submitted: 29/01/2024

ITEM CATEGORY AND DETAILS

Quotation number: LSH 1189/23/24

Item Category: Services

Item Description: Repairs to all the areas that were damaged by hail storm

Quantity (if supplies): As per specification

COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type: Compulsory Site Meeting

Date: 01 February 2024

Time: 11h00

Venue: LRH Maintenance Department

QUOTES CAN BE COLLECTED FROM: Downloadable from KZN HEALTH WEBSITE

QUOTES SHOULD BE DELIVERED TO: DEPOSIT IN THE TENDER BOX SITUATED IN THE
MAIN SECURITY GATE OR EMAIL: ladysmith.quotation@kznhealth.gov.za
ENQUIRIES REGARDING ADVERT MAY BE DIRECTED TO:

Name: Ms. LC Sithole

Contact number: 036 637 2111

Finance Manager Name: Ms. XL Ntuli

Finance Manage signature: 

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender.
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
- (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,
- then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

**Table 1: Specific goals for the tender and points claimed are indicated per the table below.
Note to tenderers: The tenderer must indicate how they claim points for each preference point system.**

The specific goal/s allocated points in terms of this tender	Number of points allocated (80/20 system)	Number of points claimed (80/20 system)
Promotion of South African owned enterprises	20	

DECLARATION WITH REGARD TO COMPANY/FIRM

- 4.3. Name of company/firm: _____
- 4.4. Company registration number: _____
- 4.5. TYPE OF COMPANY/ FIRM (tick applicable box)
- Partnership/Joint Venture / Consortium
 - One-person business/sole propriety
 - Close corporation
 - Public Company
 - Personal Liability Company
 - (Pty) Limited
 - Non-Profit Company
 - State Owned Company

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
- i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
 - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

_____ SIGNATURE(S) OF TENDERER(S)	
SURNAME AND NAME:	_____
DATE:	_____
ADDRESS:	_____

Ladysmith Provincial Hospital

Page No	Item	Bill description	Unit	Bill Quantity	Rate	Amount
		Ladysmith Provincial Hospital				
		BILL NO. 1				
		PRELIMINARIES				
1		Preliminaries & General	Item	1.00		
		SUB-TOTAL				
		<u>BUILDERS WORK - SECTION 2</u>				
		BILL NO. 2				
		ALTERATIONS				
		STANDARD PREAMBLES				
		The Model Preambles for Trades (2008 edition) as published by the Association of South African Quantity Surveyors shall be deemed to be incorporated in these bills of quantities and no claims arising from brevity of description of items fully described in the said Model Preambles will be entertained				
		<u>REMOVAL OF EXISTING DOOR'S, WINDOWS, ETC. FROM BRICKWORK</u>				
		<u>Taking out and removing doors, windows, etc. from brickwork</u>				
1		Glazing on steel windows not exceeding 2,5m2	m2	140.00	R	- Hospital throughout
2		Glazing on steel windows exceeding 2,5m2 but not exceeding 5m2	m2	186.00	R	-
		<u>REMOVAL OF EXISTING ROOFS, CEILINGS, PARTITIONING AND FLOORING</u>				
		<u>Taking down and removing roofs, floors, panelling, ceilings, partitions, etc</u>				
3		Translucent IFR roof covering	m2	60.00	R	- Ward 9
4		Existing ridge cap	m	80.00	R	- Ward 1
5		Aluminium boxed rainwater downpipes	m	65.00	R	- Ward 9
6		Aluminium boxed gutters	m	125.00	R	-
7		Timber fascia boards	m	80.00	R	- Ward 1
8		Timber barge boards	m	48.00	R	-
9		Fibre cement fascia boards	m	56.00	R	- Ward 9
10		Fibre cement barge boards	m	60.00	R	-
		SUB-TOTAL - ALTERATIONS			R	-
		BILL NO 3				
		ROOF COVERINGS				
		STANDARD PREAMBLES				
		The Model Preambles for Trades (2008 edition) as published by the Association of South African Quantity Surveyors shall be deemed to be incorporated in these bills of quantities and no claims arising from brevity of description of items fully described in the said Model Preambles will be entertained				
		<u>PROFILED METAL SHEETING AND ACCESSORIES</u>				
1		Ridge cappings to match existing	m	80.00	R	- Ward 1
		<u>0,8mm thick IFR Polycarbonate clear roof Sheetling</u>				
2		Polycarb roof sheeting to match existing	m2	60.00	R	- Ward 9
		SUB-TOTAL - ROOF COVERINGS			R	-

	<p>BILL NO 4</p> <p>CARPENTRY AND JOINERY</p> <p>STANDARD PREAMBLES</p> <p>The Model Preambles for Trades (2008 edition) as published by the Association of South African Quantity Surveyors shall be deemed to be incorporated in these bills of quantities and no claims arising from brevity of description of items fully described in the said Model Preambles will be entertained</p> <p>SUPPLEMENTARY PREAMBLES</p> <p>Particle board:</p> <p>Particle board shall comply with the following specifications:</p> <p>a) SABS 1300 Particle board: exterior and flooring type</p> <p>b) SABS 1301 Particle board: interior type</p> <p>Joinery:</p> <p>Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc</p> <p>Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes</p> <p>Fixing</p> <p>Items described as "nailed" shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete</p> <p>Decorative laminate finish:</p> <p>Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish</p> <p>EAVES, VERGES ETC</p>					
1	10 x 225mm Fascias including joiners	m	136.00		R	-
2	10 x 200mm Barge boards including H-profile jointing strips	m	108.00		R	-
	SUB-TOTAL - CARPENTRY & JOINERY				R	-

Ward 1 & 9

	BILL NO. 5 PLUMBING AND DRAINAGE (PROVISIONAL) STANDARD PREAMBLES The Model Preambles for Trades (2008 edition) as published by the Association of South African Quantity Surveyors shall be deemed to be incorporated in these bills of quantities and no claims arising from brevity of description of items fully described in the said Model Preambles will be entertained <u>Rainwater disposal</u> <u>Gutters and downpipes</u>						
1	Seamless Chromadeck 150 x 150mm box type gutter with brackets	m	136.00		R	-	Ward 1 & 9
2	100mm diameter PVC rainwater downpipe	m	65.00		R	-	
3	Extra over gutter for stop ends	No	12.00		R	-	
4	Extra over gutter for outlet	No	16.00		R	-	
5	Extra over gutter for bend	No	16.00		R	-	
6	Extra over gutter for shoe	No	16.00		R	-	
	SUB-TOTAL - PLUMBING & DRAINAGE				R	-	
	BILL NO. 6 GLAZING STANDARD PREAMBLES The Model Preambles for Trades (2008 edition) as published by the Association of South African Quantity Surveyors shall be deemed to be incorporated in these bills of quantities and no claims arising from brevity of description of items fully described in the said Model Preambles will be entertained <u>5mm clear float glass with putty</u>						
1	Panes not exceeding 2,5m2	m2	140.00		R	-	Hospital throughout
2	Panes exceeding 2,5m2 but n.e. 5m2	m2	186.00		R	-	
	<u>6mm laminated safety glass on doors</u>						
3	Panes not exceeding 2,5m2	m2	1.60		R	-	
	SUB-TOTAL - GLAZING				R	-	

	BILL NO 7 PAINTWORK STANDARD PREAMBLES The Model Preambles for Trades (2008 edition) as published by the Association of South African Quantity Surveyors shall be deemed to be incorporated in these bills of quantities and no claims arising from brevity of description of items fully described in the said Model Preambles will be entertained SUPPLEMENTARY PREAMBLES DESCRIPTIONS Descriptions of paintwork shall be deemed to include for all cutting in PREPARATORY WORK TO EXISTING WORK Previously painted plastered surfaces Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth Previously painted metal surfaces Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal Previously painted wood surfaces Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth <u>One coat red oxide primer, one coat alkyd based universal undercoat and two coats "Plascon" or other equally approved "Velvagro", on steel</u> On window frames <u>Roof rubberize</u>					Hospital throughout
1		m2	81.00	R	-	
	SUB-TOTAL - PAINTWORK			R	-	

FINAL SUMMARY LADYSMITH HOSPITAL		
1). PRELIMINARIES & GENERAL		
2). ALTERATIONS	R	-
3). ROOF COVERINGS	R	-
4). CARPENTRY & JOINERY	R	-
5). PLUMBING & DRAINAGE	R	-
6). GLAZING	R	-
7). PAINTWORK	R	-
SUB-TOTAL (EXCL. VAT)	R	-
ADD - 15% VAT	R	-
FINAL TOTAL (INCLUDING VAT)	R	-

Steadville Clinic and Acaciaville Clinic

Page No	Item	Bill description	Unit	Bill Quantity	Rate	Amount
		Steadville Clinic and Acaciaville Clinic				
		BILL NO. 1				
		PRELIMINARIES				
1		Preliminaries & General	Item	1.00		
		SUB-TOTAL				
		<u>BUILDERS WORK - SECTION 2</u>				
		BILL NO. 2				
		ALTERATIONS				
		STANDARD PREAMBLES				
		The Model Preambles for Trades (2008 edition) as published by the Association of South African Quantity Surveyors shall be deemed to be incorporated in these bills of quantities and no claims arising from brevity of description of items fully described in the said Model Preambles will be entertained				
		<u>REMOVAL OF EXISTING DOOR'S, WINDOWS, ETC. FROM BRICKWORK</u>				
		<u>Taking out and removing doors, windows, etc. from brickwork</u>				
1		Glazing on steel windows not exceeding 2,5m2	m2	25.00	R	-
2		Glazing on steel windows exceeding 2,5m2 but not exceeding 5m2	m2	30.00	R	-
3		Glazing on aluminium framed double door not exceeding 2.5m2	m2	2.60	R	-
		SUB-TOTAL - ALTERATIONS			R	-
		BILL NO. 3				
		GLAZING				
		STANDARD PREAMBLES				
		The Model Preambles for Trades (2008 edition) as published by the Association of South African Quantity Surveyors shall be deemed to be incorporated in these bills of quantities and no claims arising from brevity of description of items fully described in the said Model Preambles will be entertained				
		<u>5mm clear float glass with putty</u>				
1		Panes not exceeding 2,5m2	m2	25.00	R	-
2		Panes exceeding 2,5m2 but n.e. 5m2	m2	30.00	R	-
		<u>6mm laminated safety glass on doors</u>				

3	Panes not exceeding 2,5m2	m2	2.60	R	-
	SUB-TOTAL- GLAZING			R	-

FINAL SUMMARY ACACIAVILLE & STEADVILLE CLINIC

1). PRELIMINARIES & GENERAL

2). ALTERATIONS

R -

3). GLAZING

R -

SUB-TOTAL EXCL. VAT

R -

ADD 15% VAT

R -

TOTAL INCL. VAT

R -