



FRAME : EPOXY POWDER COATED ALUMINIUM WINDOW WITH FIXED GLAZED PANELS, WITH RIBBED ALUMINIUM BOTTOM PANEL TO MATCH WITH TOP HUNG OPENING TOP SECTION PERIMETER OF WINDOW TO BE SEALED WITH SILICONE COLOUR : MATT CHARCOAL

FITTINGS : N/A

GLAZING: 6MM CLEAR SAFETY GLAZING TO COMPLY WITH SABS 0137

HINGES : N/A

OTHERS : TO FUTURE DETAIL

**GENERAL NOTES:**  
 ALL DIMENSIONS ARE TO BE CHECKED ON SITE BY THE CONTRACTOR PRIOR TO CONSTRUCTION.  
 ANY DISCREPANCIES ON THIS DRAWING ARE TO BE REPORTED TO THE OFFICE OF THE ARCHITECT PRIOR TO CONSTRUCTION.  
 ALL ALUMINIUM AND STEEL IS TO BE ISOLATED FROM ONE ANOTHER TO PREVENT GALVANIC ACTION.  
 ALL QUANTITIES ARE TO BE CHECKED ON SITE BY THE CONTRACTOR PRIOR TO PLACING ORDERS.  
 ALL SHOP FRONT ARE TO BE AAAMSA APPROVED AND TO MANUFACTURERS SPECIFICATIONS

**SAKHISIZWE ARCHITECTS**  
 + I N T E R I O R S  
 4 SILAPO ROAD, DURBAN NORTH  
 TEL: 031 561 3441 FAX: 031 561 3918  
 EMAIL: info@sakhisizwe.co.za

ISSUED FOR APPROVAL	Revision No.	Date	Description	Drawn
ISSUED FOR INFORMATION	1	14.02.14	size of windows amended	
ISSUED FOR SUBMISSION				
ISSUED FOR TENDER				
ISSUED FOR CONSTRUCTION				

Project Title:  
**PROPOSED JOZINI COMMUNITY HEALTH CLINIC**

Drawing Title:	Job No.	Rev. No.	Date:
<b>WINDOW 07</b>	<b>S264</b>	<b>1 (14.02.14)</b>	<b>06.06.13</b>
Drawn: <b>MB</b>			Scale: <b>1:20</b>
Drawing No. <b>W07</b>			