



# DEPARTMENT OF HEALTH

PROVINCE OF KWAZULU-NATAL

## CORPORATE COMMUNICATION SERVICES

Natalia, 330 Longmarket Street, Pietermaritzburg, 3201  
Private Bag X9051, Pietermaritzburg, 3200  
Tel.: 033 395 2220, Fax.: 033 3420429  
thusim@dohho.kzntl.gov.za

---

**TO: ALL MEDIA**

**DATE: 22 AUGUST 2005**

**EMBARGO: FOR IMMEDIATE RELEASE**

## CEREBRAL PALSY AWARENESS WEEK

Cerebral Palsy Awareness Week begins on 24 – 30 August and this year the focus is on children. Children with Cerebral Palsy have different strengths and weaknesses and differ in their abilities and development. Children with Cerebral Palsy have the same rights as other children and must be not subjected to any kind or form of discrimination. Access to health care and other services can enable the child with Cerebral Palsy to achieve their potential and demonstrate their abilities. During the week starting on the 24<sup>th</sup> of August therapists and other rehabilitation workers will run Cerebral Palsy clinics and Cerebral Palsy management workshops at public hospitals throughout the province to inform and educate other workers and community members at large on management and prevention of Cerebral Palsy.

Stimulation workshops /clinics to be conducted will include activities such as:

- - Assessments and /examinations of CP children /children with delayed developmental milestones
- - Stimulation activities, toy making
- - Measurement for CP chair inserts or buggies
- - Demonstration on CP handling skills including: feeding, positioning etc
- - Education and counselling of mothers of CP children and caregivers
- - Distribution of CP pamphlets and educational material

Other activities will include education and antenatal classes to pregnant mothers as well as who would-be mothers on preventative measures of Cerebral Palsy.

### What is Cerebral Palsy?

It is a group disorders associated with developmental brain injuries that occur during foetal development, birth, or with the first 2 to 3 years of life.

It is characterized by a disruption of motor skills with symptoms such spasticity, paralysis, mental retardation, seizures, vision or hearing problems

It is no longer considered as a disease but rather as a chronic non-progressive neurological disorder. The incidence is estimated to be 1.5 to 4 per 1000 births.



## Causes

The exact cause of the brain injury is not known; can be due to complications related to prematurity as a result of mother's general health and behavioural factors during pregnancy such as smoking, alcohol intake, exposure to chemical toxins or harmful substances, or a baby can be deprived of blood, oxygen or other nutrients before or during birth. After birth Cerebral Palsy can be due to head injury (trauma) or infectious diseases such meningitis or cerebral malaria. A small percentage could be hereditary or familial.

## Signs and Symptoms

- - Delayed or abnormal movements of body part /s or whole body
- - Stiffness or floppiness
- - Un-coordinated movements or slight limp
- - Birth defects e.g. irregular shaped spine, small head, stiff jaw, drooling, crying, poor sucking or swallowing reflexes etc.

The above signs and symptoms depend on the severity of the brain insult or injury and may be progressive in appearance or may become more pronounced as the child grows older.

## Treatment

There is no cure for CP, hence treatment is often needed throughout life to help manage symptoms, prevent complications and maximize abilities. Medication, sometimes surgery, specialized equipment and devices and therapy for stimulation to prevent complications is highly recommended. The mother or caregiver of a CP child must be an integral part of the therapy team which may include: a Physiotherapist, Occupational Therapist, Speech Therapist, Audiologist, Social worker /Psychologist, Medical Doctor. Therapy may be provided at a hospital, CHC, Clinic or through a support group.

## Prevention

It is of paramount importance that a pregnant woman attends prenatal and antenatal clinics regularly. Pregnant women must also avoid predisposing factors such as drinking alcohol, smoking, exposure to toxic chemicals (Pollution), and must eat healthy food to prevent prematurity or under-weight babies.

Pregnant mothers must ensure that they give birth under supervision of a doctor or mid-wife nurse. Baby's immunization schedule must be up-to date. ENDS

**For more information please contact Ms. S Singh (Disability and Rehabilitation Programme) on (033) 392 2260 or Lindiwe Khuzwayo on 083 393 9943.**

- 
- KINDLY RETURN ALL DOCUMENTATION WHEN REPLYING