



Quotation Advert

Opening Date: 2020-05-12

Closing Date: 2020-05-19

Closing Time: 11:00

INSTITUTION DETAILS

Institution Name: Grey's hospital

Province: KwaZulu-Natal

Department or Entity: Department of Health

Division or section: Central Supply Chain Management

Place where goods / services is required: Gray's Hospital

Date Submitted: 2020-05-11

ITEM CATEGORY AND DETAILS

Quotation Number: ZNQ: 89/04/20

Item Category: Services

Item Description: Supply, deliver, install & commission new 8m3 (8000L) A/G self-bunded diesel tank at Maternity ward block emergency power supply generator.

NO COST INVOLVED

Quantity (if supplies): one complete unit

COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type: Compulsory Site Visit

Date: 2020-05-15

Time: 10:00

Venue: Maintenance Department

QUOTES CAN BE COLLECTED FROM: Grey's Hospital - Supply Chain Department/ Online

QUOTES SHOULD BE DELIVERED TO: Grey's Hospital - Tender Box / via email

ENQUIRIES REGARDING THE ADVERT MAY BE DIRECTED TO:

Name: Nomfundo Ngubane

Email: nomfundo.shelembe@kznhealth.gov.za

Contact Number: 033 897 3481

Finance Manager Name: Mrs T.M Mazibuko

Handwritten signature

Finance Manager Signature: 

No late quotes will be considered



health

Department:
Health
PROVINCE OF KWAZULU-NATAL

Grey's Hospital 201 Town Bush Road,
Pietermaritzburg, 3201
Private Bag X 9001,
Pietermaritzburg, 3200

89/04/20

SUPPLY, DELIVER, COMMISSION & INSTALL 8m³ A/G (8000L) SELF-BUNDED DIESEL TANK AT GREYS HOSPITAL

PROJECT SPECIFICATIONS

1. *NOTES TO TENDERERS*

1.1. SCOPE OF CONTRACT

This Contract is for the complete execution of the project indicated above.

1.2. CONTRACT DRAWINGS

This quotation document is to be read in conjunction with the drawings listed below which is issued together with this document.

Drawing No.: None

These drawings may be updated from time to time during the course of the Contract, and the Contractor must ensure at the time of the installation that he has the latest copy of all drawings. No claim will be considered for work, which requires to be changed due to the use of outdated drawings.

1.3. CONDITIONS OF CONTRACT AND PRELIMINARIES

1.3.1 PERIOD OF CONTRACT

SUPPLY, DELIVER, COMMISSION & INSTALL 8m³ A/G (8000L) SELF-BUNDED DIESEL TANK AT GREYS HOSPITAL

1.3.2 CONTRACT GUARANTEE:

The successful Tenderer will **NOT** be required to submit a contract guarantee.

1.3.3 GUARANTEE PERIOD

The guarantee period for the structural work and all materials must for a minimum of three (3) months from the date of first delivery.
The guarantee period for Electrical and Mechanical Installations shall be for a minimum of twelve (12) months from the date of first delivery.

1.3.4 SITE AND MODE OF PROCEDURE

The work contained in this contract will be carried out on the site of the existing Institution.

The Contractor is advised that the existing premises will be occupied throughout the period of the contract.

Damage to existing buildings - Tenderers to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor/ Tenderer.

The repairs must be to the satisfaction of the KwaZulu- Natal Department of Health.

NB: *Tenderers are advised to examine the drawings and visit the site prior to quoting and to acquaint themselves with the nature of the work to be done and access to the siting of the existing buildings etc., as no claim will be allowed on the grounds of ignorance of the conditions under which the work will be executed.*

1.3.5 SATISFACTORY INSTALLATION

The whole of the installation shall be carried out in accordance with the South African Bureau of Standards Code of Practice for the application of National Building Regulations, the KZNPA Standard Preambles to all Trades, the KZNPA General Electrical Specification, the South African Bureau of Standards Code of Practice for the Wiring of Premises and the Occupational Health and Safety Act 85 of 1993 as amended.

1.3.6 CERTIFICATE OF COMPLIANCE

On completion of the service, a "Test Certificate in accordance with procedures by the Department of Labour must be submitted to the office of the Chief Engineer –Department of Health: KwaZulu Natal.

1.3.7 GENERAL

The Bidder's / Contractors will be responsible for all masonry work associated with the electrical installation and making good of all work related to the electrical installation. The patching and painting must be to the satisfaction of the KwaZulu-Natal Department of Health.

GENERAL PROVISIONS APPLYING TO THE SYSTEM AND STANDARD SPECIFICATIONS

Although not bound in nor issued with this document, the latest issues of the following standards and specifications shall form part of this Contract:

- a) **SANS 10400 - The application of the National Building Regulations;**
- b) **Occupational Health and Safety Act, 1993**
- c) **SANS 10131**

2. **TECHNICAL SPECIFICATION**

2.1 **GENERAL**

This TECHNICAL SPECIFICATION shall be read in conjunction with all other sections of the SPECIFICATION and cognisance shall be taken of the clauses relevant to this particular service, whether any specific clauses are referred to or not

- 2.2 The bidder shall submit accreditation certificate from ECB/DOL. **(Master installation Electrician)**
- 2.3 The Bidder shall submit Letter of Good Standing from Department of Labour.
- 2.4 The bidder shall submit references for previous similar project in public services, Please submit programme of works
- 2.5 The bidder shall submit proof of core business function.
- 2.6 The bidder shall submit proposal project execution plan.

NOTE: Fail to submit the above returnable will result to disqualify

3. **SCOPE OF WORK**

The regulations require an applicant to put an environmental management plan (EMP) in place and to monitor compliance against this. Similarly, decommissioning at the end of a storage tank's life requires an EIA and an EMP to be undertaken to monitor safe decommissioning and removal to prevent pollution.

The scope of work is summarised as follows:

DECOMMISSIONING AND REMOVAL OF DAMAGED 4.5 m³ U/G DIESEL TANK

- a. Tar on top of the tank to be remove and trenching around the tank to expose entire tank.

- b. Diesel tank must be emptied and made safe.(**Adhere with EIA**)
- c. All piping from the tank to be disconnected from the tank prior to removal.
- d. Tank to be rigged out of excavation site and remove with bowser.
- e. Soil surrounding the tank and bowser to be tested for contamination.
- f. Contaminated soil to be rehabilitated
- g. Excavation to be back filled and compacted and tarred.

SOIL SAMPLING AND ANALYSIS

- a. Collect samples for head space testing on site (Analyse the sample using a handheld Photo Ionization Detector to guide and determine how much soil to remove) .Remove all contaminated soil from the excavation so that clean sidewalls and floor are exposed for sampling.
- b. Collect soil samples from the contaminated soil stockpile to determine the level of contaminated.
- c. Collect soil samples from each of the four sidewalls of the tank pit as well as the floor of excavation or any standing water in the pit.
- d. Soil sample must be analyse in the laboratory to determine diesel /BTEX concentrations and compare against recognized screening values.
- e. Prepare factual soil sampling report **confirming** whether or not the soil meets the relevant screening criteria

INSTALLATION OF NEW 8M3 A/G DIESEL STORAGE TANK DETAILS

- a. Supply and install self-bunded 8m3 Above Ground Cube Tank (8000L) and install in the same location as the current U/G tank.
- b. Once all the test has completed compact, resurface and tar the area.
- c. Self –bunded cubes tank must be fabricated from high grade S355JR Steel C/W a 5mm inner wall thickness and 5mm outer tank wall thickness .An inner tank must contain the initial volume of liquid ,In the unlikely event that this tank develops a leak the outer tank will prevent the liquid from escaping into the environment
- d. Design and fabrication must be in accordance to AS1940/AS1692 as self- bunded tank for static storage.
- e. Design and fabrication must be in accordance to SANS 10131.
- f. Self-bunded tank must have a capacity of 110% of volume and all seams must welded to regulated standards.
- g. Cube Self – bunded tank must be design with an easy removable inner tank for maintenance and inspection.
- h. Overfill protection valve /Anti syphon valve and overfill alarm unit.
- i. Construction of slab and bund wall.

STANDARD FIXTURES AND ACCESSORIES

- I. High level alarm
- II. Fuel suction line c/w isolation control with ant-syphon foot valve.
- III. Fuel returns line c/w isolation control.
- IV. Filler breather port.
- V. Atmospheric vent with emergency relief vent
- VI. Bund dip
- VII. Anti- theft alarm sensors system

1.1 **DELIVERABLES**

Supply and install self-bunded 8m³ Above Ground Cube Tank (8000L) and install in the same location as the current U/G tank

1. Electrical power supply
2. New piping
3. Cabling and Sundries
4. Labour Technician/Engineer and Technical Assistance
5. Provide programme of works

NOTE: Only specialize companies in sound engineering field (Core business function)

1.2 **Environment**

1.3 **Competent Persons**

It is definite requirements that competent sound technicians/engineers **MEI** be used to install the tank. The names, qualifications and experience of the persons shall be submitted to the Department for approval.

The systems require competent persons with in-depth experience of the following fields:

- a) Electrical installations systems SANS 0142.(Master electrician installer) MEI
- b) SANS 10400 - The application of the National Building Regulations.
- c) SANS 10131

2. **LABELLING & SIGNAGE**

2.1 **Labels**

All equipment shall have a unique number on a permanent label and fixed to the equipment, design and operating information.

The following information shall be indicated at each piece of equipment:

- a) Complete schematic, wiring diagrams and operating instructions shall be laminated and fixed on the inside of all enclosures.

2.2 Cable numbers

All cables shall be marked and neatly enclosed in conduit. At least the following requirements shall be met: Cables shall be numbered as follows:

- a) Cables shall be numbered with permanent labels fixed to the cables.
- b) Cables numbers shall be installed at each end of the cable on each side.
- c) A detailed cable schedule must be drawn up and submitted to the Department.

3. SYSTEM FEATURES

3.1 Cable Sleeves, wire ways, conduits and fixings

- a) All cable sleeves, wire ways, cable trunking and conduits is required and form part of the installation contract.
- b) The Contractor shall be responsible to ensure that the requirements of the tank installation with regard to the cable and piping shall be met.
- c) The Contractor shall provide detail layout drawings for acceptance by the Department.
- d) The cable must conform to the current buildings regulation.

3.2 Conduits

3.3 Wire ways

3.4 Fixings

4. DIMENSIONS OF THE SELF-BUNDED TANK A/G

8m³ Above Ground Cube Tank (8000L)

4.1 Operating Temperature/humidity

-10 to 40 C

5– 95% non- condensing

4.2 Housings

Anti-theft storage (Lockable with alarm system)

4.3 Mounting

4.4 Dry wall

5. EARTHING, BONDING AND LIGHTNING PROTECTION

- a) The Contractor will be responsible for all earthing and bonding of the equipment supplied under this contract.
- b) The earthing and bonding of equipment is to be carried out strictly as described in the standard specifications and to the satisfaction of the Department.
- c) The Contractor shall provide high quality lightning protection equipment .The earthing and bonding shall be suitable for the lightning protection.
- d) The cost of protection devices shall be included in the project.

- e) All equipment must be guaranteed against lightning damage, and where damaged by lightning, maintenance and repairs will be for the cost of and the responsibility of the Contractor during the **guarantee/warranty period**.

6. OTHER WORK

- a) Construction and electrical works required for the contract should be carried out by persons registered with the CIDB/DOL or relevant regulatory bodies. The Contractor is however responsible to identify the work to be done by others and to inform the appropriate parties that the work needs to be done. The Contractor shall also follow up on the progress of the work and expedite the work if necessary.

- b) Disposal certificate for old tank and accessories

6.1 Builder's work

- a) No cutting of structural concrete will be permitted unless the permission of the Department has been obtained beforehand in writing.
- b) The Contractor shall take care that all pipes, other electrical equipment and accessories to be chased, are firmly fixed in position in a manner acceptable to the Department.
- c) The Contractor shall be responsible for the making good (including painting, plastering and patching) of all chases and openings in building work after equipment has been positioned.

6.2 Electrical work electrical requirement

- a) The electrical supply to the components of the system shall be supplied by others at 240V AC \pm . Any electrical cabling and wiring from electrical supply to the equipment forms part of this contract. **The contractor must appoint a qualified and licenced electrician to perform any electrical work which must be inclusive in the pricing.**
- b) The power supply should comply with the Electrical Regulations and the SANS
- c) All electrical equipment shall be provided with a substantial earth terminal to which all metal parts are connected.
- d) Bidders must follow installation electrical in accordance with SANS 0142, certificate of compliance for electrical installations MIE.
- e) All electrical equipment shall comply with the compulsory specification for the safety of electrical appliances as published in Government Gazette no 7464 under notice 466 of 1981.
- f) All electrical work is to be effected by, or under the direct supervision of, a licensed electrician MIE.

6.3 The bidder must submit the following requirements with the bid:

- a) Certificate of compliance with respect to safety requirements and quality assurance of the compulsory specification of the SANS.
- b) The Curriculum Vitae including certified qualifications and certificates of the directors and the project team members that will be utilised for the project must be submitted with the proposal.

NB: Failure to submit the above documents with the bid will result in being disqualified.

6.4 Mechanical work

7. VOLTAGE SURGES

- a) All damage caused by voltage surges must be fixed under this contract at no additional cost. No claims for voltage surge damage will be considered.
- b) The Contractor is advised to check the surge protection and earthing and install or replace the surge protection equipment on the systems and to regularly check the surge protection equipment for proper operation.

- c) The Contractor shall use the services of a surge protection specialist to determine what surge protection is required and to what standard the surge protection should be installed.
- d) The Contractor will be responsible for all earthing and bonding of the equipment supplied under this contract.
- e) The earthing and bonding of equipment is to be carried out strictly as described in the standard specifications and to the satisfaction of the Departments representative.

8. SPECIAL TESTING OF AN INSTALLATION

- a) The Department may at any time inspect any part of the entire installation at his discretion order special tests to be carried out on complete installations, to verify the satisfactory functional condition of the installation.
- b) The Department reserves the right to select at random equipment and trade practices to be tested for compliance with specifications as specified in this Contract document.
- c) The Contractor shall provide all equipment, tools and instruments required for testing.
- d) The Contractor shall respond to a breakdown registration by travelling to Site to evaluate the breakdown (scope of repair work), estimate the realistic downtime and provide feedback to the Department.
- e) The delivery time of a new component/subassembly/machine or spares required for the repair of the defective component/subassembly does not enable the Contractor to successfully complete the repair work within the maximum breakdown down-time allowed

9. COMMUNICATION PLAN DURING THE GAURANTEE PERIOD

Good workmanship leaving the service in good condition to the satisfaction of the Secretary for Health KwaZulu –Natal.

QUOTATION FORM

SUPPLY, DELIVER, COMMISSION & INSTALL 8m³ A/G (8000L) SELF-BUNDED DIESEL TANK AT GREYS HOSPITAL

ALTERNATIVES

It is required that the Contractor's main offer be in accordance with the specification. However, should Contractors wish to make alternative offers these must only be made on this form or copies thereof as necessary.

Note that all of the information required in this document must be supplied for all alternative offers as well.

Where the Contractor does not wish to submit alternatives, the word "NIL" shall be inserted against each section and the page signed by the Contractor.

ALTERNATIVE NO

ALTERNATIVE PRICE
(IN WORDS)

DETAIL VARIATIONS FROM SPECIFICATION

DETAIL BENEFITS TO OWNER IN TERMS OF THE ALTERNATIVE OFFER

REMARKS

CONTRACTORS'S AUTHORISED SIGNATURE / FULL NAME AND ADDRESS OF FIRM

NAME IN BLOCK LETTERS: _____

DATE _____

QUOTATION FORM

SUPPLY, DELIVER, COMMISSION & INSTALL 8m³ A/G (8000L) SELF-BUNDED DIESEL TANK AT GREYS HOSPITAL

DEVIATIONS FROM SPECIFICATION

If the Contractor's main offer contains any deviations from the specification these deviations must be listed below:

Where no deviations from specification occur, the word "NIL" shall be entered under Deviation, and the page signed by the Contractor.

CLAUSE NO	DEVIATION

CONTRACTOR'S AUTHORISED SIGNATURE

FULL NAME AND ADDRESS OF FIRM:

NAME IN BLOCK LETTERS: _____

DATE: _____

**PROVINCE OF KWAZULU-NATAL
DEPARTMENT OF HEALTH**

**SUPPLY, DELIVER, COMMISSION & INSTALL 8m³ A/G (8000L) SELF-BUNDED DIESEL TANK AT
GREYS HOSPITAL**

SCHEDULE OF RATES

3.1 ITEMS AND PRICING

The Department reserves the right to place an order for any quantities of items included in the Schedules. The Schedule of Rates must also not be assumed to include and describe every detail of the supply requirement, but must be taken and read in conjunction with the other parts of the document. Thus the supplier shall not have claim for further payment in respect of any order which may be described or implied in the contract, although apparently no corresponding items are given in the Schedule of Rates. The supplier shall be deemed to have satisfied himself before quoting as to the correctness and sufficiency of his quote for the contract and of the rates and prices stated in the Schedule of Rates.

3.2 TAX AND DUTIES

Prices, quoted and paid, must include all customs, excise and import duties, and any other tariffs or taxes levied by the government or statutory body having jurisdiction on the goods provided under this contract, **including Value Added Tax (applicable to the current rate)**.

3.3 RATES

Except where provision is made in the Schedule of Rates, the rates and prices inserted shall be the full rates and prices for the service delivered described under the respective items and shall cover all labour, transport, overhead charges and profit, etc. as well as the general liabilities, obligations and risks arising out of the Conditions of Contract, the overhead charges and profit being spread proportionately over the rates of the relative items in the Schedule of Rates.

SCHEDULE OF RATES

WORK TO BE DONE AND SCHEDULE OF PRICES:

Item	DESCRIPTION	UNI T	QTY	RATE/ UNIT		TOTAL	
				R	c	R	c
	<p>SUPPLY, DELIVER, COMMISSION & INSTALL 8m³ A/G (8000L) SELF-BUNDED DIESEL TANK AT GREYS HOSPITAL</p>						
	<p>NOTES: All items to be priced fully inclusive of all charges: e.g. labour, plant, profit, etc., but excluding Value Added Tax. The Administration reserves the right to negotiate prices in the Bill of Quantities. All materials used in this contract shall be that which is specified, or other approved by the Department of Health. Contractors are advised to visit site to acquaint themselves with the site and the layout of the institution as no claims on the grounds of ignorance of the locality/siting of the institution will be entertained later. Contractors are informed that living on the institutions premises during the contract is not allowed and arrangements for accommodation will have to be allowed for.</p>						
	<p>INSTITUTION: SUPPLY, DELIVER, COMMISSION & INSTALL 8m³ A/G (8000L) SELF-BUNDED DIESEL TANK AT GREYS HOSPITAL</p>						
1)	<p><u>DECOMMISSIONING AND REMOVAL OF DAMAGED 4.5 M3 U/G DIESEL TANK</u></p> <p>1.Tar on top of the tank to be remove and trenching around the tank to expose entire tank. 2.Diesel tank must be emptied and made safe.(Adhere with EIA) 3.All piping from the tank to be disconnected from the tank prior to removal. 4.Tank to be rigged out of excavation site and remove with bowser. 4.Soil surrounding the tank and bowser to be tested for contamination. 5.Contaminated soil to be dispose 6.Excavation to be back filled and compacted and tarred.</p> <p><u>SOIL SAMPLING AND ANALYSIS</u></p> <p>1. Collect samples for head space testing on site (Analyse the sample using a handheld Photo Ionization Detector to guide and determine how much soil to remove) .Remove all contaminated soil from the excavation so that clean sidewalls and floor are exposed for sampling. 2. Collect soil samples from the contaminated soil stockpile to determine the level of contaminated. 3. Collect soil samples from each of the four sidewalls of the tank pit as well as the floor of excavation or any standing water in the pit.</p>						
			01				

4. Soil sample must be analysed in the laboratory to determine diesel /BTEX concentrations and compare against recognized screening values.

5. Prepare factual soil sampling report confirming whether or not the soil meets the relevant screening criteria

INSTALLATION OF NEW 8M3 A/G DIESEL STORAGE TANK DETAILS

1. Supply and install self-bunded 8m3 Above Ground Cube Tank (8000L) and install in the same location as the current U/G tank

2. Once all the test has completed compact, resurface and tar the area.

3. Self –bunded cubes tank must be fabricated from high grade S355JR Steel C/W a 5mm inner wall thickness and 5mm outer tank wall thickness .An inner tank must contain the initial volume of liquid ,In the unlikely event that this tank develops a leak the outer tank will prevent the liquid from escaping into the environment

4 Design and fabrication must be in accordance to AS1940/AS1692 as self- bunded tank for static storage.

5. Design and fabrication must be in accordance to SANS 10131.

6. Self-bunded tank must have a capacity of 110% of volume and all seams must welded to regulated standards.

7. Cube Self – bunded tank must be design with an easy removable inner tank for maintenance and inspection.

8. Overfill protection valve /Anti syphon valve and overfill alarm unit.

9. Construction of slab and bund wall.

STANDARD FIXTURES AND ACCESSORIES

- VIII. High level alarm
- IX. Fuel suction line c/w isolation control with ant-syphon foot valve.
- X. Fuel returns line c/w isolation control.
- XI. Filler breather port.
- XII. Atmospheric vent with emergency relief vent
- XIII. Bund dip
- XIV. Anti- theft alarm sensors system

2)	EIA and an EMP	02				
3)	Electrical Surge protection device for the entire system	01				
4)	Cabling, piping, material and Sundries	sum				
5)	Labour, Travelling, Technician/Engineer and Technical Assistance	sum				
6)	COC (MIE)	01				
7)	Disposal certificate	01				
8)	Electrical pump motor	01				

9)	Safety Plan						
10)							
Carried To Collection Summary		PS 1				R	

COLLECTION SUMMARY

INSTITUTION: GREYS HOSPITAL

PROJECT DESCRIPTION: SUPPLY, DELIVER, COMMISSION & INSTALL 8m³ A/G (8000L) SELF-BUNDED DIESEL TANK AT GREYS HOSPITAL

NOTE:
THIS COLLECTION SUMMARY MUST BE COMPLETED IN FULL BY THE CONTRACTOR AND RETURNED TOGETHER WITH THE QUOTATION FORM.

Collection Summary	PS 1	R	
<u>SUB-TOTAL: CARRIED TO QUOTATION FORM</u>		R	

IMPORTANT
THIS FORM IS ONLY TO BE INCLUDED AND COMPLETED WHEN APPLICABLE TO THE QUOTATION.

OFFICIAL BRIEFING SESSION / SITE INSPECTION CERTIFICATE

Site/building/institution involved: **GREY'S HOSPITAL**

Quotation No.: .

Service: **SUPPLY, DELIVER, COMMISSION & INSTALL 8m³ A/G (8000L) SELF-BUNDED DIESEL TANK AT GREYS HOSPITAL**

THIS IS TO CERTIFY THAT..... OF (STATE NAME OF TENDERER)
..... VISITED AND INSPECTED THE SITE ON
..... (DATE) AND IS THEREFORE FAMILIAR WITH THE CIRCUMSTANCES AND
THE SCOPE OF THE SERVICE TO BE RENDERED.

.....
SIGNATURE OF TENDERER OR AUTHORISED REPRESENTATIVE

DATE :.....

.....
SIGNATURE OF DEPARTMENTAL REPRESENTATIVE

DEPARTMENTAL STAMP:

DATE :.....

DECLARATION OF INTEREST

1. Any legal person, including persons employed by the state, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to quote (includes a price quotation, advertised competitive quote, limited quote or proposal). In view of possible allegations of favouritism, should the resulting quote, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority where-
 - the bidder is employed by the state; and/or
 - the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the quote(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the quote.

2. In order to give effect to the above, the following questionnaire must be completed and submitted with the quote.

- | | |
|--|---|
| 2.1. Full Name of bidder/representative..... | 2.4. Company Registration Number: |
| 2.2. Identity Number: | 2.5. Tax Reference Number: |
| 2.3. Position occupied in the Company (director, trustee, shareholder?): | 2.6. VAT Registration Number: |

2.7. The names of all directors / trustees / shareholders / members, their individual identity numbers, tax reference numbers and, if applicable, employee / persal numbers must be indicated in paragraph 3 below. (TICK APPLICABLE)

2.8. Are you or any person connected with the bidder presently employed by the state? YES NO

2.8.1. If so, furnish the following particulars:
 Name of person / director / trustee / shareholder/ member:
 Name of state institution at which you or the person connected to the bidder is employed:.....
 Position occupied in the state institution: Any other particulars:.....

2.8.2. If you are presently employed by the state, did you obtain the appropriate authority to undertake remunerative work outside employment in the public sector? YES NO

2.8.2.1. If yes, did you attach proof of such authority to the quote document?

(Note: Failure to submit proof of such authority, where applicable, may result in the disqualification of the quote.)

2.8.2.2. If no, furnish reasons for non-submission of such proof:

2.9. Did you or your spouse, or any of the company's directors / trustees / shareholders / members or their spouses conduct business with the state in the previous twelve months? YES NO

2.9.1. If so, furnish particulars:.....

2.10. Do you, or any person connected with the bidder, have any relationship (family, friend, other) with a person employed by the state and who may be involved with the evaluation and or adjudication of this quote? YES NO

2.10.1. If so, furnish particulars:.....

2.11. Are you, or any person connected with the bidder, aware of any relationship (family, friend, other) between any other bidder and any person employed by the state who may be involved with the evaluation and or adjudication of this quote? YES NO

2.11.1. If so, furnish particulars:.....

2.12. Do you or any of the directors / trustees / shareholders / members of the company have any interest in any other related companies whether or not they are bidding for this contract? YES NO

2.12.1. If so, furnish particulars:.....

3. Full details of directors / trustees / members / shareholders.

NB: The Department Of Health will validate details of directors / trustees / members / shareholders on CSD. It is the suppliers' responsibility to ensure that their details are up-to-date and verified on CSD. If the Department cannot validate the information on CSD, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

4 DECLARATION

I, THE UNDERSIGNED (NAME).....CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 2.

I ACCEPT THAT THE STATE MAY REJECT THE QUOTE OR ACT AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE

..... Name of bidder Signature Position Date
-------------------------	--------------------	-------------------	---------------

"State" means -

- | | |
|---|---|
| a) any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No. 1 of 1999); | c) provincial legislature; |
| b) any municipality or municipal entity; | d) national Assembly or the national Council of provinces; or |
| | e) Parliament. |

"Shareholder" means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.

SPECIAL CONTRACT CONDITIONS OF QUOTATIONS

1. AMENDMENT OF CONTRACT

- 1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

- 2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (*domicilium citandi et executandi*) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The institution is under no obligation to accept the lowest or any quote.
- 3.2. The price quoted must include VAT (if VAT vendor). However, it must be noted that the department reserves the right to evaluate all quotations excluding VAT as some bidders may not be VAT vendors.
- 3.3. The bidder must ensure the correctness & validity of quote:
- (i) *that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk*
- 3.4. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.5. This quotation will be evaluated based on the 80/20 points system, specification & correctness of information. All required documentation must be completed in full and submitted.
- 3.6. Offers must comply strictly with the specification.
- 3.7. Only offers that meet or are greater than the specification will be considered.
- 3.8. Late quotes will not be considered.
- 3.9. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.10. A bidder not registered on the Central Suppliers Database or verification has failed will not be considered.
- 3.11. All delivery costs must be included in the quote price, for delivery at the prescribed destination.
- 3.12. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.13. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.14. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered. Furthermore a verification will be done to identify if bidders have multiple companies and are quoting (cover-quoting) for this bid. In such instances only the cheapest bid according to specification will be considered.

4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotation submitted must be complete in all respects.
- 4.5. Any alteration made by the bidder must be initialled.
- 4.6. Use of correcting fluid is prohibited
- 4.7. Quotation will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.

5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.

- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
 - (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
 - (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.
 - (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

7.1. Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process.

- (i) The institution has determined that a compulsory site meeting take place
- (ii) Date / / Time : Place

Institution Stamp:	Institution Site Inspection / briefing session Official Full Name: Signature: Date:
--------------------	--

8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

10. TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, *it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.*
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, *the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.*

11. TAX INVOICE

11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:

- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

12. PATENT RIGHTS

The supplier shall indemnify the KZN Department of Health (hereafter known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

14. TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
 - (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
 - (ii) if the supplier fails to perform any other obligation(s) under the contract; or
 - (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

15. FAILURE TO COMPLY WITH ABOVE WILL RESULT IN YOUR QUOTE BEING PASSED OVER.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all quotes:
- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.
- 1.3 Points for this quote shall be awarded for:
- (a) Price; and
 - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this quote is allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.
2. DEFINITIONS
- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
 - (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
 - (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
 - (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
 - (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
 - (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
 - (g) "prices" includes all applicable taxes less all unconditional discounts;
 - (h) "proof of B-BBEE status level of contributor" means:
 - 1) B-BBEE Status level certificate issued by an authorized body or person;
 - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - 3) Any other requirement prescribed in terms of the B-BBEE Act;
 - (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
 - (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

$$P_s = 80 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right) \text{ Where}$$

- P_s = Points scored for price of bid under consideration
- P_t = Price of bid under consideration
- P_{min} = Price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

5. BID DECLARATION

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1

6.1 B-BBEE Status Level of Contributor: =(maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7. SUB-CONTRACTING

(Tick applicable box)

7.1 Will any portion of the contract be sub-contracted?

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

7.1.1 If yes, indicate:

- i) What percentage of the contract will be subcontracted.....%
- ii) The name of the sub-contractor.....
- iii) The B-BBEE status level of the sub-contractor.....

8. Whether the sub-contractor is an EME or QSE

(Tick applicable box)

iv) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations, 2017:

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

Designated Group: An EME or QSE which is at least 51% owned by:	EME √	QSE √
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

9. DECLARATION WITH REGARD TO COMPANY/FIRM

9.1 Name of company/firm:.....

9.2 VAT registration number:.....

9.3 Company registration number:.....

9.4 TYPE OF COMPANY/ FIRM [TICK APPLICABLE BOX]

- Partnership/Joint Venture / Consortium
- One person business/sole propriety
- Close corporation
- Company
- (Pty) Limited

9.5 DESCRIBE PRINCIPAL BUSINESS ACTIVITIES

.....
.....

9.6 COMPANY CLASSIFICATION [TICK APPLICABLE BOX]

- Manufacturer
- Supplier
- Professional service provider
- Other service providers, e.g. transporter, etc.

9.7 Total number of years the company/firm has been in business:.....

9.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
- iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have –
 - (a) disqualify the person from the bidding process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution.

WITNESSES
1.
2.

..... SIGNATURE(S) OF BIDDERS(S)
DATE:
ADDRESS.....

